

## LM-79-08 Test Report

For

### L-TECH CORPORTION (Brand Name: L-TECH CORP)

SHAOGANGTOU DISTRICT.QIAOTOU TOWN.DONGGUAN  
CITY.GUANGDONG PROVINCE,CHINA

### LED Luminare

Model name(s): LRKT411W-EN-2790

Representative (Tested) Model: LRKT411W-EN-2790

Model Different: N/A

Test & Report By:

*Univ Xie*

Engineer: Univ Xie

Date: Jan17, 2017

Review By:

*Tommy Liang*

Manager: Tommy Liang

Note: This report does not imply product certification, approval, or endorsement by NVLAP, NIST, or any agency of the Federal Government.

Laboratory: Standard-Tech Co. Ltd Testing Center  
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

**1.1 Product Information:**

Organization Name	L-TECH CORPORTION	
Brand Name	L-TECH CORP	
Model Number	LRKT411W-EN-2790	
SKU (if available)	N/A	
Type of Luminaire (for integral lamps, list base type and lamp type)	LED Luminaire	
Rated Voltage / Frequency	120Vac, 60 Hz	
Nominal Power	9W	
Rated Initial Lamp Lumen	--	
Declared CCT	2700K	
LED Manufacturer	Edison Opto Corporation	
LED Model	2T03X5	
Sample Number	GZE1612120-AI1	
Luminaire Aperture (for downlights)	--	in.
Luminaire Length	--	mm
Luminaires Width	--	mm
Number of Units (modular products)	N/A	s

**Photo**



**1.2 Test Specifications:**

Date of Receipt	Jan08, 2017
Date of Test	Jan.11, 2017
Test item	<ol style="list-style-type: none"> <li>1. Total Luminous Flux</li> <li>2. Luminous Distribution Intensity</li> <li>3. Luminous Efficacy</li> <li>4. Correlated Color Temperature</li> <li>5. Color Rendering Index</li> <li>6. Chromaticity Coordinate</li> <li>7. Electrical Parameters</li> </ol>
Reference Standard	<ol style="list-style-type: none"> <li>1. IES LM-79-2008 Electrical and Photometric Measurements of Solid-State Lighting Products</li> <li>2. ANSI C78.377-2008 Specifications for the Chromaticity of Solid State Lighting Products</li> <li>3. CIE 13.3-1995 Method of Measuring and Specifying Colour Rendering Properties of Light Sources</li> <li>4. CIE 15-2004 Technical Report Colorimetry</li> <li>5. IESNA LM-16-93 Practical Guide to Colorimetry of Light Source</li> <li>6. IESNA TM-16-05 Technical Memorandum on Light Emitting Diode (LED) Sources and Systems</li> </ol>
Reference Work Instruction	QD25

**1.3 Test Methods**

<p><b>1) Photometric and Light Distribution Measurement – Goniophotometer Method:</b></p> <p>Photometric parameters were measured using the goniophotometer and software. The ambient temperature shall be maintained at 25° C ± 1° C, measured at a point not more than 1 m from the sample and at the same height as the sample. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Luminous flux, luminaire efficacy, zonal lumen were calculated from the software taken at 1° vertical intervals and 22.5° horizontal intervals.</p>
<p><b>2) Chromaticity Measurement – Sphere-Spectroradiometer Method:</b></p> <p>Chromaticity parameters were measured using an integrating sphere, a spectroradiometer and software. The ambient temperature condition inside the sphere was maintained at 25° C ± 1° C. The sample measurements were made using a spectroradiometer connected by a fiber optic cable and detector through the detector port of the integrating sphere. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Chromaticity coordinates, correlated color temperature and color rendering index were calculated from the spectral power distribution taken at 5 nm intervals over the range of 380 to 780 nm.</p>
<p><b>3) Electrical Measurements:</b></p> <p>Electrical parameters were measured using power meters incorporated in goniophotometer or sphere-spectroradiometer system. The ambient temperature surrounding the sample was maintained at 25° C ± 1° C. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Voltage, frequency, current, power, power factor and total harmonic distortion were measured by and read from the power meter.</p>

**2.1 Electrical, Photometric and Chromaticity Measurements**

*(Refer to Work Instruction QD25)*

<b>Test date</b>	2017-01-11	<b>Test Ambient:</b>	25.2 °C
<b>Test Orientation</b>	As intended	<b>Stabilization Time (min)</b>	90
<b>Model Number</b>	LRKT411W-EN-2790		

**Electrical Measurement:**

Sample No.	Voltage (Vac)	Frequency (Hz)	Current (A)	Power (W)	Power Factor
GZE161212 0-AI1	120.0	60	0.0740	8.520	0.9567


**Chromaticity Measurement - Sphere-Spectroradiometer Method:**

Parameter	Result	Special Color Rendering Indices			
Test Voltage (V)	120.0	R1	93	R9	57
Frequency (Hz)	60	R2	97	R10	92
CCT (K)	2770	R3	99	R11	95
Duv	-0.0001	R4	94	R12	87
Chromaticity (x, y)	x=0.4540 y=0.4088	R5	93	R13	94
Chromaticity (u', v')	u'=0.2595 v'=0.5258	R6	97	R14	99
Color Rendering Index (CRI)	93.0	R7	91	R15	88
R9	57	R8	80	--	--

**Photometric Measurement – Goniophotometer Method:**

Parameter	Result
Test Voltage (V)	120.0
Frequency (Hz)	60
Total Luminous (lm)	641.75
Luminous Efficacy (lm/W)	75.32
Beam Angle (°)	103.2
Center Beam Candle Power (cd)	245

**Spectral Power Distribution & Chromaticity Diagram**




**Zonal Lumen Tabulation**

Zonal Lumen Summary		
Zone	Lumens	% Luminaire
0-30	185.6	28.9%
0-40	299.0	46.6%
0-60	510.7	79.6%
60-90	129.9	20.2%
70-100	56.4	8.8%
90-120	0.5	0.1%
0-90	640.6	99.8%
90-180	1.1	0.2%
0-180	641.7	100%

Lumens Per Zone					
Zone	Lumens	% Total	Zone	Lumens	% Total
0-10	23.1	3.6%	90-100	0.2	0%
10-20	65.4	10.2%	100-110	0.2	0%
20-30	97.1	15.1%	110-120	0.1	0%
30-40	113.4	17.7%	120-130	0.1	0%
40-50	113.2	17.6%	130-140	0.1	0%
50-60	98.6	15.4%	140-150	0.1	0%
60-70	73.7	11.5%	150-160	0.1	0%
70-80	42.9	6.7%	160-170	0.1	0%
80-90	13.3	2.1%	170-180	0.0	0%



**Photometric Data**



**Illuminance at a Distance**

	Center Beam fc	Beam Width	
17.0ft	<b>0.85 fc</b>	<b>42.8 ft</b>	<b>43.0 ft</b>
34.0ft	<b>0.21 fc</b>	<b>85.7 ft</b>	<b>86.1 ft</b>
51.0ft	<b>0.09 fc</b>	<b>128.5 ft</b>	<b>129.1 ft</b>
68.0ft	<b>0.05 fc</b>	<b>171.3 ft</b>	<b>172.1 ft</b>
85.0ft	<b>0.03 fc</b>	<b>214.1 ft</b>	<b>215.1 ft</b>
102.0ft	<b>0.02 fc</b>	<b>257.0 ft</b>	<b>258.2 ft</b>

■ Vert. Spread: 103.1°  
■ Horiz. Spread: 103.4°



Laboratory: Standard-Tech Co. Ltd Testing Center  
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

**Candela Table - Type C**

	0	22.5	45	67.5	90	112.5	135	157.5	180	202.5	225	247.5	270	292.5	315	337.5	360
0	245	245	245	245	245	245	245	245	245	245	245	245	245	245	245	245	245
1	245	245	246	247	246	243	244	244	245	245	245	246	246	242	243	244	245
2	245	245	246	246	247	243	243	244	244	245	245	245	245	242	243	244	245
3	245	246	246	246	246	243	243	244	244	244	244	244	245	242	243	244	245
4	245	246	246	246	246	243	243	243	244	244	244	244	244	242	242	243	245
5	244	245	246	246	246	242	243	243	242	243	243	244	244	241	242	243	244
6	244	245	245	245	246	242	242	242	242	243	241	243	243	240	241	242	244
7	243	244	245	245	245	242	241	241	241	241	241	242	242	239	240	242	243
8	243	244	244	244	244	241	240	240	240	240	240	240	241	238	239	241	243
9	242	243	244	244	244	240	239	239	239	239	239	239	240	237	238	240	242
10	241	242	243	243	243	239	238	238	238	237	237	238	238	236	237	239	241
11	240	241	242	242	242	238	238	237	237	236	236	236	237	234	236	238	240
12	238	240	241	241	241	237	236	235	235	234	233	235	235	233	235	237	238
13	237	239	240	240	240	236	235	234	233	233	232	233	233	231	233	235	237
14	236	238	238	238	238	234	233	233	231	231	231	231	232	230	232	234	236
15	234	236	237	237	237	233	232	231	230	228	229	230	231	228	230	232	234
16	233	235	235	235	235	231	230	229	228	227	226	227	228	226	228	230	233
17	231	233	234	234	234	229	228	227	226	225	225	226	226	224	227	229	231
18	230	231	232	233	233	228	226	225	224	223	223	223	224	223	225	227	230
19	228	229	231	231	230	226	225	223	222	221	220	221	222	220	222	225	228
20	226	228	229	228	228	224	223	221	219	218	218	219	219	218	220	223	226
21	224	225	227	227	226	222	221	219	217	216	216	216	218	216	218	221	224
22	221	223	225	224	224	220	218	217	215	214	213	214	215	213	216	219	221
23	220	221	222	222	222	217	216	214	213	212	210	211	212	211	214	216	220
24	218	219	220	220	220	215	214	212	210	209	208	209	210	208	211	214	218
25	215	217	218	218	218	213	211	209	207	205	205	206	207	206	208	212	215
26	212	214	215	215	215	210	209	206	205	203	203	203	204	203	206	209	212
27	210	212	213	212	212	208	206	204	202	200	199	201	201	200	203	207	210
28	207	209	210	210	210	205	203	201	199	197	196	197	198	198	200	204	207

Laboratory: Standard-Tech Co. Ltd Testing Center  
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

29	204	207	208	207	207	202	200	198	196	194	193	194	195	195	198	201	204
30	202	204	205	205	204	199	197	195	193	191	190	191	192	191	195	198	202
31	199	200	202	202	202	197	194	192	190	188	187	188	188	188	192	196	199
32	195	198	199	199	198	193	191	189	187	185	184	185	186	186	189	192	195
33	192	195	197	196	196	190	188	185	184	181	180	182	182	182	187	190	192
34	189	192	193	193	192	187	185	182	180	178	178	178	179	179	183	186	189
35	186	188	190	189	189	184	182	179	176	175	174	175	176	176	179	183	186
36	183	186	187	186	186	181	178	175	174	172	171	171	172	172	177	180	183
37	180	182	183	183	182	177	175	173	170	168	167	168	169	170	173	176	180
38	176	179	179	179	180	174	171	169	167	164	163	165	165	166	170	173	176
39	172	176	177	176	176	171	168	165	163	161	160	161	161	163	166	169	172
40	170	172	174	173	173	167	165	162	160	157	156	158	158	159	163	167	170
41	166	169	170	170	169	164	161	158	156	154	153	154	154	156	159	163	166
42	163	165	166	166	166	160	158	155	152	150	149	151	151	152	155	160	163
43	159	162	163	162	162	156	154	151	149	146	146	147	147	148	152	156	159
44	157	158	159	159	159	153	151	147	145	143	142	143	143	145	148	152	157
45	152	154	156	155	155	149	147	144	141	139	138	140	140	141	145	149	152
46	148	151	152	152	151	146	143	140	138	136	135	136	136	138	141	145	148
47	145	147	149	148	148	142	140	137	134	132	131	133	133	134	137	142	145
48	141	144	145	145	144	138	136	133	131	128	127	129	129	131	134	138	141
49	138	140	141	141	141	135	133	129	127	125	124	125	125	127	130	135	138
50	133	137	138	137	137	131	129	126	123	121	120	121	122	123	127	131	133
51	130	133	134	133	133	128	125	122	120	118	116	117	118	120	123	127	130
52	127	129	130	129	129	124	122	118	116	114	113	113	114	116	120	124	127
53	123	125	126	125	125	120	118	115	113	110	109	110	111	113	116	119	123
54	119	121	123	122	122	117	115	111	109	107	106	106	107	109	112	116	119
55	116	118	119	118	118	113	111	108	105	103	102	103	104	106	109	112	116
56	112	114	115	115	115	110	107	104	102	100	98	99	100	102	105	109	112
57	108	111	112	111	111	106	104	100	98	96	95	95	96	98	102	105	108
58	105	107	108	107	108	102	100	97	94	92	91	92	93	95	98	101	105
59	101	103	105	104	103	99	96	93	91	89	88	88	89	91	95	98	101

Laboratory: Standard-Tech Co. Ltd Testing Center  
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>



60	97	100	101	100	99	95	93	90	87	85	84	85	86	88	91	94	97
61	94	96	96	96	96	91	89	86	84	81	80	81	82	84	87	91	94
62	90	93	93	92	92	88	86	82	80	78	77	78	78	81	84	87	90
63	87	89	90	89	89	84	82	79	76	75	74	75	75	77	80	83	87
64	83	85	86	85	85	81	78	75	73	72	70	71	71	73	77	80	83
65	79	82	82	81	81	77	75	72	70	68	67	67	67	70	73	76	79
66	76	78	79	78	78	74	71	69	67	64	63	64	64	67	70	73	76
67	72	75	75	74	74	71	68	65	63	61	60	60	61	64	66	69	72
68	69	71	71	71	71	67	65	62	59	57	57	57	58	60	63	66	69
69	65	68	68	67	67	64	61	58	56	54	53	54	54	56	60	62	65
70	61	64	65	64	64	60	58	55	53	51	50	50	51	53	56	59	61
71	58	60	61	61	60	56	54	52	49	47	47	47	48	50	53	56	58
72	54	57	58	57	57	53	51	48	46	44	43	44	44	47	49	52	54
73	51	53	55	54	54	50	48	45	43	41	40	41	41	43	46	49	51
74	47	50	51	50	50	46	44	42	40	38	37	38	38	40	43	45	47
75	44	46	47	47	47	44	41	38	36	35	34	34	35	37	39	42	44
76	40	43	44	44	44	40	38	36	33	32	31	32	32	34	37	38	40
77	37	39	41	40	41	37	35	32	31	29	28	29	29	31	33	35	37
78	33	35	38	37	37	34	32	30	27	26	26	26	26	28	31	32	33
79	29	32	34	34	34	31	29	27	25	23	23	23	24	26	27	28	29
80	26	28	30	31	32	28	26	23	22	21	20	21	21	23	24	26	26
81	23	25	28	28	28	26	23	21	19	18	18	19	19	20	22	22	23
82	20	22	24	26	26	23	20	18	16	16	15	16	16	18	19	19	20
83	17	18	21	23	23	20	18	15	13	13	13	14	14	16	16	16	17
84	13	15	18	20	20	18	15	12	11	10	11	12	12	14	14	13	13
85	11	12	15	17	18	16	13	9	8	9	9	10	10	11	11	11	11
86	8	9	12	14	16	13	10	7	6	6	7	8	9	9	9	8	8
87	6	6	8	12	14	11	7	5	4	5	5	7	7	8	7	6	6
88	3	4	5	8	12	8	4	3	3	3	4	5	5	6	5	4	3
89	2	2	3	4	7	2	2	1	1	1	1	2	2	4	2	2	2
90	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1

Laboratory: Standard-Tech Co. Ltd Testing Center  
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

91	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
92	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
93	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
95	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
96	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
97	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
98	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
101	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
102	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
103	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
105	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
106	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
107	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
108	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
109	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
110	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
111	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
112	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
113	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
114	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
115	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
116	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
117	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
118	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
119	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
120	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
121	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center  
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

122	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
123	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
124	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
125	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
126	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
127	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
128	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
129	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
130	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
131	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
132	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
133	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
134	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
135	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
136	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
137	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
138	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
139	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
140	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
141	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
142	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
143	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
144	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
145	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
146	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
147	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
148	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
149	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
150	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
151	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
152	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center  
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

153	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
154	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
155	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
156	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
157	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
158	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
159	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
160	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
161	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
162	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
163	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
164	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
165	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
166	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
167	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
168	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
169	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
170	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
171	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
172	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
173	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
174	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
175	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
176	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
177	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
178	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
179	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center  
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

**STANDARD-TECH**



NVLAP LAB CODE 201011-0

Report No.: GZE1612120-AI

**Laboratory: Standard-Tech Co. Ltd Testing Center**  
**NVLAP CODE: 201011-0**

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

**3. Test Equipment**

Equipment ID	Equipment Name	Last Calibration Date	Next Calibration Date
ST-R-336	2 meter Integrating Sphere	2016-07-01	2017-06-30
ST-R-331	Spectral analysis system HAAS-2000	2016-07-01	2017-06-30
D204	Standard Lamp	2016-07-01	2017-06-30
PF2010	Power Meter for Integrating Sphere	2016-07-01	2017-06-30
EE-09	Goniophotometer system	2016-07-01	2017-06-30
D908S	Standard Lamp	2016-07-01	2017-06-30
PF210	Power Meter for Goniophotometer	2016-07-01	2017-06-30
ST-R-181A	Temperature Tester	2016-07-01	2017-06-30
Uncertainty: Photometric Measurement (Sphere):1.74% Chromaticity Measurement(Sphere):14.3K Photometric Measurement(Goniophotometer):1.62%			

**\*\*\*\*\* END OF REPORT \*\*\*\*\***

**Laboratory: Standard-Tech Co. Ltd Testing Center**  
**NVLAP CODE: 201011-0**

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>