

LM-79-08 Test Report

For

L-TECH CORPORTION

(Brand Name: L-TECH CORP)

SHAOGANGTOU DISTRICT.QIAOTOU TOWN.DONGGUAN
CITY.GUANGDONG PROVINCE, CHINA

LED Lamp

Model name(s): LRKT449W-2790

Model differences: N/A

Test & Report By:

Review By:

Engineer: Johnson Sun

Manager: Tommy Liang

Date:Dec.31, 2015

Note: This report does not imply product certification, approval, or endorsement by NVLAP, NIST, or any agency of the Federal Government.

Laboratory: Standard-Tech Co. Ltd Testing Center

NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

U.S. Department of Energy

Lighting Facts™ Uniform LM-79 Reporting Template
Laboratory Information:

Name of Test Laboratory	Standard-Tech Co., Ltd.
Date of Test Report	Dec.31, 2015
Test Report No.	GZE1512101-A
Laboratory Contact Name	Tommy Liang

Product Information:

Organization Name	L-TECH CORPORTION		
Brand Name	L-TECH CORP		
Model Number	LRKT449W-2790		
SKU (if available)	N/A		
Type of Luminaire (for integral lamps, list base type and lamp type)	LED Lamp		
Luminaire Aperture (for downlights)	--	in.	
Luminaire Length	--	mm	
Luminaires Width	--	mm	
Number of Units (modular products)	N/A	s	

Electrical Measurements:	Integrating Sphere	Goniophotometer	
	Output	Output	
Input Wattage	--	10.55	W
Input Current	--	0.0885	A
Input Voltage (ac)	--	120.1	V
Power Factor	--	0.9929	
Off-State Power	--	0	W

Photometric Characteristics

Total Initial Lumen Output	--	678.09	lm
Initial Lumen Efficacy	--	64.29	lm/w
Correlated color temperature / CCT	2683	--	K
Color rendering index / CRI	92.8	--	
R9 Value	59	--	
Duv	0.0001	--	
Luminous Intensity Distribution			
Center beam candlepower (if applicable)	--	292	cd
Beam angle (if applicable)	--	97.1	°
Zonal lumens in the 0°-60° zone	--	85.5	%
Zonal lumens in the 60°-90° zone	--	14.5	%
Zonal lumens in the 90°-120° zone	--	0	%
Zonal lumens in the 120°-180° zone	--	0	%

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

 Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

Test Specifications:	
Date of Receipt	: Dec.29,2015
Date of Test	: Dec.30,2015
Test item	: Total Luminous Flux, Luminous Distribution Intensity, Luminous Efficacy, Correlated Color Temperature, Color Rendering Index, Chromaticity Coordinate, Electrical parameters
Reference Standard	IES LM-79-2008 Electrical and Photometric Measurements of Solid-State Lighting Products ANSI C78.377-2008 Specifications for the Chromaticity of Solid State Lighting Products CIE 13.3-1995 Method of Measuring and Specifying Colour Rendering Properties of Light Sources CIE 15-2004 Technical Report Colorimetry IESNA LM-16-93 Practical Guide to Colorimetry of Light Source IESNA TM-16-05 Technical Memorandum on Light Emitting Diode (LED) Sources and Systems
Reference Work Instruction	QD25

Test Methods

1. Photometric and Electrical measurements – Light Distribution Method:

Photometric parameters were measured using the goniophotometer and software. The ambient temperature shall be maintained at $25^{\circ}\text{C} \pm 1^{\circ}\text{C}$, measured at a point not more than 1 m from the sample and at the same height as the sample. The sample was operated at 120 Volts AC, 60Hz. It was stabilized before measurement was made. Luminous flux, luminaire efficacy, zonal lumen were calculated from the software taken at 1° vertical intervals and 22.5° horizontal intervals.

2. Photometric and Electrical Measurements – Integrating Sphere Method:

Photometric parameters were measured using an integrating sphere, a spectroradiometer and software. The ambient temperature condition inside the sphere was maintained at $25^{\circ}\text{C} \pm 1^{\circ}\text{C}$. The sample measurements were made using a spectroradiometer connected by a fiber optic cable and detector through the detector port of the integrating sphere. The sample was operated at 120 Volts AC, 60Hz. It was stabilized before measurement was made. Chromaticity coordinates, correlated color temperature and color rendering index were calculated from the spectral radiant flux measurements taken at least 5 nm intervals over the range of 380 to 780 nm.

Laboratory: Standard-Tech Co. Ltd Testing Center

NVLAP CODE: 201011-0


Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

1. Product Information:

Brand Name	L-TECH CORP
Model Number	LRKT449W-2790
Luminaire Type	LED Lamp
Rated Voltage / Frequency	120Vac, 60Hz
Nominal Power	11W
Rated Initial Lamp Lumen	N/A
Declared CCT	2700K
LED Manufacturer	N/A
LED Model	N/A
Power Supply:	N/A
Sample Receipt Date	Dec 29, 2015
Sample Number	GZE1512101-A1

Photo


Laboratory: Standard-Tech Co. Ltd Testing Center

NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

2.1 Electrical, Photometric and Chromaticity Measurements (Refer to Work Instruction QD25)	IES LM-79 2008
--	-----------------------

Test date	2015-12-30	Test Ambient:	25.1° C
Test Orientation	As intended	Stabilization Time (min)	90
Model Number	LRKT449W-2790		

Electrical Measurement:

Sample No.	Voltage (Vac)	Frequency (Hz)	Current (A)	Power (W)	Power Factor
GZE151210 1-A1	120.1	60	0.0885	10.55	0.9929


Sphere-Spectroradiometer Method:

Parameter	Result	Special Color Rendering Indices			
Test Voltage (V)	120.0	R1	93	R9	59
Frequency (Hz)	60	R2	98	R10	95
Color Rendering Index (CRI)	92.8	R3	98	R11	93
R9	59	R4	92	R12	85
CCT (K)	2683	R5	93	R13	95
Chromaticity (x, y)	x=0.4614 y=0.4112	R6	97	R14	100
Chromaticity (u', v')	u'=0.2633 v'=0.5278	R7	90	R15	89
Duv	0.0001	R8	80	--	--

Goniophotometer Method:

Parameter	Result
Test Voltage (V)	120.0
Frequency (Hz)	60
Total Luminous (lm)	678.09
Luminous Efficacy (lm/W)	64.29
Beam Angle°	97.1
Center Beam Candle Power (cd)	292

Spectral Power Distribution & Chromaticity Diagram



Draft

Zonal Lumen Tabulation:

Zonal Lumen Summary		
Zone	Lumens	% Luminaire
0-30	218.4	32.2%
0-40	348.7	51.4%
0-60	579.5	85.5%
60-90	98.5	14.5%
70-100	30.5	4.5%
90-120	0.0	0%
0-90	678.0	100%
90-180	0.0	0%
0-180	678.0	100%

Lumens Per Zone					
Zone	Lumens	% Total	Zone	Lumens	% Total
0-10	27.5	4.1%	90-100	0.0	0%
10-20	77.4	11.4%	100-110	0	0%
20-30	113.5	16.7%	110-120	0.0	0%
30-40	130.3	19.2%	120-130	0.0	0%
40-50	126.7	18.7%	130-140	0.0	0%
50-60	104.1	15.4%	140-150	0.0	0%
60-70	68.0	10.0%	150-160	0.0	0%
70-80	27.2	4.0%	160-170	0.0	0%
80-90	3.3	0.5%	170-180	0.0	0%

Laboratory: Standard-Tech Co. Ltd Testing Center


NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2


Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

Photometric Data



Illuminance Plots



Illuminance at a Distance

	Center Beam fc	Beam Width	
17.0ft	1.01 fc	38.2 ft	38.8 ft
34.0ft	0.25 fc	76.5 ft	77.6 ft
51.0ft	0.11 fc	114.7 ft	116.4 ft
68.0ft	0.06 fc	153.0 ft	155.2 ft
85.0ft	0.04 fc	191.2 ft	193.9 ft
102.0ft	0.03 fc	229.4 ft	232.7 ft

- Vert. Spread: 96.7°
- Horiz. Spread: 97.5°


Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2


Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

ISOCANDELA DIAGRAM



ISOLUX DIAGRAM



Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guan hong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

Candela Table - Type C

	0	22.5	45	67.5	90	112.5	135	157.5	180	202.5	225	247.5	270	292.5	315	337.5	360
0	292	292	292	292	292	292	292	292	292	292	292	292	292	292	292	292	292
1	292	292	292	292	292	292	292	292	292	292	292	292	292	292	291	292	292
2	291	291	291	292	292	292	292	292	292	292	292	291	291	291	291	291	291
3	291	291	291	291	292	291	291	291	291	291	291	291	291	291	291	291	291
4	290	290	291	291	291	291	291	291	291	291	291	291	290	290	290	290	290
5	290	290	290	290	290	290	290	290	290	290	290	290	289	289	289	289	290
6	288	289	289	289	290	290	290	290	289	290	289	289	289	288	288	288	288
7	287	288	288	288	289	289	289	289	289	289	288	288	287	287	287	287	287
8	286	287	287	287	288	288	288	288	287	287	287	287	286	286	286	286	286
9	285	285	285	286	286	287	287	286	286	286	286	285	285	285	285	284	285
10	283	284	284	284	285	285	285	285	285	285	284	284	283	283	283	283	283
11	281	282	282	283	284	284	284	283	283	283	283	282	282	281	281	281	281
12	280	280	281	281	282	282	282	282	282	281	281	281	280	280	279	279	280
13	278	278	279	279	280	281	280	280	280	280	279	279	278	278	277	277	278
14	276	276	277	277	278	279	279	278	278	278	277	277	276	276	275	275	276
15	273	274	275	275	276	277	277	276	276	275	275	275	274	273	273	273	273
16	271	272	272	273	274	274	274	274	274	273	272	272	272	271	271	271	271
17	268	269	270	271	272	272	272	272	271	271	270	270	269	269	268	268	268
18	266	266	267	268	270	270	270	269	269	268	268	267	267	266	266	265	266
19	263	264	265	266	267	267	267	266	266	265	265	265	264	263	263	263	263
20	260	261	262	263	264	264	264	264	263	263	262	262	261	261	260	260	260
21	257	258	259	260	262	262	262	261	260	260	259	259	258	258	257	257	257
22	254	255	256	257	259	259	259	258	258	257	256	256	255	255	254	254	254
23	251	252	253	254	256	256	256	255	254	254	253	253	252	251	251	251	251
24	247	248	249	251	252	253	253	252	251	251	250	250	249	248	248	247	247
25	244	245	246	248	249	250	249	249	248	247	247	247	245	245	244	244	244
26	240	241	243	244	246	246	246	245	244	244	243	243	242	241	241	240	240
27	237	238	239	241	242	243	243	242	241	240	240	240	238	238	237	237	237
28	233	234	236	237	239	239	239	238	237	237	236	236	235	234	234	233	233
29	229	230	232	233	235	236	236	234	233	233	233	232	231	230	230	229	229

Laboratory: Standard-Tech Co. Ltd Testing Center

NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

30	225	226	228	229	231	232	232	231	230	229	229	228	227	227	226	225	225
31	222	223	225	226	227	228	228	227	226	225	225	225	223	223	222	221	222
32	218	219	220	222	224	224	224	223	222	221	221	221	219	219	218	218	218
33	213	215	217	218	220	220	220	219	218	217	217	217	215	215	214	214	213
34	209	211	212	214	216	216	217	215	214	213	213	213	211	211	210	209	209
35	205	206	208	210	211	212	212	211	210	209	209	209	207	207	206	205	205
36	201	202	204	205	207	208	208	207	205	205	205	205	203	202	202	201	201
37	196	198	200	201	203	204	204	203	201	201	201	200	198	198	198	197	196
38	192	194	196	197	198	200	200	198	196	196	197	196	194	194	194	192	192
39	187	189	191	192	194	195	196	194	192	192	192	192	189	189	189	188	187
40	183	184	187	188	190	191	192	190	188	188	188	187	185	185	185	183	183
41	178	180	183	183	185	187	187	185	183	183	184	183	180	180	181	179	178
42	174	175	179	179	181	182	183	181	179	179	180	178	176	176	176	174	174
43	169	171	174	174	176	178	179	176	174	174	176	174	171	171	172	170	169
44	164	166	170	170	172	173	175	172	170	170	171	169	166	167	167	165	164
45	160	162	165	165	167	169	170	167	165	165	167	165	162	162	163	161	160
46	155	157	160	161	162	164	165	163	160	161	162	160	157	158	158	156	155
47	150	153	156	156	157	159	161	158	155	156	157	156	152	153	153	151	150
48	145	148	151	151	152	155	156	153	150	151	152	151	147	148	149	147	145
49	140	143	146	146	147	150	151	149	145	147	148	146	142	143	144	142	140
50	135	138	142	142	143	145	146	144	140	142	143	141	137	138	139	137	135
51	130	133	137	137	137	140	142	139	135	137	138	136	132	133	135	132	130
52	125	128	132	132	133	135	137	134	130	132	134	131	127	128	130	127	125
53	120	124	128	127	128	130	132	129	126	127	129	127	122	124	125	122	120
54	115	119	123	122	123	125	128	124	121	122	124	122	117	119	121	118	115
55	111	114	118	117	118	120	123	119	116	117	120	117	112	114	116	113	111
56	106	109	113	112	113	116	118	114	111	113	115	112	107	109	111	108	106
57	101	104	109	108	108	111	113	110	106	108	110	107	103	104	106	103	101
58	96	100	104	103	103	106	108	105	101	103	105	102	98	99	101	98	96
59	91	95	99	98	98	101	103	100	96	98	100	97	93	95	96	94	91
60	87	90	94	93	93	96	98	95	92	94	95	93	88	90	91	89	87
61	82	85	89	88	88	91	93	90	87	89	90	88	83	85	86	84	82

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

62	77	81	84	84	83	87	88	86	82	84	85	83	79	81	82	80	77
63	73	76	80	79	79	82	83	81	77	79	80	78	74	76	77	75	73
64	68	72	75	75	74	77	79	76	73	74	76	74	69	71	73	71	68
65	64	67	70	70	69	72	74	71	68	70	71	69	65	67	68	66	64
66	59	62	65	65	64	67	69	67	63	65	66	64	60	62	63	61	59
67	55	58	61	60	60	63	64	62	59	61	62	59	56	57	58	57	55
68	50	53	56	56	55	58	60	57	54	56	57	55	51	53	54	52	50
69	46	49	51	51	51	53	55	53	50	51	52	50	46	48	49	48	46
70	42	45	47	47	46	49	50	48	46	47	48	46	42	44	45	43	42
71	37	40	43	42	42	44	46	44	41	43	43	41	38	39	40	39	37
72	33	36	38	38	37	40	41	40	37	38	39	37	34	35	36	35	33
73	29	32	34	33	33	35	37	35	33	34	35	33	30	31	32	31	29
74	26	28	30	29	29	31	33	31	29	30	30	28	26	27	28	27	26
75	22	24	26	25	25	27	29	27	25	26	26	25	22	23	24	23	22
76	19	20	22	22	22	23	25	23	22	22	23	21	19	19	20	19	19
77	16	17	18	18	19	20	21	20	19	19	19	18	16	16	17	16	16
78	13	14	15	15	15	17	18	17	16	16	16	14	13	13	13	13	13
79	10	11	12	12	12	13	14	13	13	13	13	11	10	10	11	10	10
80	8	9	9	9	10	11	11	11	10	10	10	9	8	8	9	8	8
81	6	7	7	8	8	8	9	8	8	8	8	7	6	6	7	7	6
82	4	5	5	6	6	6	7	6	6	6	6	5	5	5	5	5	4
83	3	4	4	4	4	5	5	5	4	4	4	4	3	3	3	3	3
84	2	3	3	3	3	3	4	3	3	3	3	3	3	2	2	2	2
85	2	2	2	2	3	2	3	2	2	2	2	2	2	2	2	2	2
86	1	1	2	2	2	2	2	2	2	2	2	2	1	1	1	1	1
87	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
88	0	1	1	1	1	1	1	1	1	1	1	1	1	0	0	0	0
89	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
90	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
91	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
92	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
93	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
95	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
96	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
97	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
98	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
101	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
102	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
103	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
105	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
106	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
107	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
108	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
109	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
110	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
111	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
112	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
113	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
114	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
115	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
116	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
117	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
118	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
119	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
120	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
121	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
122	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
123	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
124	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
125	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

126	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
127	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
128	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
129	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
130	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
131	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
132	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
133	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
134	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
135	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
136	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
137	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
138	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
139	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
140	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
141	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
142	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
143	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
144	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
145	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
146	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
147	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
148	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
149	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
150	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
151	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
152	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
153	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
154	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
155	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
156	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
157	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

158	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
159	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
160	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
161	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
162	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
163	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
164	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
165	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
166	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
167	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
168	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
169	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
170	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
171	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
172	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
173	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
174	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
175	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
176	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
177	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
178	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
179	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center

NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

3. Test Equipment

Equipment ID	Equipment Name	Last Calibration Date	Next Calibration Date
ST-R-336	2 meter Integrating Sphere	2015-07-01	2016-06-30
ST-R-331	Spectral analysis system HAAS-2000	2015-07-01	2016-06-30
D204	Standard Lamp	2015-07-01	2016-06-30
PF2010	Power Meter for Integrating Sphere	2015-07-01	2016-06-30
EE-09	Goniophotometer system	2015-07-01	2016-06-30
D908S	Standard Lamp	2015-07-01	2016-06-30
PF210	Power Meter for Goniophotometer	2015-07-01	2016-06-30
ST-R-181A	Temperature Tester	2015-07-01	2016-06-30
Uncertainty Photometric Measurement (Sphere):1.74% Chromaticity Measurement(Sphere):14.3K Photometric Measurement(Goniophotometer):1.62%			

***** END OF DATASHEET PACKAGE *****