

LM-79-08 Test Report

For

L-TECH CORPORTION (Brand Name: L-TECH CORP)

SHAOGANGTOU DISTRICT.QIAOTOU TOWN.DONGGUAN
CITY.GUANGDONG PROVINCE,CHINA

LED Luminare

Model name(s): LRKT448W-EN-3090

Representative (Tested) Model: LRKT448W-EN-3090

Model Different: N/A

Test & Report By:

Univ Xie

Engineer: Univ Xie

Date: Jan17, 2017

Review By:

Tommy Liang

Manager: Tommy Liang

Note: This report does not imply product certification, approval, or endorsement by NVLAP, NIST, or any agency of the Federal Government.

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

1.1 Product Information:

Organization Name	L-TECH CORPORTION	
Brand Name	L-TECH CORP	
Model Number	LRKT448W-EN-3090	
SKU (if available)	N/A	
Type of Luminaire (for integral lamps, list base type and lamp type)	LED Luminaire	
Rated Voltage / Frequency	120Vac, 60 Hz	
Nominal Power	11W	
Rated Initial Lamp Lumen	--	
Declared CCT	3000K	
LED Manufacturer	Edison Opto Corporation	
LED Model	2T03X5	
Sample Number	GZE1612120-AM1	
Luminaire Aperture (for downlights)	--	in.
Luminaire Length	--	mm
Luminaires Width	--	mm
Number of Units (modular products)	N/A	s

Photo



1.2 Test Specifications:

Date of Receipt	Jan08, 2017
Date of Test	Jan.11, 2017
Test item	<ol style="list-style-type: none"> 1. Total Luminous Flux 2. Luminous Distribution Intensity 3. Luminous Efficacy 4. Correlated Color Temperature 5. Color Rendering Index 6. Chromaticity Coordinate 7. Electrical Parameters
Reference Standard	<ol style="list-style-type: none"> 1. IES LM-79-2008 Electrical and Photometric Measurements of Solid-State Lighting Products 2. ANSI C78.377-2008 Specifications for the Chromaticity of Solid State Lighting Products 3. CIE 13.3-1995 Method of Measuring and Specifying Colour Rendering Properties of Light Sources 4. CIE 15-2004 Technical Report Colorimetry 5. IESNA LM-16-93 Practical Guide to Colorimetry of Light Source 6. IESNA TM-16-05 Technical Memorandum on Light Emitting Diode (LED) Sources and Systems
Reference Work Instruction	QD25

1.3 Test Methods

<p>1) Photometric and Light Distribution Measurement – Goniophotometer Method:</p> <p>Photometric parameters were measured using the goniophotometer and software. The ambient temperature shall be maintained at 25° C ± 1° C, measured at a point not more than 1 m from the sample and at the same height as the sample. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Luminous flux, luminaire efficacy, zonal lumen were calculated from the software taken at 1° vertical intervals and 22.5° horizontal intervals.</p>
<p>2) Chromaticity Measurement – Sphere-Spectroradiometer Method:</p> <p>Chromaticity parameters were measured using an integrating sphere, a spectroradiometer and software. The ambient temperature condition inside the sphere was maintained at 25° C ± 1° C. The sample measurements were made using a spectroradiometer connected by a fiber optic cable and detector through the detector port of the integrating sphere. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Chromaticity coordinates, correlated color temperature and color rendering index were calculated from the spectral power distribution taken at 5 nm intervals over the range of 380 to 780 nm.</p>
<p>3) Electrical Measurements:</p> <p>Electrical parameters were measured using power meters incorporated in goniophotometer or sphere-spectroradiometer system. The ambient temperature surrounding the sample was maintained at 25° C ± 1° C. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Voltage, frequency, current, power, power factor and total harmonic distortion were measured by and read from the power meter.</p>

2.1 Electrical, Photometric and Chromaticity Measurements

(Refer to Work Instruction QD25)

Test date	2017-01-11	Test Ambient:	25.2 °C
Test Orientation	As intended	Stabilization Time (min)	90
Model Number	LRKT448W-EN-3090		

Electrical Measurement:

Sample No.	Voltage (Vac)	Frequency (Hz)	Current (A)	Power (W)	Power Factor
GZE161212 0-AM1	120.0	60	0.0920	10.46	0.9464


Chromaticity Measurement - Sphere-Spectroradiometer Method:

Parameter	Result	Special Color Rendering Indices			
Test Voltage (V)	120.0	R1	92	R9	54
Frequency (Hz)	60	R2	97	R10	92
CCT (K)	3073	R3	98	R11	93
Duv	-0.0003	R4	92	R12	81
Chromaticity (x, y)	x=0.4315 y=0.4015	R5	92	R13	94
Chromaticity (u', v')	u'=0.2482 v'=0.5196	R6	96	R14	100
Color Rendering Index (CRI)	u'=0.2482 v'=0.5196	R7	90	R15	88
R9	54	R8	79	--	--

Photometric Measurement – Goniophotometer Method:

Parameter	Result
Test Voltage (V)	120.0
Frequency (Hz)	60
Total Luminous (lm)	696.72
Luminous Efficacy (lm/W)	66.61
Beam Angle (°)	98.3
Center Beam Candle Power (cd)	297

Spectral Power Distribution & Chromaticity Diagram




Zonal Lumen Tabulation

Zonal Lumen Summary		
Zone	Lumens	% Luminaire
0-30	223.2	32%
0-40	357.5	51.3%
0-60	596.3	85.6%
60-90	99.7	14.3%
70-100	29.5	4.2%
90-120	0.2	0%
0-90	695.9	99.9%
90-180	0.7	0.1%
0-180	696.6	100%

Lumens Per Zone					
Zone	Lumens	% Total	Zone	Lumens	% Total
0-10	28.0	4.0%	90-100	0.1	0%
10-20	78.9	11.3%	100-110	0.1	0%
20-30	116.3	16.7%	110-120	0.1	0%
30-40	134.3	19.3%	120-130	0.1	0%
40-50	130.8	18.8%	130-140	0.1	0%
50-60	107.9	15.5%	140-150	0.1	0%
60-70	70.3	10.1%	150-160	0.1	0%
70-80	26.6	3.8%	160-170	0.1	0%
80-90	2.8	0.4%	170-180	0.0	0%



Photometric Data



Illuminance at a Distance

	Center Beam fc	Beam Width	
17.0ft	1.03 fc	39.1 ft	39.4 ft
34.0ft	0.26 fc	78.3 ft	78.8 ft
51.0ft	0.11 fc	117.4 ft	118.2 ft
68.0ft	0.06 fc	156.6 ft	157.5 ft
85.0ft	0.04 fc	195.7 ft	196.9 ft
102.0ft	0.03 fc	234.9 ft	236.3 ft

■ Vert. Spread: 98.0°
■ Horiz. Spread: 98.4°



Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

Candela Table - Type C

	0	22.5	45	67.5	90	112.5	135	157.5	180	202.5	225	247.5	270	292.5	315	337.5	360
0	297	297	297	297	297	297	297	297	297	297	297	297	297	297	297	297	297
1	297	297	297	297	297	297	297	297	297	297	297	297	297	296	297	297	297
2	297	297	297	297	297	296	296	297	296	297	296	296	296	296	296	296	297
3	296	296	296	297	296	296	296	296	296	296	296	296	296	296	296	296	296
4	296	296	296	296	296	296	296	296	296	296	295	296	296	295	295	296	296
5	295	295	295	295	295	295	295	295	295	295	295	295	295	294	294	295	295
6	294	294	294	295	295	295	294	294	294	294	294	294	294	294	294	294	294
7	293	294	293	294	294	293	293	293	293	293	293	293	293	292	293	293	293
8	292	292	293	292	293	292	292	292	292	292	292	292	292	291	292	292	292
9	291	291	291	291	291	291	291	291	291	291	290	291	291	290	291	291	291
10	290	290	290	290	290	290	290	289	289	289	289	289	289	288	289	289	290
11	288	288	288	289	288	288	288	288	288	287	287	287	288	287	287	288	288
12	286	287	287	287	287	286	287	286	286	286	285	286	286	285	285	286	286
13	284	285	285	285	285	285	285	284	284	284	284	284	284	283	283	284	284
14	283	283	283	283	283	283	283	283	282	282	281	282	282	281	281	282	283
15	280	281	281	281	281	281	280	280	280	279	279	279	280	278	279	280	280
16	278	278	279	279	279	279	278	278	278	278	277	277	278	277	277	278	278
17	276	276	277	277	276	277	276	276	275	275	274	275	275	274	275	275	276
18	273	274	274	274	274	274	274	273	273	272	272	272	273	271	272	273	273
19	271	271	271	272	271	271	271	271	270	270	269	270	270	269	270	270	271
20	268	269	269	269	269	269	269	268	267	267	266	267	267	266	267	267	268
21	265	266	266	266	266	266	266	265	265	264	264	264	264	264	264	265	265
22	262	263	263	263	263	263	263	262	262	261	261	261	261	260	261	262	262
23	259	260	260	261	260	260	260	258	258	259	258	258	258	258	259	259	259
24	256	257	258	257	257	258	257	256	256	255	254	255	255	254	255	256	256
25	253	253	254	254	254	254	254	253	252	252	252	251	252	251	252	253	253
26	250	251	251	251	251	251	250	249	249	249	248	248	248	247	249	249	250
27	246	247	248	248	247	247	247	246	245	245	244	245	245	244	245	245	246
28	243	244	244	244	244	244	243	242	241	242	241	241	241	241	242	242	243

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

29	239	240	241	240	240	241	240	239	238	238	237	237	237	238	238	239	
30	235	236	237	237	236	237	236	235	234	234	234	233	234	233	235	235	235
31	231	233	233	233	232	233	232	231	230	230	230	230	230	229	230	231	231
32	228	228	229	229	229	229	229	227	226	226	226	226	226	226	227	227	228
33	223	225	226	225	224	224	225	223	222	223	222	221	222	221	223	223	223
34	219	220	221	221	221	222	221	219	218	218	218	218	217	218	219	219	219
35	215	217	217	217	216	217	217	215	214	213	214	213	213	213	215	215	215
36	210	212	214	213	213	212	212	210	209	210	210	209	209	209	210	210	210
37	206	208	209	209	208	209	209	207	205	205	205	205	204	205	206	206	206
38	201	203	205	204	203	204	204	202	200	200	202	200	200	200	202	202	201
39	197	199	201	200	199	200	200	198	196	196	197	196	195	196	197	198	197
40	192	195	197	195	194	195	196	193	191	191	193	191	190	191	193	192	192
41	187	190	192	191	190	190	191	188	186	187	188	187	186	187	189	188	187
42	183	185	187	186	185	186	187	184	182	182	183	182	181	182	184	183	183
43	178	180	183	182	181	181	182	179	177	177	179	177	177	177	179	178	178
44	174	176	178	177	176	177	178	174	173	173	174	173	172	172	175	174	174
45	169	171	174	172	171	172	173	170	168	168	169	168	166	168	170	169	169
46	165	166	169	168	166	167	168	165	162	164	165	162	162	163	166	165	165
47	159	162	164	162	161	163	163	160	158	159	159	158	157	158	160	159	159
48	154	157	159	158	157	158	158	155	153	154	155	153	152	152	155	154	154
49	149	152	155	153	151	153	154	150	148	149	150	149	147	148	151	150	149
50	144	147	149	148	147	148	148	146	143	144	144	143	142	143	145	145	144
51	140	142	144	143	142	143	143	141	138	140	140	138	137	139	141	141	140
52	134	137	140	139	137	139	139	136	133	135	135	134	132	133	136	135	134
53	130	132	134	133	132	133	133	131	128	129	131	128	128	129	131	131	130
54	124	128	130	128	126	128	128	126	123	125	125	124	122	124	126	126	124
55	119	122	124	124	122	124	124	121	118	119	120	119	117	118	121	120	119
56	115	118	119	118	117	118	118	116	113	115	115	113	112	114	116	116	115
57	109	113	115	114	112	114	114	110	109	110	110	109	107	109	110	110	109
58	105	108	109	109	107	109	109	106	103	104	105	103	102	104	106	106	105
59	99	103	105	104	103	103	103	101	98	100	100	98	97	99	101	100	99

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

60	95	97	99	99	97	99	99	96	94	95	95	94	92	94	96	96	95
61	90	93	95	93	92	93	93	91	88	89	90	88	87	89	91	91	90
62	84	88	90	89	87	89	89	86	84	85	85	84	82	83	86	85	84
63	80	83	84	84	82	84	84	81	78	79	80	79	77	79	81	81	80
64	74	78	80	79	78	78	78	76	73	75	76	73	72	73	76	76	74
65	70	72	75	74	72	74	74	72	69	70	70	69	67	69	72	71	70
66	65	68	70	68	67	68	69	66	63	64	66	63	63	64	66	66	65
67	59	62	65	64	62	63	64	61	59	60	61	59	57	60	62	61	59
68	55	58	60	59	57	59	59	56	53	55	55	54	52	54	57	56	55
69	50	53	56	54	53	54	54	51	48	49	51	49	48	49	52	51	50
70	46	49	50	49	48	49	50	47	44	45	46	44	43	45	48	47	46
71	41	43	46	45	43	44	45	42	39	40	42	39	38	40	43	42	41
72	37	38	41	40	38	39	40	37	34	36	37	34	34	36	38	37	37
73	32	34	37	35	33	35	36	33	30	31	32	30	29	31	34	32	32
74	27	30	32	31	29	30	31	28	25	27	28	26	26	26	29	28	27
75	24	26	28	26	25	26	27	23	22	23	24	22	21	23	25	24	24
76	19	21	24	22	21	22	23	20	19	19	20	18	18	19	21	20	19
77	16	17	19	18	17	18	19	16	15	16	16	15	15	15	17	16	16
78	13	14	16	15	14	15	15	13	12	12	13	12	12	12	14	13	13
79	10	11	12	12	11	11	12	10	9	9	10	9	9	10	11	10	10
80	8	8	10	9	9	9	9	7	6	7	8	7	7	7	8	8	8
81	5	6	7	7	7	7	7	6	5	5	5	6	5	5	6	6	5
82	4	5	5	5	5	5	5	4	3	4	4	4	4	4	4	4	4
83	3	3	4	4	4	4	4	3	3	3	3	3	3	3	3	3	3
84	2	3	3	3	3	3	3	2	2	2	2	3	3	2	2	2	2
85	2	2	2	2	2	3	2	2	2	2	2	2	2	2	2	2	2
86	1	1	2	2	2	2	2	1	1	1	1	2	2	2	1	1	1
87	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
88	0	0	1	1	1	1	1	0	0	0	0	1	1	0	0	0	0
89	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
90	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

91	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
92	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
93	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
95	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
96	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
97	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
98	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
101	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
102	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
103	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
105	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
106	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
107	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
108	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
109	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
110	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
111	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
112	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
113	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
114	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
115	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
116	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
117	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
118	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
119	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
120	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
121	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

122	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
123	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
124	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
125	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
126	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
127	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
128	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
129	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
130	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
131	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
132	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
133	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
134	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
135	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
136	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
137	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
138	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
139	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
140	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
141	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
142	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
143	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
144	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
145	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
146	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
147	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
148	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
149	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
150	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
151	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
152	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

153	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
154	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
155	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
156	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
157	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
158	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
159	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
160	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
161	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
162	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
163	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
164	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
165	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
166	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
167	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
168	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
169	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
170	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
171	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
172	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
173	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
174	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
175	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
176	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
177	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
178	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
179	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

STANDARD-TECH



NVLAP LAB CODE 201011-0

Report No.: GZE1612120-AM

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

3. Test Equipment

Equipment ID	Equipment Name	Last Calibration Date	Next Calibration Date
ST-R-336	2 meter Integrating Sphere	2016-07-01	2017-06-30
ST-R-331	Spectral analysis system HAAS-2000	2016-07-01	2017-06-30
D204	Standard Lamp	2016-07-01	2017-06-30
PF2010	Power Meter for Integrating Sphere	2016-07-01	2017-06-30
EE-09	Goniophotometer system	2016-07-01	2017-06-30
D908S	Standard Lamp	2016-07-01	2017-06-30
PF210	Power Meter for Goniophotometer	2016-07-01	2017-06-30
ST-R-181A	Temperature Tester	2016-07-01	2017-06-30
Uncertainty: Photometric Measurement (Sphere):1.74% Chromaticity Measurement(Sphere):14.3K Photometric Measurement(Goniophotometer):1.62%			

******* END OF REPORT *******

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>