

## LM-79-08 Test Report

For

### L-TECH CORPORTION (Brand Name: L-TECH CORP)

SHAOGANGTOU DISTRICT.QIAOTOU TOWN.DONGGUAN  
CITY.GUANGDONG PROVINCE,CHINA

### LED Luminare

Model name(s): LRKT449W-EN-2790

Representative (Tested) Model: LRKT449W-EN-2790

Model Different: N/A

Test & Report By:

*Univ Xie*

Engineer: Univ Xie

Date: Jan17, 2017

Review By:

*Tommy Liang*

Manager: Tommy Liang

Note: This report does not imply product certification, approval, or endorsement by NVLAP, NIST, or any agency of the Federal Government.

Laboratory: Standard-Tech Co. Ltd Testing Center  
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2



Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

**1.1 Product Information:**

Organization Name	L-TECH CORPORTION	
Brand Name	L-TECH CORP	
Model Number	LRKT449W-EN-2790	
SKU (if available)	N/A	
Type of Luminaire (for integral lamps, list base type and lamp type)	LED Luminaire	
Rated Voltage / Frequency	120Vac, 60 Hz	
Nominal Power	11W	
Rated Initial Lamp Lumen	--	
Declared CCT	2700K	
LED Manufacturer	Edison Opto Corporation	
LED Model	2T03X5	
Sample Number	GZE1612120-AO1	
Luminaire Aperture (for downlights)	--	in.
Luminaire Length	--	mm
Luminaires Width	--	mm
Number of Units (modular products)	N/A	s

**Photo**



**1.2 Test Specifications:**

Date of Receipt	Jan08, 2017
Date of Test	Jan.11, 2017
Test item	<ol style="list-style-type: none"> <li>1. Total Luminous Flux</li> <li>2. Luminous Distribution Intensity</li> <li>3. Luminous Efficacy</li> <li>4. Correlated Color Temperature</li> <li>5. Color Rendering Index</li> <li>6. Chromaticity Coordinate</li> <li>7. Electrical Parameters</li> </ol>
Reference Standard	<ol style="list-style-type: none"> <li>1. IES LM-79-2008 Electrical and Photometric Measurements of Solid-State Lighting Products</li> <li>2. ANSI C78.377-2008 Specifications for the Chromaticity of Solid State Lighting Products</li> <li>3. CIE 13.3-1995 Method of Measuring and Specifying Colour Rendering Properties of Light Sources</li> <li>4. CIE 15-2004 Technical Report Colorimetry</li> <li>5. IESNA LM-16-93 Practical Guide to Colorimetry of Light Source</li> <li>6. IESNA TM-16-05 Technical Memorandum on Light Emitting Diode (LED) Sources and Systems</li> </ol>
Reference Work Instruction	QD25

**1.3 Test Methods**

<p><b>1) Photometric and Light Distribution Measurement – Goniophotometer Method:</b></p> <p>Photometric parameters were measured using the goniophotometer and software. The ambient temperature shall be maintained at 25° C ± 1° C, measured at a point not more than 1 m from the sample and at the same height as the sample. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Luminous flux, luminaire efficacy, zonal lumen were calculated from the software taken at 1° vertical intervals and 22.5° horizontal intervals.</p>
<p><b>2) Chromaticity Measurement – Sphere-Spectroradiometer Method:</b></p> <p>Chromaticity parameters were measured using an integrating sphere, a spectroradiometer and software. The ambient temperature condition inside the sphere was maintained at 25° C ± 1° C. The sample measurements were made using a spectroradiometer connected by a fiber optic cable and detector through the detector port of the integrating sphere. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Chromaticity coordinates, correlated color temperature and color rendering index were calculated from the spectral power distribution taken at 5 nm intervals over the range of 380 to 780 nm.</p>
<p><b>3) Electrical Measurements:</b></p> <p>Electrical parameters were measured using power meters incorporated in goniophotometer or sphere-spectroradiometer system. The ambient temperature surrounding the sample was maintained at 25° C ± 1° C. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Voltage, frequency, current, power, power factor and total harmonic distortion were measured by and read from the power meter.</p>

**2.1 Electrical, Photometric and Chromaticity Measurements**

*(Refer to Work Instruction QD25)*

<b>Test date</b>	2017-01-11	<b>Test Ambient:</b>	25.2 °C
<b>Test Orientation</b>	As intended	<b>Stabilization Time (min)</b>	90
<b>Model Number</b>	LRKT449W-EN-2790		

**Electrical Measurement:**

Sample No.	Voltage (Vac)	Frequency (Hz)	Current (A)	Power (W)	Power Factor
GZE161212 0-AO1	120.0	60	0.0920	10.49	0.9471


**Chromaticity Measurement - Sphere-Spectroradiometer Method:**

Parameter	Result	Special Color Rendering Indices			
Test Voltage (V)	120.0	R1	96	R9	56
Frequency (Hz)	60	R2	97	R10	93
CCT (K)	2755	R3	98	R11	95
Duv	-0.0010	R4	93	R12	87
Chromaticity (x, y)	x=0.4537 y=0.4064	R5	93	R13	94
Chromaticity (u', v')	u'=0.2604 v'=0.5248	R6	97	R14	99
Color Rendering Index (CRI)	92.8	R7	90	R15	88
R9	56	R8	80	--	--

**Photometric Measurement – Goniophotometer Method:**

Parameter	Result
Test Voltage (V)	120.0
Frequency (Hz)	60
Total Luminous (lm)	739.53
Luminous Efficacy (lm/W)	70.50
Beam Angle (°)	99.0
Center Beam Candle Power (cd)	311

**Spectral Power Distribution & Chromaticity Diagram**




**Zonal Lumen Tabulation**

Zonal Lumen Summary		
Zone	Lumens	% Luminaire
0-30	234.1	31.7%
0-40	375.6	50.8%
0-60	629.7	85.2%
60-90	109.0	14.7%
70-100	33.3	4.5%
90-120	0.2	0%
0-90	738.7	99.9%
90-180	0.7	0.1%
0-180	739.4	100%



Lumens Per Zone					
Zone	Lumens	% Total	Zone	Lumens	% Total
0-10	29.3	4.0%	90-100	0.1	0%
10-20	82.8	11.2%	100-110	0.1	0%
20-30	122.1	16.5%	110-120	0.1	0%
30-40	141.4	19.1%	120-130	0.1	0%
40-50	138.8	18.8%	130-140	0.1	0%
50-60	115.3	15.6%	140-150	0.1	0%
60-70	75.8	10.3%	150-160	0.1	0%
70-80	29.8	4.0%	160-170	0.1	0%
80-90	3.5	0.5%	170-180	0.0	0%

**Photometric Data**



	Center Beam fc	Beam Width	
17.0ft	1.08 fc	39.8 ft	39.9 ft
34.0ft	0.27 fc	79.6 ft	79.8 ft
51.0ft	0.12 fc	119.4 ft	119.7 ft
68.0ft	0.07 fc	159.3 ft	159.6 ft
85.0ft	0.04 fc	199.1 ft	199.5 ft
102.0ft	0.03 fc	238.9 ft	239.4 ft

■ Vert. Spread: 99.0°  
■ Horiz. Spread: 99.1°



Laboratory: Standard-Tech Co. Ltd Testing Center  
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

**Candela Table - Type C**

	0	22.5	45	67.5	90	112.5	135	157.5	180	202.5	225	247.5	270	292.5	315	337.5	360
0	311	311	311	311	311	311	311	311	311	311	311	311	311	311	311	311	311
1	311	311	311	311	311	310	310	311	311	311	311	311	311	310	310	310	311
2	311	311	311	311	311	310	310	310	311	311	311	311	311	310	310	310	311
3	310	310	311	311	310	310	310	310	310	310	310	311	310	309	309	310	310
4	310	310	310	310	310	309	309	309	310	310	310	310	310	308	309	309	310
5	309	309	309	310	309	308	309	309	309	309	309	309	309	308	308	309	309
6	308	308	309	309	309	308	308	308	308	308	308	308	308	306	307	308	308
7	308	308	308	308	308	307	307	307	307	307	307	307	307	306	307	307	308
8	306	306	307	307	306	306	306	306	306	306	306	306	306	304	305	306	306
9	305	305	305	305	305	305	305	305	305	305	305	305	305	303	303	304	305
10	304	304	304	304	304	303	303	303	303	303	303	303	303	301	302	303	304
11	302	302	302	302	302	301	302	301	302	302	301	302	302	300	300	301	302
12	300	301	301	301	300	300	300	300	300	300	300	300	299	298	299	300	300
13	298	299	299	299	298	298	298	298	298	298	298	298	298	296	297	298	298
14	296	297	297	297	297	296	296	296	296	296	295	296	296	294	295	296	296
15	295	295	295	295	294	294	294	294	294	293	294	294	293	292	293	293	295
16	292	293	293	292	292	292	292	292	292	291	291	291	291	290	290	291	292
17	289	290	290	290	290	290	290	289	289	289	289	288	289	287	288	289	289
18	287	287	288	287	287	286	287	287	286	286	286	286	286	285	285	287	287
19	284	285	285	284	284	284	285	284	284	284	283	283	283	282	283	284	284
20	282	282	283	282	281	282	282	282	280	280	281	281	281	279	280	280	282
21	278	279	280	279	279	278	279	279	278	278	277	277	277	276	277	278	278
22	276	276	277	276	276	275	276	275	274	274	275	275	275	273	274	275	276
23	272	273	273	272	273	273	273	272	272	271	271	271	271	270	271	272	272
24	269	270	270	270	269	269	270	269	268	268	268	268	267	266	267	268	269
25	266	267	267	266	265	266	266	265	264	264	265	265	264	263	264	265	266
26	262	263	263	263	262	262	263	262	261	261	262	261	261	260	261	261	262
27	259	260	260	259	258	259	259	258	257	257	258	258	257	256	257	258	259
28	254	256	256	256	255	255	256	254	254	254	254	253	253	252	254	254	254

Laboratory: Standard-Tech Co. Ltd Testing Center  
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

29	251	252	253	252	251	251	252	251	250	250	250	250	250	248	250	250	251
30	247	248	248	248	247	248	247	247	246	246	246	246	246	245	246	247	247
31	244	244	244	244	243	244	244	244	242	242	243	242	242	241	242	242	244
32	239	240	241	240	239	240	240	239	238	238	238	238	238	237	238	239	239
33	235	236	236	236	235	235	236	235	234	234	234	234	234	233	234	234	235
34	231	232	233	232	231	231	231	231	230	230	230	230	230	229	230	231	231
35	226	228	228	228	227	227	227	226	226	225	226	226	225	225	226	226	226
36	222	224	224	223	223	223	223	223	221	222	222	221	220	220	222	223	222
37	217	220	220	219	218	219	219	218	216	217	217	217	216	216	218	218	217
38	213	214	216	214	213	214	215	213	212	213	212	212	211	211	213	213	213
39	208	210	211	209	209	209	210	209	207	208	208	208	207	207	209	209	208
40	204	205	206	205	204	205	205	204	202	203	204	203	202	202	204	204	204
41	199	201	202	200	200	200	201	200	198	199	199	198	197	198	199	199	199
42	195	196	197	196	194	196	196	195	192	194	195	194	193	193	196	194	195
43	190	192	193	191	190	191	192	190	188	188	190	189	188	190	190	190	190
44	184	187	188	187	185	186	187	185	183	184	186	184	182	184	187	185	184
45	180	182	184	181	180	182	182	180	179	179	180	179	178	178	181	180	180
46	174	177	179	176	175	176	178	175	173	175	175	173	172	173	176	176	174
47	170	172	173	172	169	172	172	170	167	170	171	169	168	168	171	170	170
48	164	168	169	166	164	166	168	165	163	164	166	163	162	164	166	165	164
49	158	162	163	160	159	161	163	160	157	160	161	158	157	159	162	160	158
50	154	156	159	156	154	156	157	155	152	154	156	154	152	154	157	155	154
51	148	152	154	150	148	151	153	149	147	150	150	148	146	149	152	150	148
52	144	146	149	146	144	146	148	144	141	144	146	144	142	144	147	144	144
53	138	142	144	140	138	141	143	139	137	138	140	138	136	139	141	140	138
54	133	136	138	135	132	135	138	134	131	134	136	132	131	133	136	134	133
55	128	132	134	130	128	131	132	129	125	128	130	128	126	128	130	130	128
56	122	126	128	124	122	125	127	123	121	124	124	122	120	123	126	124	122
57	117	120	123	120	117	119	121	118	115	118	120	117	116	117	120	119	117
58	111	116	117	114	111	115	117	113	109	112	114	112	110	113	115	114	111
59	107	110	113	109	107	109	111	107	105	108	108	106	105	107	110	108	107

Laboratory: Standard-Tech Co. Ltd Testing Center  
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>



60	101	106	107	104	101	105	105	103	99	102	104	102	100	103	104	103	101
61	97	100	101	99	95	99	100	97	94	96	98	96	94	97	99	98	97
62	91	95	96	93	91	93	95	92	89	92	93	91	89	92	94	93	91
63	85	90	91	88	85	89	89	87	83	86	88	86	84	87	89	87	85
64	81	84	86	83	81	83	84	81	78	82	82	80	78	81	83	81	81
65	75	79	80	77	75	78	79	77	73	76	77	76	74	76	79	77	75
66	70	74	75	73	70	73	74	71	68	70	72	70	68	71	73	71	70
67	65	69	70	67	65	67	69	66	63	65	67	65	63	66	67	67	65
68	59	63	65	63	59	63	63	61	57	60	62	60	58	60	63	61	59
69	55	58	60	57	55	57	59	55	53	54	56	55	53	57	57	56	55
70	49	53	54	52	49	51	53	51	47	50	52	49	47	51	53	51	49
71	45	48	50	47	45	47	48	45	42	44	46	45	43	45	48	46	45
72	40	43	45	42	40	42	43	41	38	40	41	39	38	41	42	41	40
73	36	38	39	38	35	37	38	36	33	35	37	35	34	35	38	36	36
74	31	34	35	33	31	32	34	31	29	30	32	30	29	31	33	32	31
75	26	29	30	28	26	28	29	27	25	26	28	26	25	27	29	27	26
76	23	24	26	24	23	24	24	23	21	22	23	22	22	22	23	23	23
77	18	21	22	20	19	20	21	19	17	19	19	18	18	19	20	19	18
78	15	16	17	17	16	17	17	15	14	15	15	15	15	15	16	15	15
79	12	13	15	14	13	13	14	12	11	11	12	12	12	13	13	12	12
80	9	10	11	11	10	11	10	9	8	9	10	9	9	10	10	9	9
81	7	8	9	9	9	9	8	7	5	6	7	8	8	8	7	7	7
82	5	6	7	7	6	7	6	5	4	5	5	6	5	6	6	5	5
83	4	4	5	5	5	5	5	4	3	4	4	4	4	4	4	4	4
84	3	3	4	4	4	4	3	3	3	3	3	3	3	3	3	3	3
85	2	2	3	3	3	3	2	2	2	2	2	3	3	3	2	2	2
86	1	2	2	2	2	2	2	1	1	1	2	2	2	2	1	1	1
87	1	1	1	2	2	2	1	1	0	1	1	1	1	1	1	1	1
88	0	0	1	1	1	1	1	0	0	0	0	1	1	0	0	0	0
89	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
90	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center  
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

91	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
92	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
93	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
95	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
96	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
97	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
98	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
101	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
102	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
103	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
105	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
106	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
107	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
108	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
109	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
110	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
111	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
112	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
113	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
114	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
115	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
116	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
117	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
118	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
119	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
120	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
121	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center  
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

122	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
123	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
124	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
125	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
126	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
127	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
128	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
129	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
130	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
131	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
132	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
133	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
134	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
135	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
136	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
137	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
138	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
139	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
140	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
141	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
142	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
143	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
144	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
145	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
146	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
147	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
148	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
149	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
150	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
151	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
152	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center  
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

153	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
154	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
155	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
156	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
157	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
158	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
159	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
160	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
161	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
162	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
163	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
164	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
165	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
166	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
167	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
168	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
169	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
170	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
171	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
172	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
173	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
174	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
175	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
176	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
177	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
178	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
179	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center  
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

**STANDARD-TECH**



Report No.: GZE1612120-AO

NVLAP LAB CODE 201011-0

**Laboratory: Standard-Tech Co. Ltd Testing Center**  
**NVLAP CODE: 201011-0**

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

**3. Test Equipment**

Equipment ID	Equipment Name	Last Calibration Date	Next Calibration Date
ST-R-336	2 meter Integrating Sphere	2016-07-01	2017-06-30
ST-R-331	Spectral analysis system HAAS-2000	2016-07-01	2017-06-30
D204	Standard Lamp	2016-07-01	2017-06-30
PF2010	Power Meter for Integrating Sphere	2016-07-01	2017-06-30
EE-09	Goniophotometer system	2016-07-01	2017-06-30
D908S	Standard Lamp	2016-07-01	2017-06-30
PF210	Power Meter for Goniophotometer	2016-07-01	2017-06-30
ST-R-181A	Temperature Tester	2016-07-01	2017-06-30
Uncertainty: Photometric Measurement (Sphere):1.74% Chromaticity Measurement(Sphere):14.3K Photometric Measurement(Goniophotometer):1.62%			

**\*\*\*\*\* END OF REPORT \*\*\*\*\***

**Laboratory: Standard-Tech Co. Ltd Testing Center**  
**NVLAP CODE: 201011-0**

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>