

LM-79-08 Test Report

For

L-TECH CORPORTION

(Brand Name: L-TECH CORP)

SHAOGANGTOU DISTRICT.QIAOTOU TOWN.DONGGUAN
CITY.GUANGDONG PROVINCE,CHINA

LED Luminaire

Model name(s): LRKT449W-EN-4090

Representative (Tested) Model: LRKT449W-EN-4090

Model Different: N/A

Test & Report By:

Univ Xie

Engineer: Univ Xie

Date: Jan17, 2017

Review By:

Tommy Liang

Manager: Tommy Liang

Note: This report does not imply product certification, approval, or endorsement by NVLAP, NIST, or any agency of the Federal Government.

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2


Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

1.1 Product Information:

Organization Name	L-TECH CORPORTION	
Brand Name	L-TECH CORP	
Model Number	LRKT449W-EN-4090	
SKU (if available)	N/A	
Type of Luminaire (for integral lamps, list base type and lamp type)	LED Luminaire	
Rated Voltage / Frequency	120Vac, 60 Hz	
Nominal Power	11W	
Rated Initial Lamp Lumen	--	
Declared CCT	4000K	
LED Manufacturer	Edison Opto Corporation	
LED Model	2T03X5	
Sample Number	GZE1612120-AQ1	
Luminaire Aperture (for downlights)	--	in.
Luminaire Length	--	mm
Luminaires Width	--	mm
Number of Units (modular products)	N/A	s

Photo



Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

1.2 Test Specifications:

Date of Receipt	Jan08, 2017
Date of Test	Jan.11, 2017
Test item	<ol style="list-style-type: none"> 1. Total Luminous Flux 2. Luminous Distribution Intensity 3. Luminous Efficacy 4. Correlated Color Temperature 5. Color Rendering Index 6. Chromaticity Coordinate 7. Electrical Parameters
Reference Standard	<ol style="list-style-type: none"> 1. IES LM-79-2008 Electrical and Photometric Measurements of Solid-State Lighting Products 2. ANSI C78.377-2008 Specifications for the Chromaticity of Solid State Lighting Products 3. CIE 13.3-1995 Method of Measuring and Specifying Colour Rendering Properties of Light Sources 4. CIE 15-2004 Technical Report Colorimetry 5. IESNA LM-16-93 Practical Guide to Colorimetry of Light Source 6. IESNA TM-16-05 Technical Memorandum on Light Emitting Diode (LED) Sources and Systems
Reference Work Instruction	QD25

1.3 Test Methods

<p>1) Photometric and Light Distribution Measurement – Goniophotometer Method:</p> <p>Photometric parameters were measured using the goniophotometer and software. The ambient temperature shall be maintained at 25° C ± 1° C, measured at a point not more than 1 m from the sample and at the same height as the sample. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Luminous flux, luminaire efficacy, zonal lumen were calculated from the software taken at 1° vertical intervals and 22.5° horizontal intervals.</p>
<p>2) Chromaticity Measurement – Sphere-Spectroradiometer Method:</p> <p>Chromaticity parameters were measured using an integrating sphere, a spectroradiometer and software. The ambient temperature condition inside the sphere was maintained at 25° C ± 1° C. The sample measurements were made using a spectroradiometer connected by a fiber optic cable and detector through the detector port of the integrating sphere. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Chromaticity coordinates, correlated color temperature and color rendering index were calculated from the spectral power distribution taken at 5 nm intervals over the range of 380 to 780 nm.</p>
<p>3) Electrical Measurements:</p> <p>Electrical parameters were measured using power meters incorporated in goniophotometer or sphere-spectroradiometer system. The ambient temperature surrounding the sample was maintained at 25° C ± 1° C. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Voltage, frequency, current, power, power factor and total harmonic distortion were measured by and read from the power meter.</p>

2.1 Electrical, Photometric and Chromaticity Measurements
(Refer to Work Instruction QD25)

Test date	2017-01-11	Test Ambient:	25.2 °C
Test Orientation	As intended	Stabilization Time (min)	90
Model Number	LRKT449W-EN-4090		

Electrical Measurement:

Sample No.	Voltage (Vac)	Frequency (Hz)	Current (A)	Power (W)	Power Factor
GZE161212 0-AQ1	120.0	60	0.0870	9.850	0.9407


Chromaticity Measurement - Sphere-Spectroradiometer Method:

Parameter	Result	Special Color Rendering Indices			
Test Voltage (V)	120.0	R1	93	R9	69
Frequency (Hz)	60	R2	95	R10	88
CCT (K)	4060	R3	96	R11	93
Duv	0.0015	R4	93	R12	72
Chromaticity (x, y)	x=0.3788 y=0.3790	R5	92	R13	94
Chromaticity (u', v')	x=0.3788 y=0.3790	R6	92	R14	97
Color Rendering Index (CRI)	93.3	R7	96	R15	91
R9	69	R8	88	--	--

Photometric Measurement – Goniophotometer Method:

Parameter	Result
Test Voltage (V)	120.0
Frequency (Hz)	60
Total Luminous (lm)	735.72
Luminous Efficacy (lm/W)	74.69
Beam Angle (°)	99.2
Center Beam Candle Power (cd)	309

Spectral Power Distribution & Chromaticity Diagram




Zonal Lumen Tabulation

Zonal Lumen Summary		
Zone	Lumens	% Luminaire
0-30	232.5	31.6%
0-40	372.9	50.7%
0-60	625.7	85.1%
60-90	109.5	14.9%
70-100	33.6	4.6%
90-120	0.1	0%
0-90	735.3	99.9%
90-180	0.4	0.1%
0-180	735.6	100%

Lumens Per Zone					
Zone	Lumens	% Total	Zone	Lumens	% Total
0-10	29.1	4.0%	90-100	0.1	0%
10-20	82.2	11.2%	100-110	0.0	0%
20-30	121.2	16.5%	110-120	0.0	0%
30-40	140.4	19.1%	120-130	0.0	0%
40-50	137.9	18.7%	130-140	0.0	0%
50-60	114.9	15.6%	140-150	0.1	0%
60-70	76.0	10.3%	150-160	0.1	0%
70-80	30.0	4.1%	160-170	0.0	0%
80-90	3.5	0.5%	170-180	0.0	0%



Photometric Data



Illuminance at a Distance

	Center Beam fc	Beam Width	
17.0ft	1.07 fc	39.9 ft	40.0 ft
34.0ft	0.27 fc	79.8 ft	79.9 ft
51.0ft	0.12 fc	119.8 ft	119.9 ft
68.0ft	0.07 fc	159.7 ft	159.9 ft
85.0ft	0.04 fc	199.6 ft	199.8 ft
102.0ft	0.03 fc	239.5 ft	239.8 ft

■ Vert. Spread: 99.2°
■ Horiz. Spread: 99.2°



Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

Candela Table - Type C

	0	22.5	45	67.5	90	112.5	135	157.5	180	202.5	225	247.5	270	292.5	315	337.5	360
0	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
1	309	309	309	309	309	308	308	309	309	309	309	309	309	308	308	309	309
2	309	309	309	309	309	308	308	309	309	309	309	309	309	308	308	308	309
3	308	308	308	308	308	308	308	308	309	309	309	309	309	307	308	308	308
4	308	308	308	308	308	307	307	308	308	308	309	308	308	307	307	307	308
5	307	307	307	307	307	306	307	307	308	308	308	308	307	306	306	306	307
6	306	306	306	306	306	306	306	306	307	307	307	307	307	305	305	306	306
7	305	305	305	305	305	305	305	305	306	306	306	306	306	304	304	305	305
8	304	304	304	304	304	304	304	304	305	305	305	305	305	303	303	303	304
9	302	302	302	302	302	302	303	303	304	304	304	304	303	302	302	302	302
10	301	301	301	301	301	301	301	302	302	302	302	302	302	300	300	301	301
11	299	299	299	299	299	299	300	300	301	301	301	301	300	298	299	299	299
12	298	297	297	297	297	297	298	299	299	299	299	299	299	297	297	297	298
13	295	295	295	295	295	295	296	297	297	297	298	297	297	295	295	295	295
14	293	293	293	293	293	293	294	295	295	295	295	295	295	293	293	293	293
15	291	291	291	291	291	291	292	293	293	294	293	294	293	291	291	291	291
16	288	289	288	288	289	289	290	290	291	291	291	291	291	288	288	289	288
17	286	286	286	286	286	287	287	288	289	289	289	288	288	286	286	286	286
18	284	284	283	283	284	284	285	286	286	286	287	286	286	284	284	283	284
19	281	281	281	281	281	281	282	283	284	284	284	283	283	281	281	281	281
20	278	278	278	278	278	279	280	280	281	281	281	281	280	278	278	278	278
21	275	275	275	274	275	275	277	277	278	278	278	278	277	276	275	275	275
22	272	272	272	272	271	273	274	275	275	275	275	275	274	272	272	272	272
23	268	268	268	268	268	269	271	271	271	272	273	272	271	269	269	269	268
24	265	265	265	265	265	266	268	268	269	269	269	269	267	266	266	265	265
25	261	262	262	261	262	263	264	265	265	266	266	265	264	262	263	262	261
26	258	258	259	258	258	259	261	261	262	262	263	261	261	259	260	259	258
27	254	255	255	254	255	256	257	258	258	259	259	258	258	255	256	255	254
28	250	251	251	251	251	252	254	254	255	255	255	254	254	252	252	251	250

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

29	247	247	247	247	247	248	250	251	251	252	251	251	249	248	248	247	247
30	243	243	244	243	243	244	246	247	247	248	248	247	246	245	244	244	243
31	239	239	239	239	240	240	242	243	243	244	244	243	242	240	241	239	239
32	235	235	235	235	235	237	238	239	239	240	240	239	238	236	236	236	235
33	231	231	231	231	231	232	234	235	236	236	236	235	234	233	233	231	231
34	226	227	227	227	227	229	230	231	231	232	232	231	230	228	228	228	226
35	222	222	223	223	222	224	226	227	227	228	228	227	226	224	224	223	222
36	218	219	218	218	218	219	222	223	223	223	223	222	221	220	220	219	218
37	213	214	214	214	213	216	217	218	218	220	220	219	217	216	215	215	213
38	209	210	210	209	209	211	213	213	214	215	215	214	212	211	211	210	209
39	204	205	206	204	204	207	208	209	209	211	210	210	207	207	206	206	204
40	200	199	201	200	200	202	205	205	204	206	207	205	203	202	203	201	200
41	194	195	196	195	195	197	200	201	200	201	202	200	198	197	198	196	194
42	189	190	192	191	190	193	195	195	195	197	198	196	194	193	194	191	189
43	185	186	187	186	186	188	191	190	191	192	193	191	189	188	189	186	185
44	179	181	183	182	180	183	186	186	185	188	188	187	184	184	184	182	179
45	175	177	178	176	176	178	181	181	180	182	184	181	179	179	180	177	175
46	170	171	172	171	171	173	176	176	176	177	179	176	174	175	174	172	170
47	165	166	168	167	166	169	171	171	171	173	173	172	169	169	170	167	165
48	160	162	163	162	161	163	167	166	166	168	169	167	164	164	165	163	160
49	154	156	158	156	156	158	162	162	161	162	164	162	159	160	160	157	154
50	150	152	153	152	151	154	156	156	155	158	160	157	154	154	155	152	150
51	144	146	149	146	145	148	152	151	151	152	154	152	149	150	150	147	144
52	139	142	143	141	141	144	146	146	145	148	149	147	143	144	145	142	139
53	134	136	138	136	135	138	142	141	140	142	144	142	139	139	140	137	134
54	128	130	133	131	130	133	137	136	135	137	139	136	133	134	136	131	128
55	123	126	128	126	125	128	131	131	129	132	135	131	129	129	130	127	123
56	118	120	123	121	120	123	127	125	125	127	129	126	123	124	126	121	118
57	113	116	118	116	114	118	121	121	119	122	124	121	117	119	120	116	113
58	107	110	113	111	109	113	116	115	113	117	119	116	113	114	114	111	107
59	103	106	107	105	104	107	111	110	109	111	113	110	107	109	110	106	103

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

60	97	100	101	100	98	103	105	105	103	107	109	106	103	103	104	101	97
61	92	94	97	95	94	97	101	99	99	101	103	100	97	99	99	95	92
62	87	89	91	90	88	91	95	95	93	97	98	96	91	93	94	90	87
63	81	84	87	85	83	87	90	89	87	91	93	90	87	88	88	85	81
64	77	79	81	80	78	81	85	84	83	85	87	85	81	83	84	80	77
65	71	74	76	74	72	77	79	79	77	81	82	80	76	78	78	75	71
66	66	69	71	69	68	71	75	73	73	75	77	74	71	73	73	69	66
67	61	63	65	64	62	65	69	69	67	70	72	69	66	67	68	65	61
68	55	58	61	59	58	61	64	63	61	65	67	64	61	63	63	59	55
69	51	53	55	54	52	55	59	58	57	60	62	59	56	57	58	54	51
70	45	48	51	49	47	51	54	53	51	55	56	55	50	53	52	49	45
71	41	44	45	43	42	46	48	48	46	50	52	49	46	47	48	44	41
72	36	38	40	39	37	40	44	42	42	44	47	44	41	42	43	40	36
73	32	33	36	34	33	36	39	38	37	40	42	40	37	38	39	35	32
74	28	29	31	30	28	31	35	33	33	35	37	34	32	33	33	31	28
75	23	25	27	25	24	26	30	29	28	31	32	30	27	29	29	26	23
76	20	21	22	21	21	23	25	24	23	26	28	26	24	24	25	22	20
77	16	17	19	17	17	18	21	20	20	22	23	21	20	21	20	18	16
78	13	14	15	14	14	15	17	17	16	18	19	18	16	17	17	14	13
79	10	11	11	11	11	12	14	13	13	14	16	15	14	13	13	11	10
80	8	8	9	9	9	10	11	10	10	11	12	12	11	11	11	9	8
81	6	6	7	7	7	8	8	8	8	9	10	9	9	8	8	6	6
82	4	4	5	5	5	6	6	6	6	6	7	7	7	7	6	5	4
83	3	3	4	4	4	5	5	4	4	5	5	6	5	5	4	3	3
84	2	2	3	3	3	3	3	3	3	3	4	4	4	4	3	3	2
85	2	2	2	2	2	3	2	3	3	3	3	3	3	3	2	2	2
86	1	1	1	2	2	2	2	2	2	2	2	3	2	2	2	1	1
87	0	0	1	1	1	1	1	1	1	1	2	2	2	1	1	1	0
88	0	0	0	0	0	1	1	1	0	1	1	1	1	1	0	0	0
89	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
90	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

91	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
92	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
93	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
95	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
96	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
97	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
98	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
101	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
102	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
103	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
105	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
106	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
107	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
108	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
109	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
110	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
111	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
112	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
113	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
114	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
115	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
116	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
117	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
118	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
119	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
120	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
121	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

122	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
123	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
124	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
125	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
126	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
127	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
128	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
129	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
130	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
131	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
132	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
133	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
134	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
135	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
136	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
137	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
138	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
139	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
140	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
141	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
142	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
143	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
144	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
145	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
146	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
147	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
148	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
149	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
150	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
151	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
152	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

153	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
154	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
155	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
156	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
157	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
158	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
159	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
160	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
161	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
162	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
163	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
164	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
165	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
166	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
167	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
168	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
169	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
170	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
171	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
172	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
173	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
174	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
175	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
176	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
177	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
178	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
179	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

STANDARD-TECH



NVLAP LAB CODE 201011-0

Report No.: GZE1612120-AQ

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

3. Test Equipment

Equipment ID	Equipment Name	Last Calibration Date	Next Calibration Date
ST-R-336	2 meter Integrating Sphere	2016-07-01	2017-06-30
ST-R-331	Spectral analysis system HAAS-2000	2016-07-01	2017-06-30
D204	Standard Lamp	2016-07-01	2017-06-30
PF2010	Power Meter for Integrating Sphere	2016-07-01	2017-06-30
EE-09	Goniophotometer system	2016-07-01	2017-06-30
D908S	Standard Lamp	2016-07-01	2017-06-30
PF210	Power Meter for Goniophotometer	2016-07-01	2017-06-30
ST-R-181A	Temperature Tester	2016-07-01	2017-06-30
Uncertainty: Photometric Measurement (Sphere):1.74% Chromaticity Measurement(Sphere):14.3K Photometric Measurement(Goniophotometer):1.62%			

******* END OF REPORT *******

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>