

LM-79-08 Test Report

For

L-TECH CORPORTION

(Brand Name: L-TECH CORP)

SHAOGANGTOU DISTRICT.QIAOTOU TOWN.DONGGUAN
CITY.GUANGDONG PROVINCE,CHINA

LED Luminare

Model name(s): LRKT543W-EN-2790

Representative (Tested) Model: LRKT543W-EN-2790

Model Different: N/A

Test & Report By:

Univ Xie

Engineer: Univ Xie

Date: Jan17, 2017

Review By:

Tommy Liang

Manager: Tommy Liang

Note: This report does not imply product certification, approval, or endorsement by NVLAP, NIST, or any agency of the Federal Government.

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2


Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

1.1 Product Information:

Organization Name	L-TECH CORPORTION	
Brand Name	L-TECH CORP	
Model Number	LRKT543W-EN-2790	
SKU (if available)	N/A	
Type of Luminaire (for integral lamps, list base type and lamp type)	LED Luminaire	
Rated Voltage / Frequency	120Vac, 60 Hz	
Nominal Power	15W	
Rated Initial Lamp Lumen	--	
Declared CCT	2700K	
LED Manufacturer	Edison Opto Corporation	
LED Model	2T03X5	
Sample Number	GZE1612120-AX1	
Luminaire Aperture (for downlights)	--	in.
Luminaire Length	--	mm
Luminaires Width	--	mm
Number of Units (modular products)	N/A	s

Photo



1.2 Test Specifications:

Date of Receipt	Jan08, 2017
Date of Test	Jan.11, 2017
Test item	<ol style="list-style-type: none"> 1. Total Luminous Flux 2. Luminous Distribution Intensity 3. Luminous Efficacy 4. Correlated Color Temperature 5. Color Rendering Index 6. Chromaticity Coordinate 7. Electrical Parameters
Reference Standard	<ol style="list-style-type: none"> 1. IES LM-79-2008 Electrical and Photometric Measurements of Solid-State Lighting Products 2. ANSI C78.377-2008 Specifications for the Chromaticity of Solid State Lighting Products 3. CIE 13.3-1995 Method of Measuring and Specifying Colour Rendering Properties of Light Sources 4. CIE 15-2004 Technical Report Colorimetry 5. IESNA LM-16-93 Practical Guide to Colorimetry of Light Source 6. IESNA TM-16-05 Technical Memorandum on Light Emitting Diode (LED) Sources and Systems
Reference Work Instruction	QD25

1.3 Test Methods

<p>1) Photometric and Light Distribution Measurement – Goniophotometer Method:</p> <p>Photometric parameters were measured using the goniophotometer and software. The ambient temperature shall be maintained at 25° C ± 1° C, measured at a point not more than 1 m from the sample and at the same height as the sample. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Luminous flux, luminaire efficacy, zonal lumen were calculated from the software taken at 1° vertical intervals and 22.5° horizontal intervals.</p>
<p>2) Chromaticity Measurement – Sphere-Spectroradiometer Method:</p> <p>Chromaticity parameters were measured using an integrating sphere, a spectroradiometer and software. The ambient temperature condition inside the sphere was maintained at 25° C ± 1° C. The sample measurements were made using a spectroradiometer connected by a fiber optic cable and detector through the detector port of the integrating sphere. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Chromaticity coordinates, correlated color temperature and color rendering index were calculated from the spectral power distribution taken at 5 nm intervals over the range of 380 to 780 nm.</p>
<p>3) Electrical Measurements:</p> <p>Electrical parameters were measured using power meters incorporated in goniophotometer or sphere-spectroradiometer system. The ambient temperature surrounding the sample was maintained at 25° C ± 1° C. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Voltage, frequency, current, power, power factor and total harmonic distortion were measured by and read from the power meter.</p>

2.1 Electrical, Photometric and Chromaticity Measurements

(Refer to Work Instruction QD25)

Test date	2017-01-11	Test Ambient:	25.2 °C
Test Orientation	As intended	Stabilization Time (min)	90
Model Number	LRKT543W-EN-2790		

Electrical Measurement:

Sample No.	Voltage (Vac)	Frequency (Hz)	Current (A)	Power (W)	Power Factor
GZE161212 0-AX1	120.0	60	0.1280	14.88	0.9665


Chromaticity Measurement - Sphere-Spectroradiometer Method:

Parameter	Result	Special Color Rendering Indices			
Test Voltage (V)	120.0	R1	93	R9	55
Frequency (Hz)	60	R2	97	R10	93
CCT (K)	2745	R3	98	R11	94
Duv	-0.0014	R4	92	R12	87
Chromaticity (x, y)	x=0.4538 y=0.4054	R5	93	R13	94
Chromaticity (u', v')	u'=0.2609 v'=0.5245	R6	97	R14	100
Color Rendering Index (CRI)	92.4	R7	90	R15	88
R9	55	R8	79	--	--

Photometric Measurement – Goniophotometer Method:

Parameter	Result
Test Voltage (V)	120.0
Frequency (Hz)	60
Total Luminous (lm)	975.22
Luminous Efficacy (lm/W)	65.54
Beam Angle (°)	98.5
Center Beam Candle Power (cd)	421

Spectral Power Distribution & Chromaticity Diagram




Zonal Lumen Tabulation

Zonal Lumen Summary		
Zone	Lumens	% Luminaire
0-30	318.1	32.6%
0-40	510.0	52.3%
0-60	849.5	87.1%
60-90	124.6	12.8%
70-100	33.0	3.4%
90-120	0.3	0%
0-90	974.1	99.9%
90-180	1.0	0.1%
0-180	975.1	100%

Lumens Per Zone					
Zone	Lumens	% Total	Zone	Lumens	% Total
0-10	39.7	4.1%	90-100	0.1	0%
10-20	112.3	11.5%	100-110	0.1	0%
20-30	166.1	17.0%	110-120	0.1	0%
30-40	191.9	19.7%	120-130	0.1	0%
40-50	187.0	19.2%	130-140	0.1	0%
50-60	152.5	15.6%	140-150	0.1	0%
60-70	91.7	9.4%	150-160	0.1	0%
70-80	28.4	2.9%	160-170	0.1	0%
80-90	4.5	0.5%	170-180	0.0	0%



Photometric Data



Illuminance at a Distance

	Center Beam fc	Beam Width	
17.0ft	1.46 fc	39.4 ft	39.4 ft
34.0ft	0.36 fc	78.8 ft	78.8 ft
51.0ft	0.16 fc	118.2 ft	118.2 ft
68.0ft	0.09 fc	157.6 ft	157.6 ft
85.0ft	0.06 fc	197.0 ft	197.0 ft
102.0ft	0.04 fc	236.4 ft	236.5 ft

■ Vert. Spread: 98.4°
■ Horiz. Spread: 98.4°



Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

Candela Table - Type C

	0	22.5	45	67.5	90	112.5	135	157.5	180	202.5	225	247.5	270	292.5	315	337.5	360
0	421	421	421	421	421	421	421	421	421	421	421	421	421	421	421	421	421
1	421	421	421	422	422	419	420	420	421	421	421	422	422	419	420	420	421
2	421	421	421	421	421	419	420	420	421	421	421	422	422	419	419	420	421
3	420	420	420	421	421	419	419	420	420	421	421	421	422	419	419	419	420
4	419	419	419	420	420	418	419	419	420	420	420	421	421	418	418	419	419
5	418	419	418	419	419	417	418	418	419	419	419	420	420	417	417	418	418
6	417	417	417	418	418	416	417	417	418	418	418	419	419	416	416	417	417
7	416	416	416	416	416	415	416	416	416	417	417	418	418	414	415	415	416
8	414	414	414	415	415	413	414	414	415	415	416	416	416	413	413	414	414
9	412	413	412	413	413	412	412	413	413	414	414	414	415	411	411	412	412
10	411	411	410	411	411	410	411	411	412	412	412	413	413	409	409	410	411
11	408	408	408	408	409	408	408	409	410	410	410	411	411	406	407	408	408
12	406	406	406	406	406	405	406	407	407	408	408	408	409	405	405	406	406
13	403	404	404	403	404	403	404	404	405	405	405	406	406	402	403	403	403
14	401	401	401	401	401	401	401	401	402	402	403	403	404	399	400	401	401
15	398	398	397	398	398	398	398	399	399	400	400	401	401	397	397	397	398
16	395	395	395	395	395	395	395	396	397	397	397	398	398	394	394	395	395
17	392	391	391	392	392	391	392	393	393	394	394	395	395	391	391	391	392
18	388	388	388	388	388	388	389	390	391	391	391	392	391	387	388	388	388
19	385	384	384	385	384	385	385	386	387	387	388	388	388	384	384	384	385
20	381	381	381	381	381	382	382	383	384	384	384	385	384	380	381	381	381
21	377	377	377	376	377	377	378	378	380	380	381	380	381	376	377	377	377
22	373	373	373	373	373	374	374	375	375	376	376	377	377	373	373	373	373
23	368	368	369	368	368	369	370	371	372	372	372	373	373	368	369	369	368
24	363	365	364	364	364	364	366	367	367	368	368	369	368	364	365	364	363
25	359	359	360	359	358	360	361	362	363	363	364	364	364	359	361	360	359
26	354	355	355	354	354	355	357	358	357	359	360	358	359	355	357	354	354
27	349	349	351	349	349	350	353	352	353	354	355	354	353	349	351	350	349
28	343	345	345	344	344	345	347	347	348	348	350	349	349	345	346	344	343

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

29	339	339	341	338	338	340	343	342	342	344	345	344	343	339	342	339	339
30	333	334	335	333	333	334	337	337	337	338	340	338	338	334	336	333	333
31	328	328	330	327	327	328	333	332	331	333	335	334	332	329	331	329	328
32	321	323	323	322	321	323	326	326	326	327	328	328	327	324	324	323	321
33	316	317	318	316	315	317	321	321	320	323	323	323	321	317	319	317	316
34	309	310	312	310	310	312	315	314	315	316	317	316	316	312	313	311	309
35	304	305	306	304	303	305	309	309	309	310	312	310	309	306	307	305	304
36	297	300	300	298	297	300	303	303	302	305	305	305	303	301	301	299	297
37	292	293	294	291	290	293	296	296	297	298	300	298	297	294	295	293	292
38	285	286	287	286	285	288	291	291	290	293	293	292	290	289	288	286	285
39	277	280	282	279	277	281	284	284	284	286	288	286	285	282	283	281	277
40	272	273	274	273	272	274	279	278	277	280	281	280	278	275	276	274	272
41	264	268	269	266	264	268	272	271	271	274	274	273	272	269	270	268	264
42	258	260	261	259	257	261	265	265	264	268	268	266	265	262	263	261	258
43	251	255	254	253	251	255	259	259	257	261	261	260	258	257	257	253	251
44	245	247	248	245	243	248	251	252	251	254	255	253	252	249	250	247	245
45	237	241	241	239	237	242	246	246	244	248	248	247	245	244	242	240	237
46	231	234	235	232	229	235	238	239	238	240	241	240	237	236	236	234	231
47	223	226	227	226	223	227	231	233	230	234	235	233	231	230	229	226	223
48	215	220	221	218	215	221	225	225	223	227	228	227	223	222	223	220	215
49	209	212	213	210	209	213	217	218	217	219	222	219	217	215	215	212	209
50	201	206	206	203	201	206	211	212	209	213	214	213	209	209	209	204	201
51	194	198	200	197	193	199	204	204	202	205	207	205	201	201	202	198	194
52	186	191	192	188	186	191	196	196	194	197	201	197	195	194	194	190	186
53	178	183	186	180	178	185	191	190	186	191	193	191	187	187	188	183	178
54	171	175	178	174	171	177	183	182	180	183	185	183	180	178	180	175	171
55	163	169	171	166	163	169	177	175	171	177	179	176	172	172	174	168	163
56	156	160	164	159	156	162	169	167	165	169	171	168	164	164	166	160	156
57	147	154	156	150	147	154	161	159	156	160	165	160	157	157	159	151	147
58	140	145	149	144	138	148	155	152	148	154	157	153	148	149	151	144	140
59	131	137	141	135	131	139	147	144	141	145	149	145	141	142	143	135	131

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

60	122	130	135	126	122	131	140	137	132	138	143	136	133	134	137	128	122
61	115	121	127	119	115	124	132	128	123	130	135	129	124	125	129	120	115
62	105	114	120	110	106	115	124	120	116	121	128	120	117	118	122	112	105
63	98	105	112	103	98	107	118	113	107	114	120	113	108	109	114	103	98
64	89	98	104	95	91	100	110	104	99	105	112	105	99	102	107	94	89
65	80	89	97	88	82	91	102	95	90	97	105	96	91	94	98	87	80
66	73	80	88	79	75	84	94	88	81	90	96	89	83	87	90	78	73
67	65	73	82	71	67	76	86	79	74	81	90	80	75	78	83	71	65
68	58	65	73	64	60	67	79	72	65	73	81	73	67	69	74	62	58
69	50	58	65	56	53	61	71	63	59	65	72	64	58	62	67	54	50
70	44	50	58	50	46	53	62	55	51	56	66	56	52	54	59	48	44
71	38	44	50	43	41	47	56	48	43	50	57	49	44	48	50	41	38
72	32	37	44	37	35	40	48	41	38	42	49	42	39	40	44	36	32
73	28	31	36	32	30	34	40	36	32	35	42	35	33	35	36	30	28
74	24	27	30	27	26	30	34	30	27	30	35	30	27	29	31	26	24
75	21	22	25	23	22	25	28	25	23	25	29	25	24	23	25	22	21
76	18	19	20	20	19	22	23	21	20	22	23	22	20	20	21	18	18
77	15	16	17	17	16	18	19	18	17	18	19	18	16	17	17	16	15
78	13	14	14	14	14	15	15	15	14	15	16	15	14	14	14	13	13
79	10	12	12	12	11	13	13	13	12	13	13	13	11	12	12	12	10
80	9	10	10	10	10	11	11	11	10	11	11	11	10	10	10	10	9
81	9	9	8	9	9	9	10	10	9	10	9	9	9	9	8	9	9
82	7	8	7	8	8	8	8	8	8	8	8	8	8	7	7	7	7
83	6	6	6	6	7	7	7	7	6	6	6	7	7	6	6	6	6
84	5	5	5	5	5	6	6	5	5	5	5	5	5	5	5	5	5
85	3	3	4	4	4	4	4	4	4	4	4	4	4	4	3	3	3
86	2	2	3	3	3	3	3	3	2	2	2	3	3	2	2	2	2
87	1	1	1	2	2	2	2	1	1	1	1	1	1	1	1	1	1
88	0	0	0	1	1	1	1	0	0	0	0	1	1	0	0	0	0
89	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
90	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

91	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
92	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
93	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
95	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
96	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
97	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
98	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
101	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
102	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
103	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
105	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
106	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
107	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
108	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
109	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
110	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
111	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
112	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
113	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
114	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
115	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
116	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
117	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
118	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
119	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
120	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
121	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

122	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
123	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
124	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
125	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
126	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
127	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
128	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
129	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
130	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
131	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
132	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
133	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
134	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
135	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
136	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
137	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
138	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
139	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
140	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
141	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
142	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
143	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
144	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
145	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
146	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
147	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
148	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
149	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
150	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
151	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
152	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

153	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
154	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
155	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
156	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
157	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
158	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
159	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
160	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
161	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
162	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
163	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
164	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
165	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
166	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
167	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
168	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
169	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
170	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
171	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
172	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
173	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
174	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
175	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
176	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
177	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
178	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
179	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

STANDARD-TECH



NVLAP LAB CODE 201011-0

Report No.: GZE1612120-AX

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

3. Test Equipment

Equipment ID	Equipment Name	Last Calibration Date	Next Calibration Date
ST-R-336	2 meter Integrating Sphere	2016-07-01	2017-06-30
ST-R-331	Spectral analysis system HAAS-2000	2016-07-01	2017-06-30
D204	Standard Lamp	2016-07-01	2017-06-30
PF2010	Power Meter for Integrating Sphere	2016-07-01	2017-06-30
EE-09	Goniophotometer system	2016-07-01	2017-06-30
D908S	Standard Lamp	2016-07-01	2017-06-30
PF210	Power Meter for Goniophotometer	2016-07-01	2017-06-30
ST-R-181A	Temperature Tester	2016-07-01	2017-06-30
Uncertainty: Photometric Measurement (Sphere):1.74% Chromaticity Measurement(Sphere):14.3K Photometric Measurement(Goniophotometer):1.62%			

******* END OF REPORT *******

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>