

LM-79-08 Test Report

For

L-TECH CORPORTION (Brand Name: L-TECH CORP)

SHAOGANGTOU DISTRICT.QIAOTOU TOWN.DONGGUAN
CITY.GUANGDONG PROVINCE,CHINA

LED Luminare

Model name(s): LRKT543W-EN-3090

Representative (Tested) Model: LRKT543W-EN-3090

Model Different: N/A

Test & Report By:

Univ Xie

Engineer: Univ Xie

Date: Jan17, 2017

Review By:

Tommy Liang

Manager: Tommy Liang

Note: This report does not imply product certification, approval, or endorsement by NVLAP, NIST, or any agency of the Federal Government.

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2


Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

1.1 Product Information:

Organization Name	L-TECH CORPORTION	
Brand Name	L-TECH CORP	
Model Number	LRKT543W-EN-3090	
SKU (if available)	N/A	
Type of Luminaire (for integral lamps, list base type and lamp type)	LED Luminaire	
Rated Voltage / Frequency	120Vac, 60 Hz	
Nominal Power	15W	
Rated Initial Lamp Lumen	--	
Declared CCT	3000K	
LED Manufacturer	Edison Opto Corporation	
LED Model	2T03X5	
Sample Number	GZE1612120-AY1	
Luminaire Aperture (for downlights)	--	in.
Luminaire Length	--	mm
Luminaires Width	--	mm
Number of Units (modular products)	N/A	s

Photo



Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

1.2 Test Specifications:

Date of Receipt	Jan08, 2017
Date of Test	Jan.11, 2017
Test item	<ol style="list-style-type: none"> 1. Total Luminous Flux 2. Luminous Distribution Intensity 3. Luminous Efficacy 4. Correlated Color Temperature 5. Color Rendering Index 6. Chromaticity Coordinate 7. Electrical Parameters
Reference Standard	<ol style="list-style-type: none"> 1. IES LM-79-2008 Electrical and Photometric Measurements of Solid-State Lighting Products 2. ANSI C78.377-2008 Specifications for the Chromaticity of Solid State Lighting Products 3. CIE 13.3-1995 Method of Measuring and Specifying Colour Rendering Properties of Light Sources 4. CIE 15-2004 Technical Report Colorimetry 5. IESNA LM-16-93 Practical Guide to Colorimetry of Light Source 6. IESNA TM-16-05 Technical Memorandum on Light Emitting Diode (LED) Sources and Systems
Reference Work Instruction	QD25

1.3 Test Methods

<p>1) Photometric and Light Distribution Measurement – Goniophotometer Method:</p> <p>Photometric parameters were measured using the goniophotometer and software. The ambient temperature shall be maintained at 25° C ± 1° C, measured at a point not more than 1 m from the sample and at the same height as the sample. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Luminous flux, luminaire efficacy, zonal lumen were calculated from the software taken at 1° vertical intervals and 22.5° horizontal intervals.</p>
<p>2) Chromaticity Measurement – Sphere-Spectroradiometer Method:</p> <p>Chromaticity parameters were measured using an integrating sphere, a spectroradiometer and software. The ambient temperature condition inside the sphere was maintained at 25° C ± 1° C. The sample measurements were made using a spectroradiometer connected by a fiber optic cable and detector through the detector port of the integrating sphere. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Chromaticity coordinates, correlated color temperature and color rendering index were calculated from the spectral power distribution taken at 5 nm intervals over the range of 380 to 780 nm.</p>
<p>3) Electrical Measurements:</p> <p>Electrical parameters were measured using power meters incorporated in goniophotometer or sphere-spectroradiometer system. The ambient temperature surrounding the sample was maintained at 25° C ± 1° C. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Voltage, frequency, current, power, power factor and total harmonic distortion were measured by and read from the power meter.</p>

2.1 Electrical, Photometric and Chromaticity Measurements

(Refer to Work Instruction QD25)

Test date	2017-01-11	Test Ambient:	25.2 °C
Test Orientation	As intended	Stabilization Time (min)	90
Model Number	LRKT543W-EN-3090		

Electrical Measurement:

Sample No.	Voltage (Vac)	Frequency (Hz)	Current (A)	Power (W)	Power Factor
GZE161212 0-AY1	120.0	60	0.1260	14.62	0.9654


Chromaticity Measurement - Sphere-Spectroradiometer Method:

Parameter	Result	Special Color Rendering Indices			
Test Voltage (V)	120.0	R1	93	R9	58
Frequency (Hz)	60	R2	96	R10	90
CCT (K)	3099	R3	98	R11	93
Duv	-0.0009	R4	93	R12	82
Chromaticity (x, y)	x=0.4289 y=0.3990	R5	92	R13	93
Chromaticity (u', v')	u'=0.2475 v'=0.5182	R6	95	R14	98
Color Rendering Index (CRI)	92.4	R7	92	R15	89
R9	58	R8	82	--	--

Photometric Measurement – Goniophotometer Method:

Parameter	Result
Test Voltage (V)	120.0
Frequency (Hz)	60
Total Luminous (lm)	993.98
Luminous Efficacy (lm/W)	67.99
Beam Angle (°)	98.4
Center Beam Candle Power (cd)	428

Spectral Power Distribution & Chromaticity Diagram



Zonal Lumen Tabulation

Zonal Lumen Summary		
Zone	Lumens	% Luminaire
0-30	324.1	32.6%
0-40	519.7	52.3%
0-60	865.6	87.1%
60-90	127.2	12.8%
70-100	34.2	3.4%
90-120	0.3	0%
0-90	992.8	99.9%
90-180	1.0	0.1%
0-180	993.9	100%

Lumens Per Zone					
Zone	Lumens	% Total	Zone	Lumens	% Total
0-10	40.4	4.1%	90-100	0.1	0%
10-20	114.4	11.5%	100-110	0.1	0%
20-30	169.3	17.0%	110-120	0.1	0%
30-40	195.6	19.7%	120-130	0.1	0%
40-50	190.5	19.2%	130-140	0.1	0%
50-60	155.4	15.6%	140-150	0.1	0%
60-70	93.2	9.4%	150-160	0.1	0%
70-80	29.2	2.9%	160-170	0.1	0%
80-90	4.8	0.5%	170-180	0.0	0%


Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>



Photometric Data



Illuminance at a Distance

	Center Beam fc	Beam Width	
17.0ft	1.48 fc	39.3 ft	39.3 ft
34.0ft	0.37 fc	78.7 ft	78.5 ft
51.0ft	0.16 fc	118.0 ft	117.8 ft
68.0ft	0.09 fc	157.4 ft	157.1 ft
85.0ft	0.06 fc	196.7 ft	196.3 ft
102.0ft	0.04 fc	236.0 ft	235.6 ft

■ Vert. Spread: 98.3°
■ Horiz. Spread: 98.2°



Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

Candela Table - Type C

	0	22.5	45	67.5	90	112.5	135	157.5	180	202.5	225	247.5	270	292.5	315	337.5	360
0	428	428	428	428	428	428	428	428	428	428	428	428	428	428	428	428	428
1	428	428	428	429	429	428	428	428	428	428	429	429	430	428	428	428	428
2	428	427	428	428	429	427	427	428	428	428	429	429	430	428	427	427	428
3	427	427	427	428	428	427	427	427	428	428	428	429	430	427	427	426	427
4	426	426	426	427	427	426	426	427	427	427	428	429	429	427	426	426	426
5	425	425	425	426	426	425	425	426	426	427	427	428	428	426	426	425	425
6	423	424	423	424	425	424	424	425	426	426	426	427	427	425	424	423	423
7	422	422	422	423	423	422	424	424	424	425	425	426	426	423	423	423	422
8	420	420	420	421	422	421	421	422	423	424	424	424	425	422	422	421	420
9	419	419	418	419	420	419	420	420	421	422	422	423	423	420	420	419	419
10	417	417	416	417	417	417	418	419	419	420	421	421	421	418	418	417	417
11	415	414	414	415	415	415	415	416	417	418	419	419	420	417	416	415	415
12	412	412	412	412	413	413	413	414	415	416	417	417	418	414	413	413	412
13	409	409	409	409	410	410	411	412	413	414	415	415	415	412	411	410	409
14	407	406	406	406	407	407	408	409	411	412	412	413	413	409	408	408	407
15	404	403	403	404	404	404	405	406	408	409	409	410	410	406	406	405	404
16	401	400	400	400	401	401	402	403	405	406	407	407	407	404	403	402	401
17	398	397	397	397	397	398	399	400	402	403	403	404	404	400	399	398	398
18	394	393	393	393	394	394	396	397	398	399	401	401	401	398	397	396	394
19	391	390	390	389	390	390	392	393	395	396	397	398	398	394	393	391	391
20	387	386	385	386	386	387	389	390	391	392	394	394	394	391	390	388	387
21	382	382	382	381	382	383	384	386	388	389	390	391	390	387	386	384	382
22	378	378	378	378	378	379	381	382	384	385	386	386	386	383	382	380	378
23	374	374	373	373	373	374	377	378	379	381	382	382	382	379	378	376	374
24	368	369	369	368	367	370	373	374	375	377	378	378	377	375	373	371	368
25	364	364	365	363	363	365	368	369	370	373	374	373	373	370	369	366	364
26	358	359	360	358	357	361	363	365	366	368	369	369	368	365	364	361	358
27	354	353	354	352	352	355	359	359	360	362	365	363	364	360	360	356	354
28	348	349	350	346	346	349	353	354	356	358	360	359	358	355	355	350	348

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

29	343	343	344	342	341	344	349	349	350	352	356	353	352	350	350	346	343
30	337	338	339	335	335	338	343	343	345	348	350	349	348	344	344	340	337
31	332	331	333	330	330	333	338	338	339	342	344	343	342	340	339	335	332
32	325	326	327	324	323	327	332	332	333	337	339	338	337	334	333	329	325
33	320	320	320	318	317	322	326	327	328	331	333	332	330	329	328	323	320
34	313	314	315	311	310	315	320	321	321	326	328	325	325	322	321	316	313
35	308	308	308	306	305	309	314	314	316	319	321	320	318	317	316	311	308
36	301	302	303	299	298	303	308	309	309	314	316	314	313	310	309	304	301
37	295	295	295	293	292	295	301	302	303	307	309	308	306	305	304	299	295
38	288	290	290	286	284	290	295	296	296	300	304	301	299	298	297	292	288
39	282	283	282	280	278	283	288	289	291	295	297	296	294	293	291	286	282
40	274	277	276	273	271	277	282	284	284	288	290	289	287	285	284	279	274
41	267	269	269	266	265	270	275	277	277	282	284	282	281	280	278	273	267
42	261	263	263	259	257	262	269	271	271	275	277	276	274	273	271	265	261
43	253	256	255	253	251	256	262	264	263	269	271	269	268	267	265	258	253
44	247	250	248	245	243	249	254	256	257	262	264	263	261	260	257	252	247
45	239	242	242	238	237	243	248	251	250	255	258	256	253	252	250	244	239
46	233	234	234	231	228	235	241	243	242	249	250	249	247	246	244	238	233
47	225	228	228	223	220	227	235	237	236	241	243	243	239	239	237	231	225
48	217	220	220	217	214	221	227	229	228	234	237	235	233	233	230	224	217
49	210	214	214	208	206	213	219	222	222	227	230	229	226	225	223	217	210
50	202	206	206	202	199	206	213	215	214	220	222	222	218	219	217	208	202
51	196	199	198	194	191	198	205	208	206	213	216	214	211	210	209	202	196
52	187	191	192	187	184	190	198	201	199	205	208	207	203	203	201	193	187
53	180	183	184	179	175	183	191	193	191	197	202	199	197	197	195	187	180
54	172	176	178	170	166	175	184	185	183	191	194	193	189	189	187	178	172
55	163	168	170	163	160	168	177	178	176	183	187	185	181	182	181	171	163
56	156	161	161	155	150	160	169	170	168	176	180	177	174	174	173	163	156
57	147	152	155	148	143	151	161	161	160	168	172	170	165	167	165	154	147
58	140	144	147	139	134	145	155	154	152	160	166	162	157	159	158	147	140
59	130	137	140	131	127	136	147	146	143	153	158	153	150	150	150	138	130

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

60	123	128	132	122	118	129	140	139	136	144	150	146	141	144	143	131	123
61	113	120	125	113	109	120	132	130	126	135	143	137	134	135	135	122	113
62	104	112	117	106	101	111	123	121	119	128	135	130	125	128	128	114	104
63	97	104	108	97	92	104	117	113	110	119	127	121	115	119	120	105	97
64	87	95	101	90	85	95	108	104	101	112	120	112	108	112	111	96	87
65	80	86	93	81	76	88	101	97	93	103	112	105	99	103	104	88	80
66	71	79	85	74	68	79	93	88	84	94	105	96	90	94	96	79	71
67	64	70	77	66	61	71	84	79	76	87	96	88	82	87	88	72	64
68	56	63	70	58	54	64	77	71	67	78	87	79	73	78	79	63	56
69	49	55	61	52	48	56	68	63	59	70	80	70	66	70	72	56	49
70	43	49	53	44	41	48	59	54	52	62	71	63	58	62	63	49	43
71	37	41	46	39	36	43	53	48	45	53	64	55	50	53	55	42	37
72	33	35	39	33	31	36	44	40	38	47	55	47	44	47	48	37	33
73	28	30	33	28	26	32	38	35	34	39	47	41	37	40	40	31	28
74	25	25	27	24	23	27	31	29	28	34	40	35	32	34	34	27	25
75	21	22	23	21	20	22	26	25	25	28	33	30	27	28	28	24	21
76	18	19	19	18	17	19	22	22	21	24	28	25	23	24	22	20	18
77	15	16	15	15	15	16	18	18	18	21	22	21	20	20	19	17	15
78	13	14	13	13	12	14	15	16	16	17	18	18	17	17	16	14	13
79	11	11	11	11	10	12	13	13	13	15	16	15	14	15	13	12	11
80	10	10	10	9	9	10	11	11	12	12	13	13	12	11	11	10	10
81	9	8	8	8	8	9	9	10	10	11	11	11	11	10	10	9	9
82	7	7	7	7	7	8	8	9	9	10	9	10	10	9	8	8	7
83	6	6	6	6	6	6	7	7	8	8	8	8	8	8	7	6	6
84	5	4	4	5	5	5	5	5	6	6	6	7	6	6	5	5	5
85	3	3	3	3	3	4	4	4	4	5	5	5	5	5	4	3	3
86	2	2	2	2	2	3	2	3	3	3	3	4	4	3	3	2	2
87	1	1	1	1	1	1	1	1	1	2	2	2	3	2	1	1	1
88	0	0	0	0	0	1	1	1	1	1	1	1	1	1	0	0	0
89	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
90	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

91	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
92	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
93	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
95	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
96	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
97	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
98	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
101	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
102	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
103	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
105	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
106	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
107	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
108	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
109	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
110	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
111	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
112	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
113	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
114	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
115	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
116	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
117	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
118	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
119	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
120	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
121	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

122	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
123	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
124	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
125	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
126	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
127	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
128	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
129	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
130	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
131	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
132	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
133	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
134	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
135	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
136	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
137	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
138	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
139	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
140	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
141	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
142	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
143	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
144	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
145	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
146	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
147	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
148	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
149	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
150	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
151	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
152	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

153	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
154	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
155	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
156	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
157	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
158	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
159	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
160	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
161	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
162	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
163	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
164	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
165	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
166	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
167	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
168	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
169	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
170	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
171	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
172	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
173	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
174	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
175	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
176	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
177	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
178	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
179	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
180	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

STANDARD-TECH



Report No.: GZE1612120-AY

NVLAP LAB CODE 201011-0

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

3. Test Equipment

Equipment ID	Equipment Name	Last Calibration Date	Next Calibration Date
ST-R-336	2 meter Integrating Sphere	2016-07-01	2017-06-30
ST-R-331	Spectral analysis system HAAS-2000	2016-07-01	2017-06-30
D204	Standard Lamp	2016-07-01	2017-06-30
PF2010	Power Meter for Integrating Sphere	2016-07-01	2017-06-30
EE-09	Goniophotometer system	2016-07-01	2017-06-30
D908S	Standard Lamp	2016-07-01	2017-06-30
PF210	Power Meter for Goniophotometer	2016-07-01	2017-06-30
ST-R-181A	Temperature Tester	2016-07-01	2017-06-30
Uncertainty: Photometric Measurement (Sphere):1.74% Chromaticity Measurement(Sphere):14.3K Photometric Measurement(Goniophotometer):1.62%			

******* END OF REPORT *******

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>