

LM-79-08 Test Report

For

L-TECH CORPORTION (Brand Name: L-TECH CORP)

SHAOGANGTOU DISTRICT.QIAOTOU TOWN.DONGGUAN
CITY.GUANGDONG PROVINCE,CHINA

LED Luminare

Model name(s): LRKT560W-EN-4090 (LRKT563W-EN-4090)

Representative (Tested) Model: LRKT560W-EN-4090

Model Different: N/A

Test & Report By:

Univ Xie

Engineer: Univ Xie

Date: Jan.23,2017

Review By:

Tommy Liang

Manager: Tommy Liang

Note: This report does not imply product certification, approval, or endorsement by NVLAP, NIST, or any agency of the Federal Government.

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2


Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

1.1 Product Information:

Organization Name	L-TECH CORPORTION	
Brand Name	L-TECH CORP	
Model Number	LRKT560W-EN-4090	
SKU (if available)	N/A	
Type of Luminaire (for integral lamps, list base type and lamp type)	LED Luminaire	
Rated Voltage / Frequency	120Vac, 60 Hz	
Nominal Power	14W	
Rated Initial Lamp Lumen	--	
Declared CCT	4000K	
LED Manufacturer	EVERLIGHT ELECTRONICS CO., LTD.	
LED Model	67-22ST	
Sample Number	GZE1612120-AD1	
Luminaire Aperture (for downlights)	--	in.
Luminaire Length	--	mm
Luminaires Width	--	mm
Number of Units (modular products)	N/A	s

Photo



Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

1.2 Test Specifications:

Date of Receipt	Jan.19, 2017
Date of Test	Jan.22,2017
Test item	<ol style="list-style-type: none"> 1. Total Luminous Flux 2. Luminous Distribution Intensity 3. Luminous Efficacy 4. Correlated Color Temperature 5. Color Rendering Index 6. Chromaticity Coordinate 7. Electrical Parameters
Reference Standard	<ol style="list-style-type: none"> 1. IES LM-79-2008 Electrical and Photometric Measurements of Solid-State Lighting Products 2. ANSI C78.377-2008 Specifications for the Chromaticity of Solid State Lighting Products 3. CIE 13.3-1995 Method of Measuring and Specifying Colour Rendering Properties of Light Sources 4. CIE 15-2004 Technical Report Colorimetry 5. IESNA LM-16-93 Practical Guide to Colorimetry of Light Source 6. IESNA TM-16-05 Technical Memorandum on Light Emitting Diode (LED) Sources and Systems
Reference Work Instruction	QD25

1.3 Test Methods

<p>1) Photometric and Light Distribution Measurement – Goniophotometer Method:</p> <p>Photometric parameters were measured using the goniophotometer and software. The ambient temperature shall be maintained at 25° C ± 1° C, measured at a point not more than 1 m from the sample and at the same height as the sample. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Luminous flux, luminaire efficacy, zonal lumen were calculated from the software taken at 1° vertical intervals and 22.5° horizontal intervals.</p>
<p>2) Chromaticity Measurement – Sphere-Spectroradiometer Method:</p> <p>Chromaticity parameters were measured using an integrating sphere, a spectroradiometer and software. The ambient temperature condition inside the sphere was maintained at 25° C ± 1° C. The sample measurements were made using a spectroradiometer connected by a fiber optic cable and detector through the detector port of the integrating sphere. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Chromaticity coordinates, correlated color temperature and color rendering index were calculated from the spectral power distribution taken at 5 nm intervals over the range of 380 to 780 nm.</p>
<p>3) Electrical Measurements:</p> <p>Electrical parameters were measured using power meters incorporated in goniophotometer or sphere-spectroradiometer system. The ambient temperature surrounding the sample was maintained at 25° C ± 1° C. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Voltage, frequency, current, power, power factor and total harmonic distortion were measured by and read from the power meter.</p>

2.1 Electrical, Photometric and Chromaticity Measurements
(Refer to Work Instruction QD25)

Test date	2017-01-22	Test Ambient:	25.2 °C
Test Orientation	As intended	Stabilization Time (min)	90
Model Number	LRKT560W-EN-4090		

Electrical Measurement:

Sample No.	Voltage (Vac)	Frequency (Hz)	Current (A)	Power (W)	Power Factor
GZE161212 0-AD1	120.0	60	0.1120	13.05	0.9702

Photometric Measurement – Goniophotometer Method:

Parameter	Result
Test Voltage (V)	120.0
Frequency (Hz)	60
Total Luminous (lm)	871.69
Luminous Efficacy (lm/W)	66.80
Beam Angle (°)	105.2
Center Beam Candle Power (cd)	346

Zonal Lumen Tabulation

Zonal Lumen Summary		
Zone	Lumens	% Luminaire
0-30	264.9	30.4%
0-40	429.7	49.3%
0-60	737.7	84.6%
60-90	133.9	15.4%
70-100	38.2	4.4%
90-120	0.0	0%
0-90	871.6	100%
90-180	0.0	0%
0-180	871.6	100%

Lumens Per Zone					
Zone	Lumens	% Total	Zone	Lumens	% Total
0-10	32.7	3.8%	90-100	0.0	0%
10-20	93.0	10.7%	100-110	0	0%
20-30	139.2	16.0%	110-120	0	0%
30-40	164.7	18.9%	120-130	0.0	0%
40-50	166.0	19.0%	130-140	0.0	0%
50-60	142.0	16.3%	140-150	0.0	0%
60-70	95.6	11.0%	150-160	0.0	0%
70-80	35.3	4.0%	160-170	0.0	0%
80-90	3.0	0.3%	170-180	0.0	0%


Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>



Photometric Data



Illuminance at a Distance

	Center Beam fc	Beam Width	
17.0ft	1.20 fc	44.4 ft	44.5 ft
34.0ft	0.30 fc	88.7 ft	89.0 ft
51.0ft	0.13 fc	133.1 ft	133.4 ft
68.0ft	0.07 fc	177.5 ft	177.9 ft
85.0ft	0.05 fc	221.8 ft	222.4 ft
102.0ft	0.03 fc	266.2 ft	266.9 ft

■ Vert. Spread: 105.1°
■ Horiz. Spread: 105.2°



Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

Candela Table - Type C

	0	22.5	45	67.5	90	112.5	135	157.5	180	202.5	225	247.5	270	292.5	315	337.5	360
0	346	346	346	346	346	346	346	346	346	346	346	346	346	346	346	346	346
1	346	346	346	347	347	346	346	346	346	346	346	347	347	346	346	346	346
2	346	346	346	346	346	346	346	346	346	346	346	347	346	345	345	345	346
3	345	345	345	346	346	345	346	346	346	346	346	346	346	345	345	345	345
4	344	345	345	345	345	345	345	346	346	346	346	346	346	344	344	344	344
5	344	344	344	345	345	344	345	345	345	345	345	345	345	343	344	343	344
6	343	343	343	344	344	344	344	345	345	345	345	345	344	343	343	342	343
7	342	342	342	343	343	343	344	344	344	344	344	344	343	342	341	341	342
8	340	341	341	342	342	342	342	343	343	343	343	343	342	341	340	340	340
9	339	339	339	340	341	341	341	342	342	342	342	341	341	339	339	338	339
10	337	338	338	339	339	339	340	341	341	341	340	340	340	338	337	337	337
11	335	336	336	337	338	338	339	339	339	339	339	339	338	336	336	335	335
12	333	334	334	335	336	336	337	338	338	338	337	337	337	334	334	334	333
13	332	332	333	333	334	335	335	336	336	336	336	335	335	332	332	331	332
14	329	330	331	332	332	333	334	334	334	334	334	333	333	330	330	329	329
15	327	328	328	329	330	331	332	333	333	332	332	331	331	328	327	327	327
16	325	325	326	327	328	329	329	330	330	330	330	329	328	326	325	324	325
17	323	323	324	325	326	327	328	328	328	328	328	327	326	324	323	322	323
18	320	320	321	322	323	324	325	326	326	326	325	324	324	321	320	319	320
19	316	317	318	320	320	321	323	323	324	323	323	322	321	319	317	317	316
20	314	314	316	317	318	319	320	321	321	321	320	319	318	316	315	314	314
21	311	312	312	314	314	316	318	318	318	318	317	317	315	312	311	311	311
22	307	308	310	311	312	313	314	315	315	315	314	313	313	310	309	308	307
23	305	306	306	308	309	311	312	312	312	312	311	311	309	306	305	305	305
24	301	302	303	304	306	307	309	310	310	309	308	307	307	303	302	301	301
25	298	299	300	301	302	304	305	306	306	306	305	304	303	300	299	298	298
26	294	295	297	298	299	301	302	302	303	302	302	301	300	297	296	294	294
27	291	292	293	295	295	298	298	299	299	299	298	297	296	293	292	291	291
28	287	288	289	291	292	294	295	296	296	295	295	294	292	290	288	287	287

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

29	283	284	285	287	288	290	291	292	292	292	291	290	289	285	284	284	283
30	279	280	282	283	284	286	288	288	288	288	287	286	285	282	281	279	279
31	275	277	278	279	280	282	284	285	285	284	283	282	281	278	276	275	275
32	271	272	273	275	276	278	280	281	281	280	279	278	277	274	273	271	271
33	267	268	269	271	272	274	276	277	277	276	275	274	273	270	268	267	267
34	262	264	265	266	268	270	271	273	272	272	270	269	269	266	263	263	262
35	259	259	261	263	263	266	268	268	269	267	267	266	265	261	260	258	259
36	254	255	256	258	259	262	263	264	264	264	262	261	260	257	255	254	254
37	250	250	252	254	255	257	259	259	259	259	258	257	255	252	251	249	250
38	245	246	247	249	249	252	254	255	255	254	253	252	251	247	246	245	245
39	240	241	243	244	245	248	249	250	250	250	248	248	246	243	242	240	240
40	235	237	238	240	240	243	245	245	246	245	244	242	242	238	236	235	235
41	230	231	232	234	236	238	240	241	241	240	238	237	237	234	232	231	230
42	226	226	228	230	231	233	235	236	235	235	234	233	231	228	227	225	226
43	220	221	223	224	226	229	230	231	231	231	229	227	227	224	221	221	220
44	216	216	218	220	221	223	224	226	226	225	223	223	222	218	217	215	216
45	210	211	212	214	215	218	220	221	221	219	219	217	217	214	211	211	210
46	204	205	208	208	210	213	214	216	215	215	213	212	211	208	206	205	204
47	200	201	202	204	204	207	209	210	209	209	208	207	205	202	201	200	200
48	194	195	196	198	199	201	203	205	205	203	202	201	200	197	196	194	194
49	189	189	191	193	193	196	197	199	199	198	196	196	194	191	190	188	189
50	183	184	185	187	188	190	192	193	194	192	191	190	190	187	184	183	183
51	178	178	180	181	182	185	186	188	188	187	185	184	183	180	179	177	178
52	172	173	174	176	176	179	180	182	181	181	180	179	177	174	173	172	172
53	165	167	169	170	171	173	175	176	176	175	174	172	172	169	168	166	165
54	160	162	162	163	164	168	169	170	170	169	167	166	166	163	161	160	160
55	154	155	156	158	159	161	163	164	165	163	162	161	159	157	156	154	154
56	149	149	151	152	152	156	157	158	158	158	156	154	154	151	150	148	149
57	142	143	144	146	147	149	150	152	151	151	149	149	147	146	143	143	142
58	137	137	139	140	141	143	145	145	146	144	144	142	142	139	138	136	137
59	130	131	132	134	134	137	138	140	139	139	137	136	135	132	131	131	130

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

60	124	125	127	127	128	130	133	133	132	132	132	130	129	127	126	124	124
61	118	119	120	121	121	124	126	127	127	125	125	123	123	120	119	117	118
62	111	112	113	115	116	118	119	120	120	120	118	118	116	115	112	112	111
63	106	106	108	108	109	111	113	113	115	113	112	111	111	108	107	105	106
64	99	100	101	103	102	106	106	108	107	107	105	104	104	101	100	100	99
65	92	93	95	96	97	99	101	101	101	100	100	99	97	95	94	93	92
66	87	88	88	89	90	92	94	95	95	93	93	92	91	88	87	87	87
67	80	81	82	83	84	86	87	88	88	88	86	84	84	83	82	80	80
68	74	75	76	76	77	79	81	81	81	81	80	79	77	76	75	73	74
69	67	68	68	70	71	72	74	75	75	75	73	72	72	70	68	68	67
70	62	61	63	63	64	66	67	68	68	68	66	66	65	63	62	61	62
71	55	55	56	58	57	59	61	61	62	60	60	59	59	56	55	55	55
72	48	48	50	50	51	53	54	55	55	55	53	52	52	50	49	48	48
73	42	43	43	43	44	46	48	48	48	48	47	46	45	43	42	41	42
74	35	36	36	38	38	40	41	42	42	41	41	39	39	38	36	36	35
75	30	29	31	31	32	34	34	35	35	35	34	33	33	31	30	29	30
76	24	24	24	26	25	28	29	29	30	29	28	27	27	26	24	24	24
77	19	18	20	20	20	23	23	24	24	24	22	21	21	20	19	18	19
78	13	14	14	15	15	17	17	18	18	18	17	17	16	14	14	14	13
79	9	9	10	11	11	12	13	14	14	13	13	12	12	11	10	10	9
80	6	7	7	7	7	9	9	10	9	9	8	8	8	7	7	6	6
81	5	5	5	5	5	6	6	6	6	6	6	6	6	5	5	5	5
82	4	4	4	4	4	5	5	5	5	5	5	5	5	4	4	4	4
83	3	3	3	4	4	4	4	4	4	4	4	4	4	4	4	4	3
84	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
85	2	2	2	2	2	3	3	3	3	3	3	3	3	2	2	2	2
86	1	1	2	2	2	2	2	2	2	2	2	2	2	2	1	1	1
87	1	1	1	1	1	2	2	2	1	1	2	1	1	1	1	1	1
88	0	0	0	1	1	1	1	1	1	1	1	1	1	1	0	0	0
89	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
90	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

91	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
92	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
93	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
95	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
96	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
97	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
98	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
101	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
102	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
103	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
105	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
106	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
107	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
108	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
109	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
110	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
111	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
112	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
113	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
114	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
115	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
116	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
117	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
118	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
119	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
120	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
121	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

122	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
123	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
124	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
125	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
126	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
127	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
128	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
129	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
130	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
131	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
132	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
133	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
134	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
135	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
136	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
137	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
138	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
139	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
140	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
141	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
142	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
143	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
144	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
145	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
146	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
147	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
148	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
149	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
150	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
151	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
152	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

153	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
154	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
155	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
156	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
157	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
158	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
159	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
160	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
161	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
162	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
163	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
164	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
165	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
166	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
167	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
168	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
169	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
170	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
171	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
172	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
173	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
174	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
175	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
176	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
177	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
178	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
179	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

STANDARD-TECH



Report No.: GZE1612120-AD

NVLAP LAB CODE 201011-0

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

3. Test Equipment

Equipment ID	Equipment Name	Last Calibration Date	Next Calibration Date
ST-R-336	2 meter Integrating Sphere	2016-07-01	2017-06-30
ST-R-331	Spectral analysis system HAAS-2000	2016-07-01	2017-06-30
D204	Standard Lamp	2016-07-01	2017-06-30
PF2010	Power Meter for Integrating Sphere	2016-07-01	2017-06-30
EE-09	Goniophotometer system	2016-07-01	2017-06-30
D908S	Standard Lamp	2016-07-01	2017-06-30
PF210	Power Meter for Goniophotometer	2016-07-01	2017-06-30
ST-R-181A	Temperature Tester	2016-07-01	2017-06-30
Uncertainty: Photometric Measurement (Sphere):1.74% Chromaticity Measurement(Sphere):14.3K Photometric Measurement(Goniophotometer):1.62%			

******* END OF REPORT *******

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>