

LM-79-08 Test Report

For

L-TECH CORPORTION (Brand Name: L-TECH CORP)

SHAOGANGTOU DISTRICT.QIAOTOU TOWN.DONGGUAN
CITY.GUANGDONG PROVINCE,CHINA

LED Luminare

Model name(s): LRKT565W-EN-3090

Representative (Tested) Model: LRKT565W-EN-3090

Model Different: N/A

Test & Report By:

Univ Xie

Engineer: Univ Xie

Date: Jan17, 2017

Review By:

Tommy Liang

Manager: Tommy Liang

Note: This report does not imply product certification, approval, or endorsement by NVLAP, NIST, or any agency of the Federal Government.

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2


Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

1.1 Product Information:

Organization Name	L-TECH CORPORTION	
Brand Name	L-TECH CORP	
Model Number	LRKT565W-EN-3090	
SKU (if available)	N/A	
Type of Luminaire (for integral lamps, list base type and lamp type)	LED Luminaire	
Rated Voltage / Frequency	120Vac, 60 Hz	
Nominal Power	13W	
Rated Initial Lamp Lumen	--	
Declared CCT	3000K	
LED Manufacturer	Edison Opto Corporation	
LED Model	2T03X5	
Sample Number	GZE1612120-AS1	
Luminaire Aperture (for downlights)	--	in.
Luminaire Length	--	mm
Luminaires Width	--	mm
Number of Units (modular products)	N/A	s

Photo



Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

1.2 Test Specifications:

Date of Receipt	Jan08, 2017
Date of Test	Jan.11, 2017
Test item	<ol style="list-style-type: none"> 1. Total Luminous Flux 2. Luminous Distribution Intensity 3. Luminous Efficacy 4. Correlated Color Temperature 5. Color Rendering Index 6. Chromaticity Coordinate 7. Electrical Parameters
Reference Standard	<ol style="list-style-type: none"> 1. IES LM-79-2008 Electrical and Photometric Measurements of Solid-State Lighting Products 2. ANSI C78.377-2008 Specifications for the Chromaticity of Solid State Lighting Products 3. CIE 13.3-1995 Method of Measuring and Specifying Colour Rendering Properties of Light Sources 4. CIE 15-2004 Technical Report Colorimetry 5. IESNA LM-16-93 Practical Guide to Colorimetry of Light Source 6. IESNA TM-16-05 Technical Memorandum on Light Emitting Diode (LED) Sources and Systems
Reference Work Instruction	QD25

1.3 Test Methods

<p>1) Photometric and Light Distribution Measurement – Goniophotometer Method:</p> <p>Photometric parameters were measured using the goniophotometer and software. The ambient temperature shall be maintained at 25° C ± 1° C, measured at a point not more than 1 m from the sample and at the same height as the sample. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Luminous flux, luminaire efficacy, zonal lumen were calculated from the software taken at 1° vertical intervals and 22.5° horizontal intervals.</p>
<p>2) Chromaticity Measurement – Sphere-Spectroradiometer Method:</p> <p>Chromaticity parameters were measured using an integrating sphere, a spectroradiometer and software. The ambient temperature condition inside the sphere was maintained at 25° C ± 1° C. The sample measurements were made using a spectroradiometer connected by a fiber optic cable and detector through the detector port of the integrating sphere. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Chromaticity coordinates, correlated color temperature and color rendering index were calculated from the spectral power distribution taken at 5 nm intervals over the range of 380 to 780 nm.</p>
<p>3) Electrical Measurements:</p> <p>Electrical parameters were measured using power meters incorporated in goniophotometer or sphere-spectroradiometer system. The ambient temperature surrounding the sample was maintained at 25° C ± 1° C. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Voltage, frequency, current, power, power factor and total harmonic distortion were measured by and read from the power meter.</p>

2.1 Electrical, Photometric and Chromaticity Measurements

(Refer to Work Instruction QD25)

Test date	2017-01-11	Test Ambient:	25.2 °C
Test Orientation	As intended	Stabilization Time (min)	90
Model Number	LRKT565W-EN-3090		

Electrical Measurement:

Sample No.	Voltage (Vac)	Frequency (Hz)	Current (A)	Power (W)	Power Factor
GZE161212 0-AS1	120.0	60	0.1080	12.28	0.9509


Chromaticity Measurement - Sphere-Spectroradiometer Method:

Parameter	Result	Special Color Rendering Indices			
Test Voltage (V)	120.0	R1	93	R9	58
Frequency (Hz)	60	R2	98	R10	94
CCT (K)	3100	R3	98	R11	94
Duv	-0.0003	R4	92	R12	81
Chromaticity (x, y)	x=0.4296 y=0.4007	R5	93	R13	95
Chromaticity (u', v')	u'=0.2473 v'=0.5189	R6	96	R14	100
Color Rendering Index (CRI)	92.9	R7	91	R15	89
R9	58	R8	81	--	--

Photometric Measurement – Goniophotometer Method:

Parameter	Result
Test Voltage (V)	120.0
Frequency (Hz)	60
Total Luminous (lm)	974.90
Luminous Efficacy (lm/W)	79.39
Beam Angle (°)	104.1
Center Beam Candle Power (cd)	367

Spectral Power Distribution & Chromaticity Diagram




Zonal Lumen Tabulation

Zonal Lumen Summary		
Zone	Lumens	% Luminaire
0-30	277.7	28.5%
0-40	447.7	45.9%
0-60	768.2	78.8%
60-90	205.1	21%
70-100	92.6	9.5%
90-120	0.7	0.1%
0-90	973.3	99.8%
90-180	1.5	0.2%
0-180	974.8	100%

Lumens Per Zone					
Zone	Lumens	% Total	Zone	Lumens	% Total
0-10	34.6	3.5%	90-100	0.3	0%
10-20	97.9	10.0%	100-110	0.2	0%
20-30	145.2	14.9%	110-120	0.2	0%
30-40	170.0	17.4%	120-130	0.2	0%
40-50	170.7	17.5%	130-140	0.2	0%
50-60	149.8	15.4%	140-150	0.2	0%
60-70	112.8	11.6%	150-160	0.1	0%
70-80	67.6	6.9%	160-170	0.1	0%
80-90	24.7	2.5%	170-180	0.0	0%



Photometric Data



Illuminance at a Distance

	Center Beam fc	Beam Width	
17.0ft	1.27 fc	43.2 ft	43.7 ft
34.0ft	0.32 fc	86.4 ft	87.4 ft
51.0ft	0.14 fc	129.7 ft	131.1 ft
68.0ft	0.08 fc	172.9 ft	174.7 ft
85.0ft	0.05 fc	216.1 ft	218.4 ft
102.0ft	0.04 fc	259.3 ft	262.1 ft

■ Vert. Spread: 103.6°
■ Horiz. Spread: 104.2°



Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

Candela Table - Type C

	0	22.5	45	67.5	90	112.5	135	157.5	180	202.5	225	247.5	270	292.5	315	337.5	360
0	367	367	367	367	367	367	367	367	367	367	367	367	367	367	367	367	367
1	367	367	368	369	369	365	365	365	367	367	367	368	369	364	365	366	367
2	366	367	368	369	369	364	365	365	366	366	367	368	368	364	364	366	366
3	366	367	367	369	369	364	365	365	366	366	366	367	368	364	365	365	366
4	365	366	367	368	369	364	364	364	365	365	365	366	367	362	363	364	365
5	365	366	367	367	368	363	363	364	364	364	364	365	366	362	363	364	365
6	364	365	366	367	367	362	363	363	363	363	363	364	365	360	362	363	364
7	363	364	365	366	366	361	362	361	362	362	362	363	363	359	360	361	363
8	362	363	364	364	365	360	361	360	360	360	360	361	362	358	359	360	362
9	360	361	363	364	364	359	359	359	359	358	359	359	360	357	357	359	360
10	359	360	361	362	362	358	358	357	357	357	357	357	358	354	355	357	359
11	357	358	360	361	361	356	356	355	355	355	354	356	356	352	354	355	357
12	355	357	358	359	359	354	354	353	353	353	352	353	354	350	351	353	355
13	353	355	356	357	357	352	352	351	351	351	350	351	352	348	350	351	353
14	351	353	354	355	355	350	350	349	348	348	347	349	349	345	347	348	351
15	349	350	352	352	352	348	347	346	346	345	345	346	346	343	345	347	349
16	346	348	349	350	350	345	344	344	343	343	342	343	344	340	342	344	346
17	343	345	347	347	347	342	342	341	340	339	339	340	341	338	339	341	343
18	340	342	344	345	345	339	339	338	337	337	336	337	338	334	337	338	340
19	337	340	341	342	342	337	337	334	334	333	333	334	335	332	333	336	337
20	334	336	339	339	339	334	333	332	331	330	329	331	331	328	330	332	334
21	331	334	335	336	335	331	329	328	327	327	326	327	328	325	327	329	331
22	327	330	332	332	333	327	327	324	324	323	322	323	324	321	324	325	327
23	324	327	328	329	329	324	323	322	320	320	318	320	321	317	320	322	324
24	320	323	325	325	326	320	320	318	317	315	315	316	317	314	316	319	320
25	317	319	321	322	321	317	316	314	313	312	311	312	313	310	312	314	317
26	313	316	317	318	318	313	312	310	309	308	307	308	309	306	309	311	313
27	310	312	314	314	314	309	308	306	305	304	302	304	304	302	305	307	310
28	305	308	309	310	310	305	303	302	300	299	299	299	301	298	301	303	305

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

29	301	304	306	306	306	300	300	298	297	295	294	295	296	293	296	299	301
30	297	300	301	302	302	297	295	294	292	291	290	291	292	290	292	295	297
31	293	295	297	298	297	292	291	289	288	286	285	286	287	285	287	290	293
32	288	291	292	293	293	288	286	285	283	282	280	282	283	281	283	286	288
33	284	286	288	289	288	283	282	280	279	277	276	277	278	276	279	281	284
34	279	282	283	284	284	278	277	276	274	273	271	272	273	272	273	277	279
35	275	277	279	280	279	274	272	270	269	267	266	267	268	267	269	271	275
36	270	273	274	275	275	269	268	266	264	262	261	263	263	263	264	268	270
37	265	267	270	270	269	264	262	261	259	258	257	257	259	257	260	262	265
38	260	263	264	265	265	259	258	256	255	252	251	252	253	253	254	258	260
39	255	258	260	260	260	255	253	251	249	248	246	248	249	247	250	252	255
40	250	253	255	255	255	249	248	246	245	242	241	242	243	242	244	248	250
41	244	248	249	249	249	244	243	241	239	238	236	238	238	238	240	242	244
42	240	243	245	244	245	239	237	236	234	232	231	232	233	232	234	237	240
43	234	237	239	239	239	234	233	230	229	226	226	226	227	228	229	232	234
44	230	232	234	235	235	229	227	226	223	222	220	222	223	222	224	226	230
45	224	227	229	229	229	223	223	220	219	216	215	216	217	217	218	222	224
46	218	221	224	224	223	218	217	215	213	210	209	211	212	211	213	216	218
47	214	217	218	219	219	213	211	209	207	206	204	205	206	206	208	210	214
48	208	211	212	213	213	207	206	204	203	200	199	199	201	201	203	206	208
49	203	206	208	207	208	202	201	199	197	195	193	195	195	195	197	199	203
50	197	200	202	202	202	197	195	193	191	189	188	189	190	191	192	195	197
51	193	194	197	196	196	191	190	188	186	184	183	183	184	185	187	189	193
52	187	190	191	191	191	186	184	183	180	179	177	178	180	180	181	184	187
53	181	184	186	186	185	181	180	177	176	173	172	172	174	174	176	178	181
54	176	179	180	180	181	175	174	172	170	168	166	167	168	168	170	173	176
55	170	173	174	175	175	170	168	166	164	163	162	162	163	163	166	168	170
56	165	167	169	169	170	164	163	160	159	157	156	156	157	158	160	162	165
57	159	162	164	164	164	159	157	156	153	152	150	151	152	153	154	157	159
58	155	156	159	158	157	154	153	150	148	146	145	145	146	147	149	151	155
59	149	151	153	153	153	148	147	145	143	142	139	140	141	142	143	146	149

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

60	143	146	148	147	147	143	141	140	137	136	135	135	136	137	139	141	143
61	138	141	142	141	143	137	136	134	133	130	129	129	130	131	133	135	138
62	132	135	136	137	137	131	131	129	127	125	123	125	124	126	128	130	132
63	128	129	132	131	132	127	125	123	121	120	119	119	120	120	122	124	128
64	122	124	126	126	126	121	120	119	117	114	113	113	114	116	116	120	122
65	117	119	121	120	120	116	115	113	111	109	107	109	109	110	112	114	117
66	111	114	115	116	116	111	110	107	106	104	103	103	104	104	106	109	111
67	106	108	111	110	110	105	104	103	101	99	97	98	98	100	102	103	106
68	101	103	105	104	105	101	99	97	95	94	93	93	93	94	96	98	101
69	95	98	99	100	99	95	94	92	91	88	87	87	88	90	90	93	95
70	91	92	95	94	94	91	89	87	85	84	82	83	84	84	86	88	91
71	85	88	89	90	89	85	84	82	81	78	77	77	78	80	81	83	85
72	80	82	85	84	84	80	79	78	76	73	72	72	73	75	76	78	80
73	76	78	79	79	80	76	74	73	70	69	67	68	69	69	71	74	76
74	70	73	74	74	74	70	70	67	66	64	63	63	63	65	67	69	70
75	66	67	70	69	70	66	65	63	61	60	58	59	58	60	62	63	66
76	61	63	64	65	65	61	60	58	56	55	54	54	55	56	57	59	61
77	56	58	60	60	60	56	56	54	53	50	49	49	50	51	53	54	56
78	52	54	55	56	55	53	51	50	48	47	45	46	46	47	48	51	52
79	48	49	52	51	51	48	47	45	44	42	42	41	42	43	45	46	48
80	44	46	47	47	47	43	43	42	40	39	37	38	37	39	40	42	44
81	40	41	42	43	43	40	39	38	36	35	34	34	34	35	36	38	40
82	36	37	39	38	40	36	35	34	33	31	30	30	30	32	33	34	36
83	32	34	35	35	35	33	31	30	29	28	27	27	27	29	29	31	32
84	28	30	32	31	32	29	28	27	26	24	23	23	24	25	26	27	28
85	25	27	28	27	28	25	24	23	21	21	20	21	20	22	22	23	25
86	20	22	24	24	24	21	20	18	16	17	17	17	17	19	19	19	20
87	15	16	20	20	20	17	16	12	12	12	13	13	14	15	15	15	15
88	10	12	14	16	16	14	10	8	7	8	9	11	11	12	11	11	10
89	6	7	10	11	10	4	5	2	1	2	1	2	4	8	7	6	6
90	3	3	3	1	1	1	1	1	0	1	0	0	0	1	2	3	3

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

91	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
92	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
93	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
95	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
96	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
97	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
98	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
101	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
102	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
103	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
105	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
106	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
107	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
108	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
109	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
110	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
111	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
112	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
113	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
114	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
115	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
116	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
117	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
118	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
119	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
120	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
121	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

122	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
123	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
124	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
125	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
126	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
127	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
128	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
129	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
130	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
131	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
132	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
133	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
134	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
135	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
136	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
137	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
138	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
139	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
140	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
141	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
142	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
143	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
144	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
145	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
146	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
147	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
148	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
149	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
150	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
151	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
152	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

153	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
154	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
155	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
156	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
157	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
158	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
159	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
160	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
161	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
162	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
163	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
164	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
165	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
166	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
167	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
168	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
169	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
170	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
171	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
172	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
173	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
174	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
175	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
176	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
177	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
178	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
179	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

STANDARD-TECH



Report No.: GZE1612120-AS

NVLAP LAB CODE 201011-0

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

3. Test Equipment

Equipment ID	Equipment Name	Last Calibration Date	Next Calibration Date
ST-R-336	2 meter Integrating Sphere	2016-07-01	2017-06-30
ST-R-331	Spectral analysis system HAAS-2000	2016-07-01	2017-06-30
D204	Standard Lamp	2016-07-01	2017-06-30
PF2010	Power Meter for Integrating Sphere	2016-07-01	2017-06-30
EE-09	Goniophotometer system	2016-07-01	2017-06-30
D908S	Standard Lamp	2016-07-01	2017-06-30
PF210	Power Meter for Goniophotometer	2016-07-01	2017-06-30
ST-R-181A	Temperature Tester	2016-07-01	2017-06-30
Uncertainty: Photometric Measurement (Sphere):1.74% Chromaticity Measurement(Sphere):14.3K Photometric Measurement(Goniophotometer):1.62%			

******* END OF REPORT *******

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>