

## LM-79-08 Test Report

For

### L-TECH CORPORTION (Brand Name: L-TECH CORP)

SHAOGANGTOU DISTRICT.QIAOTOU TOWN.DONGGUAN  
CITY.GUANGDONG PROVINCE,CHINA

## LED Luminare

Model name(s): LRKT565W-EN-4090

Representative (Tested) Model: LRKT565W-EN-4090

Model Different: N/A

Test & Report By:

*Univ Xie*

Engineer: Univ Xie

Date: Jan23, 2017

Review By:

*Tommy Liang*

Manager: Tommy Liang

Note: This report does not imply product certification, approval, or endorsement by NVLAP, NIST, or any agency of the Federal Government.

Laboratory: Standard-Tech Co. Ltd Testing Center  
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2


Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

**1.1 Product Information:**

Organization Name	L-TECH CORPORTION	
Brand Name	L-TECH CORP	
Model Number	LRKT565W-EN-4090	
SKU (if available)	N/A	
Type of Luminaire (for integral lamps, list base type and lamp type)	LED Luminaire	
Rated Voltage / Frequency	120Vac, 60 Hz	
Nominal Power	13W	
Rated Initial Lamp Lumen	--	
Declared CCT	4000K	
LED Manufacturer	Edison Opto Corporation	
LED Model	2T03X5	
Sample Number	GZE1612120-AT1	
Luminaire Aperture (for downlights)	--	in.
Luminaire Length	--	mm
Luminaires Width	--	mm
Number of Units (modular products)	N/A	s

**Photo**



**1.2 Test Specifications:**

Date of Receipt	Jan19, 2017
Date of Test	Jan.23, 2017
Test item	<ol style="list-style-type: none"> <li>1. Total Luminous Flux</li> <li>2. Luminous Distribution Intensity</li> <li>3. Luminous Efficacy</li> <li>4. Correlated Color Temperature</li> <li>5. Color Rendering Index</li> <li>6. Chromaticity Coordinate</li> <li>7. Electrical Parameters</li> </ol>
Reference Standard	<ol style="list-style-type: none"> <li>1. IES LM-79-2008 Electrical and Photometric Measurements of Solid-State Lighting Products</li> <li>2. ANSI C78.377-2008 Specifications for the Chromaticity of Solid State Lighting Products</li> <li>3. CIE 13.3-1995 Method of Measuring and Specifying Colour Rendering Properties of Light Sources</li> <li>4. CIE 15-2004 Technical Report Colorimetry</li> <li>5. IESNA LM-16-93 Practical Guide to Colorimetry of Light Source</li> <li>6. IESNA TM-16-05 Technical Memorandum on Light Emitting Diode (LED) Sources and Systems</li> </ol>
Reference Work Instruction	QD25

**1.3 Test Methods**

<p><b>1) Photometric and Light Distribution Measurement – Goniophotometer Method:</b></p> <p>Photometric parameters were measured using the goniophotometer and software. The ambient temperature shall be maintained at 25° C ± 1° C, measured at a point not more than 1 m from the sample and at the same height as the sample. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Luminous flux, luminaire efficacy, zonal lumen were calculated from the software taken at 1° vertical intervals and 22.5° horizontal intervals.</p>
<p><b>2) Chromaticity Measurement – Sphere-Spectroradiometer Method:</b></p> <p>Chromaticity parameters were measured using an integrating sphere, a spectroradiometer and software. The ambient temperature condition inside the sphere was maintained at 25° C ± 1° C. The sample measurements were made using a spectroradiometer connected by a fiber optic cable and detector through the detector port of the integrating sphere. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Chromaticity coordinates, correlated color temperature and color rendering index were calculated from the spectral power distribution taken at 5 nm intervals over the range of 380 to 780 nm.</p>
<p><b>3) Electrical Measurements:</b></p> <p>Electrical parameters were measured using power meters incorporated in goniophotometer or sphere-spectroradiometer system. The ambient temperature surrounding the sample was maintained at 25° C ± 1° C. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Voltage, frequency, current, power, power factor and total harmonic distortion were measured by and read from the power meter.</p>

**2.1 Electrical, Photometric and Chromaticity Measurements**

*(Refer to Work Instruction QD25)*

<b>Test date</b>	2017-01-11	<b>Test Ambient:</b>	25.2 °C
<b>Test Orientation</b>	As intended	<b>Stabilization Time (min)</b>	90
<b>Model Number</b>	LRKT565W-EN-4090		

**Electrical Measurement:**

Sample No.	Voltage (Vac)	Frequency (Hz)	Current (A)	Power (W)	Power Factor
GZE161212 0-AT1	120.0	60	0.1040	11.78	0.9468


**Chromaticity Measurement - Sphere-Spectroradiometer Method:**

Parameter	Result	Special Color Rendering Indices			
Test Voltage (V)	120.0	R1	93	R9	68
Frequency (Hz)	60	R2	95	R10	88
CCT (K)	4127	R3	96	R11	93
Duv	0.0018	R4	93	R12	72
Chromaticity (x, y)	x=0.3761 y=0.3778	R5	92	R13	94
Chromaticity (u', v')	u'=0.2218 v'=0.5014	R6	92	R14	97
Color Rendering Index (CRI)	93.2	R7	95	R15	91
R9	68	R8	88	--	--

**Photometric Measurement – Goniophotometer Method:**

Parameter	Result
Test Voltage (V)	120.0
Frequency (Hz)	60
Total Luminous (lm)	1032.6
Luminous Efficacy (lm/W)	87.63
Beam Angle (°)	104.2
Center Beam Candle Power (cd)	401

**Spectral Power Distribution & Chromaticity Diagram**




**Zonal Lumen Tabulation**

Zonal Lumen Summary		
Zone	Lumens	% Luminaire
0-30	305.3	29.6%
0-40	493.6	47.8%
0-60	845.6	81.9%
60-90	185.8	18%
70-100	70.1	6.8%
90-120	0.4	0%
0-90	1,031.4	99.9%
90-180	1.1	0.1%
0-180	1,032.5	100%

Lumens Per Zone					
Zone	Lumens	% Total	Zone	Lumens	% Total
0-10	37.9	3.7%	90-100	0.2	0%
10-20	107.4	10.4%	100-110	0.1	0%
20-30	160.0	15.5%	110-120	0.1	0%
30-40	188.4	18.2%	120-130	0.1	0%
40-50	189.1	18.3%	130-140	0.1	0%
50-60	162.8	15.8%	140-150	0.1	0%
60-70	115.9	11.2%	150-160	0.1	0%
70-80	58.6	5.7%	160-170	0.1	0%
80-90	11.3	1.1%	170-180	0.0	0%



**Photometric Data**



**Illuminance at a Distance**

	Center Beam fc	Beam Width	
17.0ft	<b>1.39 fc</b>	<b>43.5 ft</b>	<b>43.7 ft</b>
34.0ft	<b>0.35 fc</b>	<b>87.0 ft</b>	<b>87.5 ft</b>
51.0ft	<b>0.15 fc</b>	<b>130.4 ft</b>	<b>131.2 ft</b>
68.0ft	<b>0.09 fc</b>	<b>173.9 ft</b>	<b>175.0 ft</b>
85.0ft	<b>0.06 fc</b>	<b>217.4 ft</b>	<b>218.7 ft</b>
102.0ft	<b>0.04 fc</b>	<b>260.9 ft</b>	<b>262.5 ft</b>

■ Vert. Spread: 104.0°  
■ Horiz. Spread: 104.3°



Laboratory: Standard-Tech Co. Ltd Testing Center  
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

**Candela Table - Type C**

	0	22.5	45	67.5	90	112.5	135	157.5	180	202.5	225	247.5	270	292.5	315	337.5	360
0	401	401	401	401	401	401	401	401	401	401	401	401	401	401	401	401	401
1	401	401	402	403	403	400	400	401	401	402	402	403	403	399	400	401	401
2	401	401	402	402	403	400	400	401	401	401	402	402	403	399	400	400	401
3	400	401	401	402	402	399	400	400	401	401	401	402	403	398	399	399	400
4	400	400	400	401	402	399	399	400	400	400	401	401	402	398	398	399	400
5	399	399	399	400	401	398	399	399	400	400	400	401	401	397	397	398	399
6	397	398	398	400	400	397	398	398	399	399	399	400	401	396	396	397	397
7	396	397	397	398	398	396	397	397	397	397	398	398	399	395	395	395	396
8	395	395	396	397	397	395	395	396	396	396	396	397	398	393	394	394	395
9	393	393	394	395	395	393	394	394	395	395	395	395	396	391	392	392	393
10	391	392	392	393	393	392	392	393	393	393	393	394	395	389	390	390	391
11	389	390	390	392	391	390	390	391	391	391	391	392	393	387	388	388	389
12	387	388	389	389	389	388	389	389	389	389	389	390	391	385	386	386	387
13	385	385	386	387	387	386	386	386	387	387	387	387	388	383	384	384	385
14	382	383	384	385	384	383	384	384	385	384	385	385	386	381	381	381	382
15	380	380	381	382	382	381	381	382	382	382	382	382	384	378	379	379	380
16	377	377	378	380	379	378	379	379	380	379	379	380	381	375	376	376	377
17	374	375	376	376	376	375	376	376	377	376	376	377	378	372	373	373	374
18	371	371	372	374	373	373	373	373	374	374	374	374	375	369	370	370	371
19	368	369	370	370	370	369	370	370	371	370	370	371	372	366	366	366	368
20	364	365	366	367	367	367	367	367	367	368	367	367	368	362	363	364	364
21	361	362	363	363	363	363	363	364	364	364	363	364	365	359	359	360	361
22	357	358	359	360	360	360	360	360	360	360	360	360	362	355	356	356	357
23	354	355	356	356	356	355	356	357	357	357	356	356	358	352	352	352	354
24	349	350	351	353	352	352	353	353	353	353	353	353	354	348	348	349	349
25	346	347	348	349	348	348	348	349	349	349	349	348	350	344	344	344	346
26	341	342	343	345	344	344	345	345	345	345	344	345	346	339	340	341	341
27	337	338	338	340	339	340	340	340	341	341	341	340	342	336	335	336	337
28	332	333	335	336	335	335	337	337	337	336	336	335	338	331	331	332	332

Laboratory: Standard-Tech Co. Ltd Testing Center  
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

29	328	330	331	331	330	331	332	332	332	332	332	331	333	327	326	327	328
30	323	324	326	327	326	327	327	328	328	327	327	326	329	322	322	323	323
31	319	320	320	322	321	322	323	323	323	322	323	322	324	318	317	318	319
32	313	315	316	318	317	317	317	318	318	318	318	317	318	312	313	313	313
33	309	311	311	313	311	312	313	313	313	313	312	313	314	308	307	308	309
34	303	305	306	308	306	307	308	308	309	308	308	307	309	303	303	304	303
35	299	301	301	302	301	302	303	304	303	303	302	303	304	297	297	298	299
36	293	295	296	298	296	297	298	298	299	298	298	297	299	292	293	294	293
37	289	289	290	292	291	292	293	293	293	293	292	292	294	287	287	288	289
38	283	284	286	288	285	287	287	288	287	288	287	287	288	282	282	282	283
39	278	278	280	281	280	281	282	283	282	282	281	281	283	276	276	277	278
40	272	273	275	275	274	276	277	277	276	276	277	276	277	271	272	271	272
41	267	267	268	270	269	270	270	270	271	271	270	270	271	265	265	266	267
42	260	262	263	263	262	265	265	265	265	265	264	264	266	260	259	259	260
43	254	256	257	258	257	259	259	259	260	260	259	258	260	253	254	254	254
44	249	250	250	252	251	252	254	254	254	253	253	253	254	248	247	248	249
45	242	244	245	247	244	247	247	247	247	248	247	246	248	242	242	243	242
46	237	237	238	240	239	241	241	241	242	241	241	240	241	235	235	236	237
47	230	232	233	233	232	234	236	236	235	235	234	235	236	230	230	229	230
48	225	225	226	228	226	228	229	229	230	230	229	228	229	223	223	224	225
49	218	220	221	221	220	222	224	224	223	223	222	221	224	218	217	217	218
50	213	213	214	216	214	216	217	217	216	216	216	215	217	211	211	212	213
51	206	207	207	209	207	209	210	210	211	210	210	208	210	205	204	205	206
52	199	200	201	203	200	202	204	204	204	203	203	203	204	199	199	199	199
53	193	193	194	196	194	197	197	197	197	198	197	196	197	192	192	192	193
54	186	188	189	190	187	190	190	190	191	191	190	189	192	186	185	185	186
55	181	180	181	183	181	183	185	185	184	184	184	183	185	179	179	180	181
56	173	175	176	177	174	177	177	178	179	178	177	176	178	173	172	173	173
57	166	168	169	170	169	170	172	172	171	171	170	169	172	166	167	167	166
58	161	162	162	163	161	164	165	165	164	165	164	163	165	161	160	160	161
59	154	155	156	157	154	157	158	158	159	158	157	156	158	154	154	154	154

Laboratory: Standard-Tech Co. Ltd Testing Center  
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>



60	148	148	149	150	149	150	152	152	152	151	150	151	152	147	147	147	148
61	141	142	143	144	141	144	145	145	144	145	144	143	145	141	140	140	141
62	135	135	136	137	136	137	138	139	139	138	137	136	139	134	134	134	135
63	128	129	130	130	128	132	132	132	132	131	132	131	132	128	127	127	128
64	121	122	123	124	123	124	125	125	126	125	124	123	125	121	121	122	121
65	115	117	116	117	116	117	119	119	119	118	117	118	119	116	115	115	115
66	108	110	110	112	109	112	112	112	112	113	112	111	112	109	109	108	108
67	103	103	103	105	103	105	105	105	106	106	105	104	107	102	102	102	103
68	96	97	98	99	96	99	100	100	99	99	98	98	100	96	95	95	96
69	90	90	91	92	91	92	93	93	94	93	92	91	93	90	90	90	90
70	84	85	86	85	84	86	87	87	87	86	85	86	88	84	83	83	84
71	77	78	79	80	78	80	81	81	80	80	80	79	81	78	78	78	77
72	72	73	72	73	72	74	74	74	75	74	73	72	74	71	71	71	72
73	65	66	67	68	65	67	69	69	68	68	67	67	69	66	66	65	65
74	60	60	60	61	60	62	62	62	62	62	62	61	62	59	59	59	60
75	54	55	55	55	53	55	56	57	57	56	55	54	57	54	53	53	54
76	47	48	49	50	49	50	51	51	51	50	50	49	51	48	48	48	47
77	43	43	43	44	42	44	45	45	46	45	44	43	45	44	42	42	43
78	37	38	38	39	37	38	40	40	40	39	38	38	40	38	38	36	37
79	32	32	33	33	32	34	34	34	34	34	34	33	34	32	32	32	32
80	27	28	28	29	27	28	29	29	30	29	28	27	30	28	28	27	27
81	23	23	23	24	23	24	25	25	24	24	24	23	25	23	23	23	23
82	18	19	19	19	18	20	20	20	20	20	20	19	20	19	18	18	18
83	14	14	15	15	14	15	16	16	16	16	15	14	16	15	15	15	14
84	11	11	11	11	11	12	12	12	12	12	12	11	12	11	11	11	11
85	7	8	8	9	7	9	9	9	9	9	8	8	9	8	8	7	7
86	5	5	5	6	5	6	6	6	6	6	6	5	6	5	5	5	5
87	3	3	3	3	3	4	4	4	4	4	3	3	4	3	3	3	3
88	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
89	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
90	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center  
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

91	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
92	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
93	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
95	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
96	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
97	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
98	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
101	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
102	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
103	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
105	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
106	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
107	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
108	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
109	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
110	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
111	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
112	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
113	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
114	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
115	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
116	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
117	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
118	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
119	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
120	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
121	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center  
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

122	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
123	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
124	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
125	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
126	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
127	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
128	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
129	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
130	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
131	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
132	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
133	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
134	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
135	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
136	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
137	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
138	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
139	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
140	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
141	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
142	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
143	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
144	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
145	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
146	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
147	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
148	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
149	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
150	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
151	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
152	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center  
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

153	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
154	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
155	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
156	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
157	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
158	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
159	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
160	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
161	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
162	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
163	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
164	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
165	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
166	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
167	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
168	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
169	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
170	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
171	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
172	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
173	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
174	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
175	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
176	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
177	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
178	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
179	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center  
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

**STANDARD-TECH**



Report No.: GZE1612120-AT

NVLAP LAB CODE 201011-0

**Laboratory: Standard-Tech Co. Ltd Testing Center**  
**NVLAP CODE: 201011-0**

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

**3. Test Equipment**

Equipment ID	Equipment Name	Last Calibration Date	Next Calibration Date
ST-R-336	2 meter Integrating Sphere	2016-07-01	2017-06-30
ST-R-331	Spectral analysis system HAAS-2000	2016-07-01	2017-06-30
D204	Standard Lamp	2016-07-01	2017-06-30
PF2010	Power Meter for Integrating Sphere	2016-07-01	2017-06-30
EE-09	Goniophotometer system	2016-07-01	2017-06-30
D908S	Standard Lamp	2016-07-01	2017-06-30
PF210	Power Meter for Goniophotometer	2016-07-01	2017-06-30
ST-R-181A	Temperature Tester	2016-07-01	2017-06-30
Uncertainty: Photometric Measurement (Sphere):1.74% Chromaticity Measurement(Sphere):14.3K Photometric Measurement(Goniophotometer):1.62%			

**\*\*\*\*\* END OF REPORT \*\*\*\*\***

**Laboratory: Standard-Tech Co. Ltd Testing Center**  
**NVLAP CODE: 201011-0**

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>