

LM-79-08 Test Report

For

L-TECH CORPORTION

(Brand Name: L-TECH CORP)

SHAOGANGTOU DISTRICT.QIAOTOU TOWN.DONGGUAN
CITY.GUANGDONG PROVINCE,CHINA

LED Luminare

Model name(s): LRKT567W-EN-3090

Representative (Tested) Model: LRKT567W-EN-3090

Model Different: N/A

Test & Report By:

Univ Xie

Engineer: Univ Xie

Date: Jan17, 2017

Review By:

Tommy Liang

Manager: Tommy Liang

Note: This report does not imply product certification, approval, or endorsement by NVLAP, NIST, or any agency of the Federal Government.

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

1.1 Product Information:

Organization Name	L-TECH CORPORTION	
Brand Name	L-TECH CORP	
Model Number	LRKT567W-EN-3090	
SKU (if available)	N/A	
Type of Luminaire (for integral lamps, list base type and lamp type)	LED Luminaire	
Rated Voltage / Frequency	120Vac, 60 Hz	
Nominal Power	13W	
Rated Initial Lamp Lumen	--	
Declared CCT	3000K	
LED Manufacturer	Edison Opto Corporation	
LED Model	2T03X5	
Sample Number	GZE1612120-AV1	
Luminaire Aperture (for downlights)	--	in.
Luminaire Length	--	mm
Luminaires Width	--	mm
Number of Units (modular products)	N/A	s

Photo



Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

1.2 Test Specifications:

Date of Receipt	Jan08, 2017
Date of Test	Jan.11, 2017
Test item	<ol style="list-style-type: none"> 1. Total Luminous Flux 2. Luminous Distribution Intensity 3. Luminous Efficacy 4. Correlated Color Temperature 5. Color Rendering Index 6. Chromaticity Coordinate 7. Electrical Parameters
Reference Standard	<ol style="list-style-type: none"> 1. IES LM-79-2008 Electrical and Photometric Measurements of Solid-State Lighting Products 2. ANSI C78.377-2008 Specifications for the Chromaticity of Solid State Lighting Products 3. CIE 13.3-1995 Method of Measuring and Specifying Colour Rendering Properties of Light Sources 4. CIE 15-2004 Technical Report Colorimetry 5. IESNA LM-16-93 Practical Guide to Colorimetry of Light Source 6. IESNA TM-16-05 Technical Memorandum on Light Emitting Diode (LED) Sources and Systems
Reference Work Instruction	QD25

1.3 Test Methods**1) Photometric and Light Distribution Measurement – Goniophotometer Method:**

Photometric parameters were measured using the goniophotometer and software. The ambient temperature shall be maintained at $25^{\circ}\text{C} \pm 1^{\circ}\text{C}$, measured at a point not more than 1 m from the sample and at the same height as the sample. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Luminous flux, luminaire efficacy, zonal lumen were calculated from the software taken at 1° vertical intervals and 22.5° horizontal intervals.

2) Chromaticity Measurement – Sphere-Spectroradiometer Method:

Chromaticity parameters were measured using an integrating sphere, a spectroradiometer and software. The ambient temperature condition inside the sphere was maintained at $25^{\circ}\text{C} \pm 1^{\circ}\text{C}$. The sample measurements were made using a spectroradiometer connected by a fiber optic cable and detector through the detector port of the integrating sphere. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Chromaticity coordinates, correlated color temperature and color rendering index were calculated from the spectral power distribution taken at 5 nm intervals over the range of 380 to 780 nm.

3) Electrical Measurements:

Electrical parameters were measured using power meters incorporated in goniophotometer or sphere-spectroradiometer system. The ambient temperature surrounding the sample was maintained at $25^{\circ}\text{C} \pm 1^{\circ}\text{C}$. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Voltage, frequency, current, power, power factor and total harmonic distortion were measured by and read from the power meter.

2.1 Electrical, Photometric and Chromaticity Measurements

(Refer to Work Instruction QD25)

Test date	2017-01-11	Test Ambient:	25.2 °C
Test Orientation	As intended	Stabilization Time (min)	90
Model Number	LRKT567W-EN-3090		

Electrical Measurement:

Sample No.	Voltage (Vac)	Frequency (Hz)	Current (A)	Power (W)	Power Factor
GZE161212 0-AV1	120.0	60	0.1080	12.22	0.9434


Chromaticity Measurement - Sphere-Spectroradiometer Method:

Parameter	Result	Special Color Rendering Indices			
Test Voltage (V)	120.0	R1	93	R9	57
Frequency (Hz)	60	R2	97	R10	93
CCT (K)	3096	R3	99	R11	94
Duv	-0.0001	R4	92	R12	81
Chromaticity (x, y)	x=0.4302 y=0.4014	R5	93	R13	94
Chromaticity (u', v')	u'=0.2473 v'=0.5193	R6	96	R14	100
Color Rendering Index (CRI)	92.7	R7	91	R15	89
R9	57	R8	80	--	--

Photometric Measurement – Goniophotometer Method:

Parameter	Result
Test Voltage (V)	120.0
Frequency (Hz)	60
Total Luminous (lm)	958.38
Luminous Efficacy (lm/W)	78.43
Beam Angle (°)	104.0
Center Beam Candle Power (cd)	361

Spectral Power Distribution & Chromaticity Diagram




Zonal Lumen Tabulation

Zonal Lumen Summary		
Zone	Lumens	% Luminaire
0-30	273.5	28.5%
0-40	441.0	46%
0-60	756.4	78.9%
60-90	200.5	20.9%
70-100	89.9	9.4%
90-120	0.7	0.1%
0-90	956.9	99.9%
90-180	1.4	0.1%
0-180	958.3	100%

Lumens Per Zone					
Zone	Lumens	% Total	Zone	Lumens	% Total
0-10	34.1	3.6%	90-100	0.3	0%
10-20	96.4	10.1%	100-110	0.2	0%
20-30	143.0	14.9%	110-120	0.2	0%
30-40	167.5	17.5%	120-130	0.2	0%
40-50	168.0	17.5%	130-140	0.2	0%
50-60	147.4	15.4%	140-150	0.2	0%
60-70	110.9	11.6%	150-160	0.1	0%
70-80	66.4	6.9%	160-170	0.1	0%
80-90	23.2	2.4%	170-180	0.0	0%



Photometric Data



Illuminance at a Distance

	Center Beam fc	Beam Width	
17.0ft	1.25 fc	43.2 ft	43.6 ft
34.0ft	0.31 fc	86.5 ft	87.2 ft
51.0ft	0.14 fc	129.7 ft	130.7 ft
68.0ft	0.08 fc	172.9 ft	174.3 ft
85.0ft	0.05 fc	216.1 ft	217.9 ft
102.0ft	0.03 fc	259.4 ft	261.5 ft

■ Vert. Spread: 103.6°
■ Horiz. Spread: 104.1°



Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

Candela Table - Type C

	0	22.5	45	67.5	90	112.5	135	157.5	180	202.5	225	247.5	270	292.5	315	337.5	360
0	361	361	361	361	361	361	361	361	361	361	361	361	361	361	361	361	361
1	361	362	362	362	363	359	360	360	361	361	362	363	363	360	360	360	361
2	361	361	362	362	362	358	359	360	360	361	362	363	364	360	360	360	361
3	360	361	361	361	361	358	358	359	360	361	362	363	363	359	360	360	360
4	360	360	361	360	360	357	358	358	359	360	362	362	363	359	360	360	360
5	359	359	360	359	359	356	356	357	358	359	361	362	363	359	359	359	359
6	358	358	359	358	358	354	355	356	357	359	360	361	362	358	359	358	358
7	357	357	357	357	357	353	354	355	356	357	359	360	361	357	358	358	357
8	356	356	356	355	355	351	352	353	354	356	358	359	361	356	357	356	356
9	355	355	354	354	353	350	350	351	353	355	356	358	359	355	355	355	355
10	353	353	353	352	351	348	349	349	351	353	355	356	358	354	354	354	353
11	352	351	351	349	349	346	347	348	349	351	353	355	356	352	352	352	352
12	350	349	349	347	347	344	344	345	347	349	351	353	355	351	351	350	350
13	348	347	346	345	344	341	342	343	345	347	349	351	353	349	349	348	348
14	346	345	344	343	342	339	339	341	342	345	347	349	351	347	347	347	346
15	343	342	342	340	339	336	337	338	340	342	344	347	349	345	345	344	343
16	341	340	339	338	336	334	334	335	337	340	342	344	347	343	342	342	341
17	338	337	336	334	333	330	331	332	334	337	339	342	344	340	340	339	338
18	336	334	333	332	330	327	328	329	331	334	337	339	342	337	338	337	336
19	333	332	330	328	327	324	325	326	328	331	334	337	339	335	335	334	333
20	330	328	327	325	324	320	322	323	326	328	331	333	336	332	332	331	330
21	327	325	324	322	321	317	318	320	322	325	327	331	333	329	329	328	327
22	324	322	320	318	317	314	315	316	319	321	324	327	330	326	326	325	324
23	320	319	317	315	313	310	311	313	315	318	321	324	327	323	323	322	320
24	317	314	313	310	309	306	307	309	311	314	317	320	323	319	319	318	317
25	313	311	309	307	306	303	303	305	308	310	314	316	320	316	316	315	313
26	310	307	305	303	301	298	299	301	303	307	310	313	316	312	312	311	310
27	305	303	301	299	297	294	295	297	300	302	306	309	313	309	308	308	305
28	302	299	297	294	293	290	291	293	295	299	302	306	308	305	305	303	302

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

29	297	295	293	290	289	285	287	288	292	294	298	301	305	301	301	300	297
30	293	291	289	286	284	281	282	284	287	290	294	298	300	297	297	295	293
31	289	287	284	282	280	276	278	279	282	286	290	293	296	293	293	292	289
32	284	282	280	277	275	272	273	275	278	282	285	288	292	289	289	287	284
33	280	278	275	273	270	267	268	270	273	277	280	284	287	285	284	283	280
34	275	273	271	267	266	262	264	266	269	272	276	279	283	280	280	278	275
35	271	269	266	263	260	258	259	261	264	268	271	275	278	276	275	274	271
36	266	264	261	258	256	253	255	256	260	262	267	270	274	271	271	269	266
37	262	258	256	253	250	248	249	251	254	258	262	266	269	267	266	264	262
38	257	254	252	248	246	243	244	246	249	253	256	261	264	262	262	260	257
39	252	249	246	242	241	237	239	242	244	249	252	256	260	257	256	254	252
40	247	244	241	238	236	233	234	236	239	243	247	251	254	252	251	250	247
41	242	239	236	232	230	228	229	231	235	238	242	246	250	247	247	245	242
42	237	234	231	228	225	223	224	226	229	233	237	241	245	243	241	240	237
43	231	229	226	222	220	217	218	220	223	228	232	236	239	237	237	235	231
44	227	223	220	217	214	212	214	216	219	223	227	230	235	233	231	229	227
45	221	218	216	212	210	207	208	210	213	218	221	226	229	227	227	225	221
46	217	213	210	206	204	202	203	205	209	212	217	220	224	221	221	219	217
47	211	208	204	201	198	197	198	200	203	207	211	216	219	217	216	214	211
48	206	202	199	195	193	191	192	194	197	202	205	210	213	211	211	209	206
49	201	198	194	191	187	185	187	189	193	196	201	204	208	207	205	204	201
50	195	192	189	185	183	181	181	184	187	191	195	200	203	201	201	198	195
51	190	186	183	179	177	175	177	178	181	185	191	194	198	196	195	194	190
52	184	181	178	174	172	169	171	174	177	181	185	189	192	191	190	188	184
53	180	175	173	168	166	165	165	168	171	175	179	183	186	185	185	182	180
54	174	170	166	164	162	159	161	162	166	169	174	177	182	180	179	177	174
55	169	165	162	158	156	153	155	157	160	165	169	173	176	174	174	172	169
56	163	160	156	153	150	149	149	152	155	159	163	167	171	170	168	167	163
57	157	154	151	147	145	143	145	147	150	154	158	161	165	164	164	161	157
58	153	148	145	141	139	138	139	141	144	149	152	157	160	159	158	155	153
59	147	144	141	137	135	133	134	136	140	143	148	151	155	153	153	151	147

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

60	142	138	135	131	129	127	128	131	134	138	142	146	149	148	147	145	142
61	136	133	129	126	124	123	123	125	128	133	136	141	143	143	142	140	136
62	132	127	124	120	118	117	118	121	124	127	132	135	139	137	137	134	132
63	126	123	119	116	113	111	113	115	118	122	126	130	133	133	131	130	126
64	120	117	114	110	108	107	108	110	114	117	121	125	128	127	127	124	120
65	116	111	108	104	102	101	103	105	108	112	116	120	123	121	121	118	116
66	110	107	103	100	98	97	97	100	103	107	110	114	117	117	116	114	110
67	105	101	98	94	92	91	93	94	98	101	106	109	112	111	111	108	105
68	100	97	93	90	87	86	87	90	93	97	100	104	107	107	105	103	100
69	94	91	88	84	83	82	82	84	87	91	96	99	102	101	101	98	94
70	90	85	83	79	77	76	78	80	83	87	90	94	97	97	95	94	90
71	84	81	78	75	73	72	72	75	78	82	85	89	91	91	91	88	84
72	80	76	73	69	68	67	68	70	74	76	81	84	87	86	85	83	80
73	75	72	68	65	64	62	63	66	68	72	75	79	81	82	80	78	75
74	71	66	64	60	59	58	58	61	63	67	70	74	76	76	76	73	71
75	65	62	59	56	54	53	55	57	59	62	66	69	72	72	71	69	65
76	60	57	55	52	50	49	50	52	55	58	61	65	67	67	66	64	60
77	56	53	50	47	45	45	46	47	51	53	57	60	63	62	61	59	56
78	52	49	46	43	42	41	42	44	46	50	52	56	58	58	57	55	52
79	48	44	42	39	38	37	38	40	42	45	48	51	52	53	53	50	48
80	43	41	38	36	33	33	34	35	39	41	44	46	48	48	48	46	43
81	39	37	35	32	30	30	31	32	34	37	39	42	43	43	44	42	39
82	36	33	31	29	27	27	28	29	31	33	35	37	39	39	39	38	36
83	31	30	28	25	24	23	24	26	27	30	31	33	34	34	34	33	31
84	28	26	24	22	20	20	21	22	23	25	26	28	29	29	30	29	28
85	23	23	21	19	17	17	18	18	20	21	22	23	25	25	25	25	23
86	19	18	18	16	15	14	15	15	15	17	18	19	20	20	21	20	19
87	14	15	15	14	12	12	12	11	10	12	13	15	16	17	17	16	14
88	9	10	11	11	10	9	9	8	7	8	9	11	12	13	12	10	9
89	6	6	8	7	6	5	4	3	2	2	2	3	5	8	7	6	6
90	2	2	2	1	0	1	1	1	0	1	1	1	1	1	1	2	2

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

91	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
92	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
93	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
95	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
96	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
97	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
98	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
101	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
102	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
103	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
105	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
106	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
107	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
108	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
109	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
110	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
111	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
112	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
113	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
114	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
115	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
116	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
117	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
118	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
119	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
120	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
121	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

122	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
123	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
124	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
125	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
126	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
127	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
128	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
129	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
130	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
131	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
132	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
133	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
134	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
135	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
136	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
137	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
138	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
139	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
140	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
141	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
142	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
143	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
144	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
145	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
146	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
147	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
148	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
149	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
150	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
151	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
152	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

153	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
154	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
155	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
156	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
157	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
158	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
159	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
160	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
161	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
162	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
163	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
164	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
165	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
166	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
167	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
168	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
169	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
170	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
171	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
172	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
173	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
174	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
175	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
176	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
177	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
178	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
179	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

STANDARD-TECH



Report No.: GZE1612120-AV

NVLAP LAB CODE 201011-0

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

3. Test Equipment

Equipment ID	Equipment Name	Last Calibration Date	Next Calibration Date
ST-R-336	2 meter Integrating Sphere	2016-07-01	2017-06-30
ST-R-331	Spectral analysis system HAAS-2000	2016-07-01	2017-06-30
D204	Standard Lamp	2016-07-01	2017-06-30
PF2010	Power Meter for Integrating Sphere	2016-07-01	2017-06-30
EE-09	Goniophotometer system	2016-07-01	2017-06-30
D908S	Standard Lamp	2016-07-01	2017-06-30
PF210	Power Meter for Goniophotometer	2016-07-01	2017-06-30
ST-R-181A	Temperature Tester	2016-07-01	2017-06-30
Uncertainty: Photometric Measurement (Sphere):1.74% Chromaticity Measurement(Sphere):14.3K Photometric Measurement(Goniophotometer):1.62%			

******* END OF REPORT *******

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>