

LM-79-08 Test Report

For

L-TECH CORPORTION (Brand Name: L-TECH CORP)

SHAOGANGTOU DISTRICT.QIAOTOU TOWN.DONGGUAN
CITY.GUANGDONG PROVINCE,CHINA

LED Luminare

Model name(s): LRKT567W-EN-4090

Representative (Tested) Model: LRKT567W-EN-4090

Model Different: N/A

Test & Report By:

Univ Xie

Engineer: Univ Xie

Date: Jan17, 2017

Review By:

Tommy Liang

Manager: Tommy Liang

Note: This report does not imply product certification, approval, or endorsement by NVLAP, NIST, or any agency of the Federal Government.

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

1.1 Product Information:

Organization Name	L-TECH CORPORTION	
Brand Name	L-TECH CORP	
Model Number	LRKT567W-EN-4090	
SKU (if available)	N/A	
Type of Luminaire (for integral lamps, list base type and lamp type)	LED Luminaire	
Rated Voltage / Frequency	120Vac, 60 Hz	
Nominal Power	13W	
Rated Initial Lamp Lumen	--	
Declared CCT	4000K	
LED Manufacturer	Edison Opto Corporation	
LED Model	2T03X5	
Sample Number	GZE1612120-AW1	
Luminaire Aperture (for downlights)	--	in.
Luminaire Length	--	mm
Luminaires Width	--	mm
Number of Units (modular products)	N/A	s

Photo



Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

1.2 Test Specifications:

Date of Receipt	Jan08, 2017
Date of Test	Jan.11, 2017
Test item	<ol style="list-style-type: none"> 1. Total Luminous Flux 2. Luminous Distribution Intensity 3. Luminous Efficacy 4. Correlated Color Temperature 5. Color Rendering Index 6. Chromaticity Coordinate 7. Electrical Parameters
Reference Standard	<ol style="list-style-type: none"> 1. IES LM-79-2008 Electrical and Photometric Measurements of Solid-State Lighting Products 2. ANSI C78.377-2008 Specifications for the Chromaticity of Solid State Lighting Products 3. CIE 13.3-1995 Method of Measuring and Specifying Colour Rendering Properties of Light Sources 4. CIE 15-2004 Technical Report Colorimetry 5. IESNA LM-16-93 Practical Guide to Colorimetry of Light Source 6. IESNA TM-16-05 Technical Memorandum on Light Emitting Diode (LED) Sources and Systems
Reference Work Instruction	QD25

1.3 Test Methods

<p>1) Photometric and Light Distribution Measurement – Goniophotometer Method:</p> <p>Photometric parameters were measured using the goniophotometer and software. The ambient temperature shall be maintained at 25° C ± 1° C, measured at a point not more than 1 m from the sample and at the same height as the sample. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Luminous flux, luminaire efficacy, zonal lumen were calculated from the software taken at 1° vertical intervals and 22.5° horizontal intervals.</p>
<p>2) Chromaticity Measurement – Sphere-Spectroradiometer Method:</p> <p>Chromaticity parameters were measured using an integrating sphere, a spectroradiometer and software. The ambient temperature condition inside the sphere was maintained at 25° C ± 1° C. The sample measurements were made using a spectroradiometer connected by a fiber optic cable and detector through the detector port of the integrating sphere. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Chromaticity coordinates, correlated color temperature and color rendering index were calculated from the spectral power distribution taken at 5 nm intervals over the range of 380 to 780 nm.</p>
<p>3) Electrical Measurements:</p> <p>Electrical parameters were measured using power meters incorporated in goniophotometer or sphere-spectroradiometer system. The ambient temperature surrounding the sample was maintained at 25° C ± 1° C. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Voltage, frequency, current, power, power factor and total harmonic distortion were measured by and read from the power meter.</p>

2.1 Electrical, Photometric and Chromaticity Measurements

(Refer to Work Instruction QD25)

Test date	2017-01-11	Test Ambient:	25.2 °C
Test Orientation	As intended	Stabilization Time (min)	90
Model Number	LRKT567W-EN-4090		

Electrical Measurement:

Sample No.	Voltage (Vac)	Frequency (Hz)	Current (A)	Power (W)	Power Factor
GZE161212 0-AW1	120.0	60	0.1030	11.70	0.9448


Chromaticity Measurement - Sphere-Spectroradiometer Method:

Parameter	Result	Special Color Rendering Indices			
Test Voltage (V)	120.0	R1	94	R9	70
Frequency (Hz)	60	R2	96	R10	89
CCT (K)	4082	R3	96	R11	93
Duv	0.0011	R4	94	R12	72
72Chromaticity (x, y)	x=0.3776 y=0.3774	R5	93	R13	94
romaticity (u', v')	u'=0.2230 v'=0.5014	R6	93	R14	97
Color Rendering Index (CRI)	93.6	R7	96	R15	92
R9	70	R8	89	--	--

Photometric Measurement – Goniophotometer Method:

Parameter	Result
Test Voltage (V)	120.0
Frequency (Hz)	60
Total Luminous (lm)	954.49
Luminous Efficacy (lm/W)	81.58
Beam Angle (°)	104.5
Center Beam Candle Power (cd)	357

Spectral Power Distribution & Chromaticity Diagram




Zonal Lumen Tabulation

Zonal Lumen Summary		
Zone	Lumens	% Luminaire
0-30	270.8	28.4%
0-40	437.1	45.8%
0-60	750.8	78.7%
60-90	202.1	21.2%
70-100	91.7	9.6%
90-120	0.8	0.1%
0-90	952.9	99.8%
90-180	1.5	0.2%
0-180	954.4	100%

Lumens Per Zone					
Zone	Lumens	% Total	Zone	Lumens	% Total
0-10	33.7	3.5%	90-100	0.3	0%
10-20	95.4	10.0%	100-110	0.2	0%
20-30	141.7	14.9%	110-120	0.2	0%
30-40	166.2	17.4%	120-130	0.2	0%
40-50	167.0	17.5%	130-140	0.2	0%
50-60	146.7	15.4%	140-150	0.2	0%
60-70	110.8	11.6%	150-160	0.1	0%
70-80	66.9	7.0%	160-170	0.1	0%
80-90	24.4	2.6%	170-180	0.0	0%



Photometric Data



Illuminance at a Distance

	Center Beam fc	Beam Width	
17.0ft	1.23 fc	43.6 ft	44.1 ft
34.0ft	0.31 fc	87.2 ft	88.2 ft
51.0ft	0.14 fc	130.7 ft	132.3 ft
68.0ft	0.08 fc	174.3 ft	176.5 ft
85.0ft	0.05 fc	217.9 ft	220.6 ft
102.0ft	0.03 fc	261.5 ft	264.7 ft

■ Vert. Spread: 104.1°
■ Horiz. Spread: 104.8°



Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

Candela Table - Type C

	0	22.5	45	67.5	90	112.5	135	157.5	180	202.5	225	247.5	270	292.5	315	337.5	360
0	357	357	357	357	357	357	357	357	357	357	357	357	357	357	357	357	357
1	356	357	357	359	359	355	355	356	357	357	358	359	359	355	355	355	356
2	356	356	357	358	359	354	355	356	357	357	358	359	359	354	355	355	356
3	355	356	356	358	358	354	355	355	356	357	357	359	359	354	354	355	355
4	355	355	356	357	357	353	354	355	356	356	357	358	359	353	354	354	355
5	354	354	355	356	356	353	354	354	355	356	356	357	358	352	353	353	354
6	353	353	354	355	356	352	353	353	355	355	356	357	357	352	352	352	353
7	352	352	352	354	354	351	352	352	354	354	355	356	356	350	351	351	352
8	350	351	351	352	353	349	351	351	353	353	354	354	355	349	349	349	350
9	349	349	350	351	351	348	349	350	351	352	352	353	354	348	348	348	349
10	347	347	348	349	349	347	348	349	350	350	351	352	353	346	346	346	347
11	345	346	346	348	348	345	346	347	348	349	349	350	351	345	344	345	345
12	343	343	344	345	346	343	344	345	346	347	347	348	349	342	343	343	343
13	341	341	342	343	344	341	342	343	345	345	346	346	347	341	341	341	341
14	339	339	339	341	341	339	340	341	342	343	343	344	345	338	339	338	339
15	336	336	337	339	338	337	338	339	340	341	341	342	343	336	336	336	336
16	334	334	334	336	336	334	335	336	338	338	339	340	341	334	334	333	334
17	331	331	331	333	333	331	333	334	335	336	337	337	338	331	331	330	331
18	328	329	329	331	331	329	330	331	332	333	334	335	336	328	328	328	328
19	325	325	326	327	327	326	328	329	330	331	331	332	333	325	325	325	325
20	322	323	323	325	325	323	324	326	327	328	328	329	330	322	322	322	322
21	318	319	319	321	321	320	322	322	324	325	325	326	327	319	319	318	318
22	315	315	316	318	318	316	318	320	321	322	322	323	323	316	316	316	315
23	311	312	313	314	314	313	315	316	318	318	319	320	321	312	312	312	311
24	308	308	309	310	311	310	311	313	314	315	316	316	317	309	308	309	308
25	304	305	305	307	307	306	308	309	311	311	312	313	314	305	305	305	304
26	301	301	302	303	303	302	304	306	307	308	309	309	310	302	301	301	301
27	296	297	297	299	299	299	300	302	304	304	304	305	306	298	298	297	296
28	293	293	294	295	295	294	296	297	299	300	300	301	302	295	293	292	293

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

29	288	289	289	291	291	290	292	294	295	296	297	297	298	290	290	289	288
30	284	284	285	286	287	286	288	289	292	292	292	293	294	286	285	284	284
31	280	281	281	282	282	282	284	286	287	288	288	288	289	282	282	280	280
32	276	276	277	277	278	278	280	281	283	283	284	285	286	278	277	276	276
33	271	272	272	273	273	273	275	277	278	279	280	280	281	273	273	272	271
34	267	267	268	268	269	269	270	272	274	274	275	276	276	269	268	267	267
35	262	263	263	264	264	264	266	268	269	270	270	271	272	264	264	263	262
36	258	257	257	259	260	259	261	263	264	265	266	266	267	259	259	258	258
37	252	253	253	255	254	255	257	258	260	261	261	262	263	255	254	253	252
38	247	248	248	249	250	249	252	254	255	256	257	256	257	250	249	248	247
39	243	242	243	244	245	245	247	249	251	251	251	252	253	246	244	244	243
40	237	238	238	240	240	240	242	244	246	247	247	247	248	240	240	238	237
41	233	233	234	234	235	235	237	239	241	241	242	241	243	236	234	233	233
42	228	228	228	230	229	230	232	233	236	237	236	237	238	231	230	229	228
43	223	223	222	224	225	224	227	229	230	231	232	231	233	225	225	223	223
44	217	218	218	219	219	220	221	224	226	226	226	227	228	221	219	219	217
45	212	212	212	214	214	214	217	219	220	221	222	221	223	215	215	213	212
46	207	207	208	208	209	209	211	214	215	216	216	216	217	211	209	209	207
47	202	202	202	203	204	204	207	208	210	211	211	211	213	205	204	203	202
48	197	196	197	198	198	198	201	203	205	206	206	206	207	201	199	197	197
49	191	192	192	192	192	194	195	198	200	200	201	201	202	195	194	193	191
50	187	186	186	187	188	188	191	192	194	196	195	195	197	189	189	187	187
51	181	181	181	181	182	182	185	187	189	190	190	190	191	185	183	182	181
52	175	176	175	177	177	178	180	182	184	184	184	185	186	179	178	177	175
53	171	170	171	171	171	172	175	177	178	180	180	179	181	175	173	172	171
54	165	165	165	166	167	166	169	171	174	174	174	174	176	169	168	166	165
55	160	160	160	161	161	162	164	165	168	169	169	169	170	164	162	161	160
56	155	155	155	155	155	156	159	161	162	163	164	163	165	159	158	156	155
57	150	149	149	150	150	151	153	155	158	158	158	159	160	153	152	150	150
58	144	145	144	144	145	146	148	151	152	153	154	153	154	148	146	146	144
59	139	139	138	140	140	140	142	145	146	147	148	147	148	143	142	140	139

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

60	134	133	134	134	134	135	138	139	142	143	142	143	144	138	136	136	134
61	128	128	128	128	130	130	132	135	136	137	138	137	138	133	132	130	128
62	124	123	123	124	124	125	126	129	131	131	132	133	134	128	126	124	124
63	118	118	118	118	118	120	122	124	126	127	126	127	128	123	120	120	118
64	114	113	112	113	114	114	116	119	120	121	122	121	122	117	116	114	114
65	108	107	108	108	108	110	112	113	116	116	116	117	118	113	110	110	108
66	103	103	102	103	104	104	106	109	110	111	112	111	112	107	106	104	103
67	98	97	98	98	98	100	101	103	106	106	106	106	107	103	101	99	98
68	93	93	92	92	94	94	96	98	100	101	101	101	102	97	96	94	93
69	88	87	88	88	88	89	91	93	95	96	96	96	97	93	91	89	88
70	83	83	83	83	83	85	86	88	90	90	91	91	92	88	87	85	83
71	78	78	77	78	79	80	82	84	85	86	87	86	87	82	81	79	78
72	74	73	73	73	74	74	76	78	81	81	81	81	82	78	76	75	74
73	69	69	68	69	69	70	72	73	75	77	76	77	78	73	72	70	69
74	65	64	64	64	64	65	67	69	70	71	72	72	73	69	67	65	65
75	60	60	59	59	60	62	62	64	66	66	67	67	69	64	63	61	60
76	56	55	54	55	56	57	58	60	61	62	62	62	63	59	58	56	56
77	51	51	50	51	51	52	54	55	56	57	58	58	59	55	53	53	51
78	47	47	46	47	47	48	50	51	52	53	53	54	55	51	50	48	47
79	43	42	42	42	43	44	45	47	48	49	50	49	50	47	45	44	43
80	39	39	38	38	39	41	41	43	44	44	45	46	47	43	42	40	39
81	36	35	34	35	35	36	38	38	40	41	41	41	42	39	38	36	36
82	32	31	31	31	31	32	34	35	36	37	37	37	38	35	34	33	32
83	28	28	27	28	28	29	31	31	33	34	33	34	35	31	31	29	28
84	25	24	24	24	23	25	27	28	29	30	30	30	31	28	27	26	25
85	21	21	20	21	19	21	23	24	26	26	27	26	27	25	24	22	21
86	17	16	17	16	14	16	20	20	21	22	23	23	24	21	20	17	17
87	12	13	13	12	9	11	15	16	15	17	19	20	20	17	16	13	12
88	8	8	9	9	5	7	10	11	11	11	14	16	17	13	11	8	8
89	4	3	5	3	1	3	6	7	7	7	8	11	12	8	5	4	4
90	0	0	0	0	0	1	1	2	1	2	3	1	1	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

91	0	0	0	0	0	0	1	0	1	0	1	0	1	0	0	0	0
92	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
93	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
95	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
96	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
97	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
98	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
101	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
102	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
103	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
105	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
106	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
107	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
108	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
109	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
110	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
111	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
112	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
113	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
114	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
115	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
116	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
117	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
118	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
119	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
120	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
121	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

122	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
123	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
124	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
125	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
126	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
127	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
128	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
129	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
130	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
131	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
132	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
133	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
134	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
135	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
136	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
137	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
138	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
139	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
140	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
141	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
142	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
143	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
144	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
145	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
146	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
147	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
148	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
149	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
150	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
151	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
152	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

153	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
154	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
155	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
156	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
157	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
158	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
159	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
160	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
161	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
162	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
163	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
164	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
165	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
166	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
167	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
168	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
169	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
170	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
171	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
172	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
173	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
174	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
175	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
176	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
177	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
178	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
179	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

STANDARD-TECH



NVLAP LAB CODE 201011-0

Report No.: GZE1612120-AW

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

3. Test Equipment

Equipment ID	Equipment Name	Last Calibration Date	Next Calibration Date
ST-R-336	2 meter Integrating Sphere	2016-07-01	2017-06-30
ST-R-331	Spectral analysis system HAAS-2000	2016-07-01	2017-06-30
D204	Standard Lamp	2016-07-01	2017-06-30
PF2010	Power Meter for Integrating Sphere	2016-07-01	2017-06-30
EE-09	Goniophotometer system	2016-07-01	2017-06-30
D908S	Standard Lamp	2016-07-01	2017-06-30
PF210	Power Meter for Goniophotometer	2016-07-01	2017-06-30
ST-R-181A	Temperature Tester	2016-07-01	2017-06-30
Uncertainty: Photometric Measurement (Sphere):1.74% Chromaticity Measurement(Sphere):14.3K Photometric Measurement(Goniophotometer):1.62%			

******* END OF REPORT *******

Laboratory: Standard-Tech Co. Ltd Testing Center
NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>