

## **LM-79-08 Test Report**

For

### **L-TECH CORPORATION**

**(Brand Name: L-TECH CORP)**

SHAOGANGTOU DISTRICT.QIAOTOU TOWN.DONGGUAN  
CITY.GUANGDONG PROVINCE,CHINA

### **LED Luminaire**

Model name(s): LSKT-422W-2790  
LSKT-455W-2790

Representative (Tested) Model: LSKT-422W-2790

Model Different: All construction and rating are the same, except the  
installation of driver.

Test & Report By:

*Univ Xie*

Engineer: Univ Xie

Date: Jan.13,2017

Updated:Dec.22,2017

Note: This report does not imply product certification, approval, or endorsement by NVLAP, NIST, or any agency of the Federal Government.

Review By:

*Tommy Liang*

Manager: Tommy Liang

**Laboratory: Standard-Tech Co. Ltd Testing Center**

**NVLAP CODE: 201011-0**

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320

Fax: 8620-32290422

<http://www.standard-tech.com>

## Revision Details

Report No.Revision	Updated Item: model name	Revised Reason	Issue date
GZE1612120-AE	Additional model name:	Add additional model	Jan.13,2017
GZE1612120-AE-R	LSKT-455W-2790		Dec.22,2017

**Laboratory: Standard-Tech Co. Ltd Testing Center****NVLAP CODE: 201011-0**

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320

Fax: 8620-32290422

<http://www.standard-tech.com>

**1.1 Product Information:**

Organization Name	L-TECH CORPORTION	
Brand Name	L-TECH CORP	
Model Number	LSKT-422W-2790 LSKT-455W-2790	
SKU (if available)	N/A	
Type of Luminaire (for integral lamps, list base type and lamp type)	LED Luminaire	
Rated Voltage / Frequency	120Vac, 60 Hz	
Nominal Power	11W	
Rated Initial Lamp Lumen	--	
Declared CCT	2700K	
LED Manufacturer	Edison Opto Corporation	
LED Model	2T01X2	
Sample Number	GZE1612120-AE1	
Luminaire Aperture (for downlights)	--	in.
Luminaire Length	--	mm
Luminaires Width	--	mm
Number of Units (modular products)	N/A	s

**Photo**

LSKT-422W-2790



LSKT-455W-2790



**Laboratory: Standard-Tech Co. Ltd Testing Center**

**NVLAP CODE: 201011-0**

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320

Fax: 8620-32290422

<http://www.standard-tech.com>

**1.2 Test Specifications:**

Date of Receipt	Jan.08, 2017
Date of Test	Jan.11, 2017
Test item	<ol style="list-style-type: none"> <li>1. Total Luminous Flux</li> <li>2. Luminous Distribution Intensity</li> <li>3. Luminous Efficacy</li> <li>4. Correlated Color Temperature</li> <li>5. Color Rendering Index</li> <li>6. Chromaticity Coordinate</li> <li>7. Electrical Parameters</li> </ol>
Reference Standard	<ol style="list-style-type: none"> <li>1. IES LM-79-2008 Electrical and Photometric Measurements of Solid-State Lighting Products</li> <li>2. ANSI C78.377-2008 Specifications for the Chromaticity of Solid State Lighting Products</li> <li>3. CIE 13.3-1995 Method of Measuring and Specifying Colour Rendering Properties of Light Sources</li> <li>4. CIE 15-2004 Technical Report Colorimetry</li> <li>5. IESNA LM-16-93 Practical Guide to Colorimetry of Light Source</li> <li>6. IESNA TM-16-05 Technical Memorandum on Light Emitting Diode (LED) Sources and Systems</li> </ol>
Reference Work Instruction	QD25

**1.3 Test Methods**

<p><b>1) Photometric and Light Distribution Measurement – Goniophotometer Method:</b>  Photometric parameters were measured using the goniophotometer and software. The ambient temperature shall be maintained at 25° C ± 1° C, measured at a point not more than 1 m from the sample and at the same height as the sample. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Luminous flux, luminaire efficacy, zonal lumen were calculated from the software taken at 1° vertical intervals and 22.5° horizontal intervals.</p>
<p><b>2) Chromaticity Measurement – Sphere-Spectroradiometer Method:</b>  Chromaticity parameters were measured using an integrating sphere, a spectroradiometer and software. The ambient temperature condition inside the sphere was maintained at 25° C ± 1° C. The sample measurements were made using a spectroradiometer connected by a fiber optic cable and detector through the detector port of the integrating sphere. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Chromaticity coordinates, correlated color temperature and color rendering index were calculated from the spectral power distribution taken at 5 nm intervals over the range of 380 to 780 nm.</p>
<p><b>3) Electrical Measurements:</b>  Electrical parameters were measured using power meters incorporated in goniophotometer or sphere-spectroradiometer system. The ambient temperature surrounding the sample was maintained at 25° C ± 1° C. The sample was operated at 120 or rated Volts AC, 60Hz. It was stabilized before measurement was made. Voltage, frequency, current, power, power factor and total harmonic distortion were measured by and read from the power meter.</p>

**2.1 Electrical, Photometric and Chromaticity Measurements**

*(Refer to Work Instruction QD25)*

<b>Test date</b>	2017-01-11	<b>Test Ambient:</b>	25.2 ° C
<b>Test Orientation</b>	As intended	<b>Stabilization Time (min)</b>	90
<b>Model Number</b>	LSKT-422W-2790		

**Electrical Measurement:**

Sample No.	Voltage (Vac)	Frequency (Hz)	Current (A)	Power (W)	Power Factor
GZE161212 0-AE1	120.0	60	0.0880	10.52	0.9940


**Chromaticity Measurement - Sphere-Spectroradiometer Method:**

Parameter	Result	Special Color Rendering Indices			
Test Voltage (V)	120.0	R1	98	R9	82
Frequency (Hz)	60	R2	98	R10	94
CCT (K)	2845	R3	96	R11	96
Duv	-0.0014	R4	97	R12	90
Chromaticity (x, y)	x=0.4462 y=0.4036	R5	98	R13	98
Chromaticity (u', v')	u'=0.2568 v'=0.5226	R6	97	R14	97
Color Rendering Index (CRI)	96.5	R7	96	R15	96
R9	82	R8	92	--	--

**Photometric Measurement – Goniophotometer Method:**

Parameter	Result
Test Voltage (V)	120.0
Frequency (Hz)	60
Total Luminous (lm)	445.93
Luminous Efficacy (lm/W)	42.39
Beam Angle (°)	112.3
Center Beam Candle Power (cd)	158

**Spectral Power Distribution & Chromaticity Diagram**




**Zonal Lumen Tabulation**

Zonal Lumen Summary		
Zone	Lumens	% Luminaire
0-30	122.9	27.6%
0-40	201.5	45.2%
0-60	356.0	79.8%
60-90	89.4	20.1%
70-100	34.7	7.8%
90-120	0.2	0.1%
0-90	445.4	99.9%
90-180	0.5	0.1%
0-180	445.9	100%

Lumens Per Zone					
Zone	Lumens	% Total	Zone	Lumens	% Total
0-10	15.0	3.4%	90-100	0.1	0%
10-20	42.9	9.6%	100-110	0.1	0%
20-30	65.1	14.6%	110-120	0.1	0%
30-40	78.5	17.6%	120-130	0.1	0%
40-50	81.3	18.2%	130-140	0.1	0%
50-60	73.1	16.4%	140-150	0.1	0%
60-70	54.9	12.3%	150-160	0.1	0%
70-80	29.2	6.5%	160-170	0.0	0%
80-90	5.4	1.2%	170-180	0.0	0%





**Photometric Data**



**Illuminance at a Distance**

	Center Beam fc	Beam Width	
17.0ft	0.55 fc	50.5 ft	50.8 ft
34.0ft	0.14 fc	101.0 ft	101.5 ft
51.0ft	0.06 fc	151.6 ft	152.3 ft
68.0ft	0.03 fc	202.1 ft	203.0 ft
85.0ft	0.02 fc	252.6 ft	253.8 ft
102.0ft	0.02 fc	303.1 ft	304.5 ft

■ Vert. Spread: 112.1°  
■ Horiz. Spread: 112.4°



Laboratory: Standard-Tech Co. Ltd Testing Center  
 NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>



**Candela Table - Type C**

	0	22.5	45	67.5	90	112.5	135	157.5	180	202.5	225	247.5	270	292.5	315	337.5	360
0	158	158	158	158	158	158	158	158	158	158	158	158	158	158	158	158	158
1	158	158	158	158	158	158	158	158	158	158	158	158	158	158	158	158	158
2	158	158	158	158	158	158	158	158	158	158	158	158	158	158	158	158	158
3	158	158	158	158	158	157	158	158	158	158	158	158	158	157	158	158	158
4	158	158	158	158	158	157	157	158	158	158	158	158	158	157	157	157	158
5	157	157	157	158	158	157	157	157	158	158	158	158	158	157	157	157	157
6	157	157	157	157	157	157	157	157	157	157	157	157	158	157	157	157	157
7	157	157	157	157	157	156	157	157	157	157	157	157	157	156	156	157	157
8	156	156	156	156	157	156	156	156	157	157	157	157	157	156	156	156	156
9	156	156	156	156	156	156	156	156	156	156	156	156	156	155	156	156	156
10	155	155	155	155	155	155	155	155	156	156	156	156	156	155	155	155	155
11	155	155	155	155	155	154	155	155	155	155	155	155	155	154	155	155	155
12	154	154	154	154	154	154	154	154	154	155	155	155	155	154	154	154	154
13	153	153	153	153	153	153	153	154	154	154	154	154	154	153	153	153	153
14	153	153	153	153	153	152	153	153	153	153	153	153	153	152	152	153	153
15	152	152	152	152	152	152	152	152	152	152	152	152	153	151	152	152	152
16	151	151	151	151	151	151	151	151	151	152	152	152	152	151	151	151	151
17	150	150	150	150	150	150	150	150	151	151	151	151	151	150	150	150	150
18	149	149	149	149	149	149	149	149	150	150	150	150	150	149	149	149	149
19	148	148	148	148	148	148	148	148	149	149	149	149	149	148	148	148	148
20	147	147	147	147	147	147	147	147	148	148	148	148	148	147	147	147	147
21	146	146	146	146	146	146	146	146	146	146	146	147	147	146	146	146	146
22	145	145	145	145	145	145	145	145	145	146	146	146	146	145	145	145	145
23	143	144	143	143	144	143	144	144	144	144	144	144	145	145	143	143	143
24	142	142	142	142	142	142	142	143	143	143	143	143	143	142	142	142	142
25	141	141	141	141	141	141	141	141	142	142	142	142	142	141	141	141	141
26	139	139	139	140	139	139	140	140	140	140	140	141	141	140	140	140	139
27	138	138	138	138	138	138	138	138	139	139	139	139	139	138	138	138	138
28	137	137	137	137	137	137	137	137	137	138	138	138	138	137	137	137	137

**Laboratory: Standard-Tech Co. Ltd Testing Center**  
**NVLAP CODE: 201011-0**

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

29	135	135	135	135	135	135	135	135	136	136	137	137	135	135	135	135	
30	134	134	134	134	134	134	134	134	134	135	135	135	135	134	134	134	134
31	132	132	132	132	132	132	132	133	133	133	134	134	132	132	132	132	
32	130	130	130	130	130	131	131	131	132	132	132	132	131	131	130	130	
33	129	129	129	129	129	128	129	129	130	130	130	130	129	129	129	129	
34	127	127	127	127	127	127	127	128	128	128	128	128	127	127	127	127	
35	125	125	125	125	125	125	125	126	126	126	127	127	126	126	126	125	
36	123	123	123	123	123	123	123	124	124	124	125	125	125	124	124	124	123
37	121	121	121	121	121	122	122	122	123	123	123	123	122	122	121	121	
38	120	120	120	119	119	119	120	120	121	121	121	121	120	120	120	120	
39	118	117	117	117	117	117	117	118	118	119	119	119	119	118	118	118	118
40	116	116	116	116	116	115	116	116	117	117	117	117	116	116	116	116	
41	114	113	113	113	113	113	113	114	114	115	115	115	115	114	114	114	114
42	112	112	111	111	111	111	112	112	113	113	113	113	112	112	112	112	
43	110	109	109	109	109	109	109	110	110	111	111	111	111	110	110	110	110
44	107	107	107	107	107	107	107	108	108	108	109	109	109	108	108	107	107
45	105	105	105	105	105	105	105	106	106	106	107	107	107	106	106	105	105
46	103	103	102	102	102	102	103	103	104	104	104	104	105	103	103	103	103
47	101	101	100	100	100	100	100	101	101	102	102	102	102	101	101	101	101
48	98	98	98	98	98	98	98	99	99	100	100	100	100	99	99	99	98
49	96	96	95	95	96	95	96	96	97	97	97	98	98	97	97	96	96
50	94	94	93	93	93	93	94	94	95	95	95	95	95	94	94	94	94
51	91	91	91	91	91	91	91	92	92	93	93	93	93	92	92	91	91
52	89	89	89	88	88	88	88	89	90	90	91	91	91	90	90	89	89
53	86	86	86	86	86	86	86	87	87	88	88	88	88	87	87	87	86
54	84	84	84	83	84	83	84	84	85	85	85	86	86	85	85	85	84
55	81	81	81	81	81	81	82	81	83	83	83	83	83	82	82	82	81
56	79	78	78	78	79	78	79	79	80	80	81	81	81	80	80	79	79
57	76	76	76	76	76	76	76	76	77	77	78	78	78	77	77	77	76
58	74	73	73	73	74	73	74	74	75	75	75	76	76	75	74	74	74
59	71	71	71	71	71	71	71	71	72	72	73	73	73	73	72	72	71
60	68	68	68	68	68	68	68	69	70	70	70	71	71	70	69	69	68

**Laboratory: Standard-Tech Co. Ltd Testing Center**  
**NVLAP CODE: 201011-0**

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

61	66	65	65	66	65	65	66	66	67	67	67	68	68	67	67	66	66
62	63	63	63	63	63	62	63	63	64	64	65	65	65	65	64	64	63
63	60	60	60	60	60	60	60	61	61	62	62	63	63	62	61	61	60
64	58	57	57	57	57	57	58	58	58	59	59	60	60	59	59	58	58
65	55	54	54	54	54	54	55	55	56	57	57	57	57	56	56	55	55
66	52	52	52	52	52	52	52	53	53	54	54	54	54	54	53	53	52
67	49	49	49	49	49	49	49	50	50	51	51	52	52	51	50	50	49
68	46	46	46	46	46	46	47	47	48	48	49	49	49	48	48	47	46
69	44	43	44	43	43	44	44	44	45	45	46	46	46	46	45	44	44
70	41	40	40	40	41	41	41	41	42	42	43	44	44	43	42	41	41
71	38	38	38	38	38	38	38	39	39	40	40	41	41	40	40	39	38
72	35	35	35	35	35	35	35	36	36	37	37	38	38	37	37	36	35
73	33	32	33	33	33	32	33	33	33	34	35	35	35	34	34	33	33
74	30	29	29	30	30	30	30	30	31	31	32	32	32	31	31	30	30
75	27	26	26	27	27	27	27	27	27	28	29	30	29	27	29	27	27
76	24	24	24	24	24	25	25	25	25	26	26	27	26	24	26	25	24
77	21	21	21	21	22	22	22	22	22	23	23	24	23	20	22	22	21
78	19	19	19	19	19	19	19	19	19	20	21	22	19	17	20	20	19
79	16	16	16	16	17	17	17	17	17	18	18	19	16	13	16	17	16
80	14	13	14	14	15	14	14	14	14	15	16	17	13	9	14	15	14
81	11	11	11	12	12	12	12	12	12	13	13	14	10	7	11	12	11
82	9	9	9	9	10	9	9	10	10	10	11	12	8	5	8	9	9
83	7	7	7	8	8	7	7	7	8	9	9	10	6	4	6	8	7
84	5	5	5	6	5	5	5	6	6	6	7	7	5	3	4	5	5
85	4	3	3	4	4	3	3	4	4	4	5	5	4	3	3	4	4
86	2	2	2	3	2	2	2	2	3	3	3	4	3	2	2	2	2
87	1	1	1	1	2	1	1	1	1	2	2	3	2	2	1	1	1
88	0	0	0	1	1	1	0	0	0	1	1	2	2	1	0	0	0
89	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
90	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
91	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
92	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0

**Laboratory: Standard-Tech Co. Ltd Testing Center  
NVLAP CODE: 201011-0**

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

93	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
95	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
96	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
97	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
98	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
101	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
102	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
103	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
105	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
106	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
107	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
108	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
109	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
110	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
111	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
112	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
113	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
114	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
115	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
116	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
117	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
118	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
119	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
120	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
121	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
122	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
123	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
124	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0

**Laboratory: Standard-Tech Co. Ltd Testing Center  
NVLAP CODE: 201011-0**

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

125	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
126	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
127	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
128	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
129	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
130	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
131	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
132	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
133	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
134	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
135	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
136	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
137	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
138	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
139	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
140	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
141	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
142	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
143	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
144	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
145	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
146	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
147	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
148	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
149	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
150	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
151	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
152	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
153	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
154	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
155	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
156	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Laboratory: Standard-Tech Co. Ltd Testing Center

NVLAP CODE: 201011-0

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

157	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
158	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
159	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
160	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
161	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
162	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
163	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
164	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
165	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
166	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
167	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
168	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
169	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
170	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
171	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
172	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
173	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
174	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
175	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
176	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
177	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
178	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
179	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

**Laboratory: Standard-Tech Co. Ltd Testing Center**  
**NVLAP CODE: 201011-0**

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road, Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>

**3. Test Equipment**

Equipment ID	Equipment Name	Last Calibration Date	Next Calibration Date
ST-R-336	2 meter Integrating Sphere	2016-07-01	2017-06-30
ST-R-331	Spectral analysis system HAAS-2000	2016-07-01	2017-06-30
D204	Standard Lamp	2016-07-01	2017-06-30
PF2010	Power Meter for Integrating Sphere	2016-07-01	2017-06-30
EE-09	Goniophotometer system	2016-07-01	2017-06-30
D908S	Standard Lamp	2016-07-01	2017-06-30
PF210	Power Meter for Goniophotometer	2016-07-01	2017-06-30
ST-R-181A	Temperature Tester	2016-07-01	2017-06-30
Uncertainty: Photometric Measurement (Sphere):1.74% Chromaticity Measurement(Sphere):14.3K Photometric Measurement(Goniophotometer):1.62%			

**\*\*\*\*\* END OF REPORT \*\*\*\*\***

**Laboratory: Standard-Tech Co. Ltd Testing Center**  
**NVLAP CODE: 201011-0**

Report Format Number STD/QR4909-A/2

Address: Standard-Tech Building, No.6 Guanhong Road,Guangzhou Science City, Guangzhou 510663, China

Tel: 8620-3229 0320 Fax: 8620-32290422 <http://www.standard-tech.com>